## (12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

# (19) World Intellectual Property Organization International Bureau



(43) International Publication Date 2 August 2001 (02.08.2001)

PCT

# (10) International Publication Number WO 01/54501 A2

- (51) International Patent Classification7: A01N 43/40, 43/72, 43/80, 43/90, 43/653, 25/32 // (A01N 43/40, 57:20, 47:36, 47:06, 43:90, 43:824, 43:707, 43:70, 43:54, 43:50, 43:10, 37:40, 37:22, 33:18)
- (21) International Application Number: PCT/EP01/00720
- (22) International Filing Date: 23 January 2001 (23.01.2001)
- (25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

139/00 1150/00 25 January 2000 (25.01.2000)

9 June 2000 (09.06.2000)

- (71) Applicant (for all designated States except US): SYN-GENTA PARTICIPATIONS AG [CH/CH]; Schwarzwaldallee 215, CH-4058 Basel (CH).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): RÜEGG, Willy, T. [CH/CH]; Felmetweg 6, CH-5073 Gipf-Oberfrick (CH).


- (74) Agent: BASTIAN, Werner, Syngenta Participations AG, Intellectual Property, P.O. Box, CH-4002 Basel (CH).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

#### Published:

without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: HERBICIDAL COMPOSITION



(57) Abstract: A herbicidal composition that, in addition to comprising customary inert formulation adjuvants, comprises: a) a compound of formula (I), wherein the substituents are as defined in claim 1; and b) a synergistically effective amount of one or more compounds of formulae (2.1 to 2.51). The compositions according to the invention may also comprise a safener.

# Herbicidal composition

The present invention relates to a novel herbicidal composition comprising a herbicidal active ingredient combination that is suitable for the selective control of weeds in crops of useful plants, for example in maize crops. The invention relates also to a method of controlling weeds in crops of useful plants, and to the use of the novel composition for that purpose.


## The compounds of formula I

wherein the definitions of the substituents are given hereinbelow have herbicidal activity.

Surprisingly, it has now been shown that a combination of variable amounts of active ingredients, that is, of an active ingredient of formula I with one or more of the active ingredients of formulae 2.1 to 2.51 listed below, which are known and some of which are also commercially available, exhibits a synergistic action that is capable of controlling, both pre-emergence and post-emergence, the majority of weeds occurring especially in crops of useful plants.

There is therefore proposed in accordance with the present invention a novel synergistic composition for selective weed control that, in addition to customary inert formulation adjuvants, comprises as active ingredient a mixture of

a) a herbicidally effective amount of a compound of formula I



wherein each R is independently hydrogen,  $C_1$ - $C_6$ alkyl,  $C_2$ - $C_6$ alkenyl,  $C_2$ - $C_6$ haloalkenyl,  $C_2$ - $C_6$ alkynyl,  $C_2$ - $C_6$ haloalkynyl,  $C_3$ - $C_6$ cycloalkyl,  $C_1$ - $C_6$ alkoxy,  $C_1$ - $C_6$ haloalkoxy,  $C_1$ - $C_6$ alkylthio,  $C_1$ - $C_6$ alkylsulfinyl,  $C_1$ - $C_6$ alkylsulfonyl,  $C_1$ - $C_6$ haloalkylthio,  $C_1$ -C<sub>6</sub>haloalkylsulfinyl, C<sub>1</sub>-C<sub>6</sub>haloalkylsulfonyl, C<sub>1</sub>-C<sub>6</sub>alkoxycarbonyl, C<sub>1</sub>-C<sub>6</sub>alkylcarbonyl, C<sub>1</sub>- $C_6$ alkylamino, di( $C_1$ - $C_6$ alkyl)amino,  $C_1$ - $C_6$ alkylaminosulfonyl, di( $C_1$ - $C_6$ alkyl)aminosulfonyl, - $N(R_1)$ -S- $R_2$ , - $N(R_3)$ -SO- $R_4$ , - $N(R_5)$ -SO<sub>2</sub>- $R_6$ , nitro, cyano, halogen, hydroxy, amino, benzylthio, benzylsulfinyl, benzylsulfonyl, phenyl, phenoxy, phenylthio, phenylsulfinyl or phenylsulfonyl; wherein the phenyl group may itself be mono-, di- or tri-substituted by C1-C6alkyl, C1-C6haloalkyl, C<sub>3</sub>-C<sub>6</sub>alkenyl, C<sub>3</sub>-C<sub>6</sub>haloalkenyl, C<sub>3</sub>-C<sub>6</sub>alkynyl, C<sub>3</sub>-C<sub>6</sub>haloalkynyl, C<sub>1</sub>-C<sub>6</sub>alkoxy, C<sub>1</sub>-C<sub>6</sub>haloalkoxy, C<sub>3</sub>-C<sub>6</sub>alkenyloxy, C<sub>3</sub>-C<sub>6</sub>alkynyloxy, mercapto, C<sub>1</sub>-C<sub>6</sub>alkylthio, C<sub>1</sub>- $C_6$ haloalkytthio,  $C_3$ - $C_6$ alkenytthio,  $C_3$ - $C_6$ haloalkenytthio,  $C_3$ - $C_6$ alkynytthio,  $C_2$ - $C_5$ alkoxyalkylthio,  $C_3$ - $C_5$ acetylalkỳlthio,  $C_3$ - $C_6$ alkoxycarbonylalkylthio,  $C_2$ - $C_4$ cyanoalkylthio,  $C_1$ - $C_6$ alkylsulfinyl,  $C_1$ - $C_6$ haloalkylsulfinyl,  $C_1$ - $C_6$ alkylsulfonyl,  $C_1$ - $C_6$ haloalkylsulfonyl, aminosulfonyl,  $C_1$ - $C_2$ alkylaminosulfonyl,  $C_2$ - $C_4$ dialkylaminosulfonyl,  $C_1$ - $C_3$ alkylene- $R_{45}$ , NR<sub>46</sub>R<sub>47</sub>, halogen, cyano, nitro, phenyl or by benzylthio, wherein the latter phenyl and benzylthio groups may themselves be substituted on the phenyl ring by  $C_1$ - $C_3$ alkyl,  $C_1$ -C<sub>3</sub>haloalkyl, C<sub>1</sub>-C<sub>3</sub>alkoxy, C<sub>1</sub>-C<sub>3</sub>haloalkoxy, halogen, cyano or by nitro; or each R is independently a monocyclic or fused bicyclic ring system having from 5 to 10 members, which may be aromatic or partially saturated and may contain from 1 to 4 hetero atoms selected from nitrogen, oxygen and sulfur; wherein the ring system either is bound directly to the pyridine ring or is bound to the pyridine ring via a C1-C4alkylene group, and each ring system may not contain more than two oxygen atoms and may not contain more than two sulfur atoms, and the ring system may itself be mono-, di- or tri-substituted by  $C_1$ - $C_6$ alkyl,  $C_1$ - $C_6$ haloalkyl,  $C_3$ - $C_6$ alkenyl,  $C_3$ - $C_6$ haloalkynyl,  $C_3$ - $C_6$ haloalkynyl,  $C_1$ - $C_6$ alkoxy,  $C_1$ - $C_6$ haloalkoxy,  $C_3$ - $C_6$ alkenyloxy,  $C_3$ - $C_6$ alkynyloxy, mercapto,  $C_1$ - $C_6$ alkylthio,  $C_1$ - $C_6$ haloalkylthio,  $C_3$ - $C_6$ alkenylthio,  $C_3$ - $C_6$ haloalkenylthio,  $C_3$ - $C_6$ alkynylthio,  $C_2$ - $C_5$ alkoxyalkylthio,  $C_3$ - $C_5$ acetylalkylthio,  $C_3$ - $C_6$ alkoxycarbonylalkylthio,  $C_2$ - $C_4$ cyanoalkylthio,

 $C_1$ - $C_6$ alkylsulfinyl,  $C_1$ - $C_6$ haloalkylsulfinyl,  $C_1$ - $C_6$ alkylsulfonyl,  $C_1$ - $C_6$ haloalkylsulfonyl, aminosulfonyl,  $C_1$ - $C_2$ alkylaminosulfonyl,  $C_2$ - $C_4$ dialkylaminosulfonyl,  $C_1$ - $C_3$ alkylene- $R_7$ ,  $NR_8R_9$ , halogen, cyano, nitro, phenyl or by benzylthio, wherein phenyl and benzylthio may themselves be substituted on the phenyl ring by  $C_1$ - $C_3$ alkyl,  $C_1$ - $C_3$ haloalkyl,  $C_1$ - $C_3$ alkoxy,  $C_1$ - $C_3$ haloalkoxy, halogen, cyano or by nitro, and wherein the substituents on the nitrogen in the heterocyclic ring are other than halogen; or each R is independently  $C_1$ - $C_4$ alkoxy- $C_1$ - $C_4$ alkyl or  $C_1$ - $C_4$ alkoxy- $C_1$ - $C_4$ alkoxy- $C_1$ - $C_4$ alkyl;

each R is independently  $C_1$ - $C_4$ alkoxy- $C_1$ - $C_4$ alkyl or  $C_1$ - $C_4$ alkoxy- $C_1$ - $C_4$ alkoxy- $C_1$ - $C_4$ alkyl; m is 1, 2, 3 or 4;

 $R_1$ ,  $R_3$  and  $R_5$  are each independently of the others hydrogen or  $C_1$ - $C_6$ alkyl;  $R_2$  is  $NR_{10}R_{11}$ ,  $C_1$ - $C_6$ alkoxy,  $C_1$ - $C_6$ haloalkoxy,  $C_1$ - $C_6$ alkyl,  $C_1$ - $C_6$ haloalkoxy,  $C_1$ - $C_6$ alkynyl,  $C_3$ - $C_6$ alkyl,  $C_1$ - $C_3$ haloalkyl,  $C_1$ - $C_3$ haloalkyl,  $C_1$ - $C_3$ haloalkoxy, halogen, cyano or by nitro;

 $R_4$  is  $NR_{12}R_{13}$ ,  $C_1$ - $C_6$ alkoxy,  $C_1$ - $C_6$ haloalkoxy,  $C_1$ - $C_6$ alkyl,  $C_1$ - $C_6$ haloalkyl,  $C_3$ - $C_6$ alkenyl,  $C_3$ - $C_6$ alkenyl,  $C_3$ - $C_6$ alkynyl,  $C_3$ - $C_6$ cycloalkyl or phenyl, wherein phenyl may itself be substituted by  $C_1$ - $C_3$ alkyl,  $C_1$ - $C_3$ haloalkyl,  $C_1$ - $C_3$ alkoxy,  $C_1$ - $C_3$ haloalkoxy, halogen, cyano or by nitro;

 $R_6$  is NR<sub>14</sub>R<sub>15</sub>, C<sub>1</sub>-C<sub>6</sub>alkoxy, C<sub>1</sub>-C<sub>6</sub>haloalkoxy, C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>haloalkyl, C<sub>3</sub>-C<sub>6</sub>alkenyl, C<sub>3</sub>-C<sub>6</sub>alkenyl, C<sub>3</sub>-C<sub>6</sub>alkynyl, C<sub>3</sub>-C<sub>6</sub>haloalkynyl, C<sub>3</sub>-C<sub>6</sub>cycloalkyl or phenyl, wherein phenyl may itself be substituted by C<sub>1</sub>-C<sub>3</sub>alkyl, C<sub>1</sub>-C<sub>3</sub>haloalkyl, C<sub>1</sub>-C<sub>3</sub>alkoxy, C<sub>1</sub>-C<sub>3</sub>haloalkoxy, halogen, cyano or by nitro;

 $R_7$  and  $R_{45}$  are each independently of the other  $C_1$ - $C_3$ alkoxy,  $C_2$ - $C_4$ alkoxycarbonyl,  $C_1$ - $C_3$ -alkylthio,  $C_1$ - $C_3$ alkylsulfinyl,  $C_1$ - $C_3$ alkylsulfonyl or phenyl, wherein phenyl may itself be substituted by  $C_1$ - $C_3$ alkyl,  $C_1$ - $C_3$ haloalkyl,  $C_1$ - $C_3$ alkoxy,  $C_1$ - $C_3$ haloalkoxy, halogen, cyano or by nitro;

 $R_8$ ,  $R_{10}$ ,  $R_{12}$ ,  $R_{14}$  and  $R_{46}$  are each independently of the others hydrogen or  $C_1$ - $C_6$ alkyl;  $R_9$ ,  $R_{11}$ ,  $R_{13}$ ,  $R_{15}$  and  $R_{47}$  are each independently of the others  $C_1$ - $C_6$ alkyl or  $C_1$ - $C_6$ alkoxy; Q is the group  $Q_1$ 

wherein R<sub>16</sub>, R<sub>17</sub>, R<sub>18</sub> and R<sub>19</sub> are each independently of the others hydrogen, hydroxy, C1-C4alkyl, C2-C6alkenyl, C2-C6alkynyl, C1-C4alkoxycarbonyl, C1-C6alkylthio, C1- $C_6$ alkylsulfinyl,  $C_1$ - $C_6$ alkylsulfonyl,  $C_1$ - $C_4$ alkyl-NHS(O)<sub>2</sub>,  $C_1$ - $C_4$ haloalkyl, -NH- $C_1$ - $C_4$ alkyl, -N(C<sub>1</sub>-C<sub>4</sub>alkyl)<sub>2</sub>, C<sub>1</sub>-C<sub>6</sub>alkoxy, cyano, nitro, halogen, or phenyl which may itself be substituted by C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, C<sub>1</sub>-C<sub>4</sub>haloalkoxy, C<sub>1</sub>-C<sub>4</sub>alkylcarbonyl, C<sub>1</sub>-C4alkoxycarbonyl, amino, C1-C4alkylamino, di(C1-C4alkyl)amino, C1-C6alkylthio, C1-C6alkylsulfinyl, C1-C6alkylsulfonyl, C1-C4alkyl-S(O)2O, C1-C4haloalkylthio, C1- $C_4$ haloalkylsulfinyl,  $C_1$ - $C_4$ haloalkylsulfonyl,  $C_1$ - $C_4$ haloalkyl- $S(O)_2O$ ,  $C_1$ - $C_4$ alkyl- $S(O)_2NH$ ,  $C_1$ -C₄alkyl-S(O)₂N(C₁-C₄alkyl), halogen, nitro, COOH or by cyano; or two adjacent substituents out of R<sub>16</sub>, R<sub>17</sub>, R<sub>18</sub> and R<sub>19</sub> form a C<sub>2</sub>-C<sub>6</sub>alkylene bridge; R<sub>20</sub> is hydroxy, O'M<sup>+</sup>, halogen, C₁-C₁₂alkoxy, C₁-C₁₂alkylcarbonyloxy, C₂-C₄alkenylcarbonyloxy, C<sub>3</sub>-C<sub>6</sub>cycloalkylcarbonyloxy, C<sub>1</sub>-C<sub>12</sub>alkoxycarbonyloxy, C<sub>1</sub>-C<sub>12</sub>alkylcarbonyloxy,  $R_{21}R_{22}N-C(0)O$ ,  $C_1-C_{12}$ alkylthio,  $C_1-C_{12}$ alkylsulfinyl,  $C_1-C_{12}$ alkylsulfonyl,  $C_1-C_4$ haloalkylthio, C1-C4haloalkylsulfinyl, C1-C4haloalkylsulfonyl, C2-C12alkenylthio, C2-C12alkenylsulfinyl, C2-C12 alkenylsulfonyl, C2-C12haloalkenylthio, C2-C12haloalkenylsulfinyl, C2-C12haloalkenylsulfonyl, C<sub>2</sub>-C<sub>12</sub>alkynylthio, C<sub>2</sub>-C<sub>12</sub>alkynylsulfinyl, C<sub>2</sub>-C<sub>12</sub>alkynylsulfonyl, C<sub>1</sub>-C<sub>4</sub>alkyl-S(O)<sub>2</sub>O, phenyl-S(O)<sub>2</sub>O, (C<sub>1</sub>-C<sub>4</sub>alkoxy)<sub>2</sub>P(O)O, C<sub>1</sub>-C<sub>4</sub>alkoxy)P(O)O, H(C<sub>1</sub>-C<sub>4</sub>alkoxy)P(O)O, C<sub>1</sub>-C<sub>12</sub>-alkyl-S(CO)O, benzyloxy, phenoxy, phenylthio, phenylsulfinyl or phenylsulfonyl, wherein the phenyl group may itself be substituted by C1-C4alkyl, C1-C4haloalkyl, C1- $C_4$ alkoxy,  $C_1$ - $C_4$ alkoxy,  $C_1$ - $C_4$ alkylcarbonyl,  $C_1$ - $C_4$ alkoxycarbonyl,  $C_1$ - $C_4$ alkylamino, di  $(C_1$ -C4alkyl)amino, C1-C4alkylthio, C1-C4alkylsulfinyl, C1-C4alkylsulfonyl, C1-C4alkyl-S(O)2O, C1- $C_4$ haloalkytthio,  $C_1$ - $C_4$ haloalkylsulfinyl,  $C_1$ - $C_4$ haloalkylsulfonyl,  $C_1$ - $C_4$ haloalkyl- $S(O)_2O$ ,  $C_1$ -C4alkyl-S(O)2NH, C1-C4alkyl-S(O)2N(C1-C4alkyl), halogen, nitro or by cyano; and R<sub>21</sub> and R<sub>22</sub> are each independently of the other hydrogen or C<sub>1</sub>-C<sub>4</sub>alkyl; or is the group Q2

wherein R<sub>23</sub> is hydroxy, O'M<sup>+</sup>, halogen, C<sub>1</sub>-C<sub>12</sub>alkoxy, C<sub>1</sub>-C<sub>12</sub>alkylcarbonyloxy, C<sub>2</sub>-C<sub>4</sub>-alkenylcarbonyloxy, C<sub>3</sub>-C<sub>6</sub>cycloalkylcarbonyloxy, C<sub>1</sub>-C<sub>12</sub>alkoxycarbonyloxy, C<sub>1</sub>-C<sub>12</sub>alkylcarbonyloxy, C<sub>1</sub>-C<sub>12</sub>alkylcarbonyloxy, R<sub>24</sub>R<sub>25</sub>N-C(O)O, C<sub>1</sub>-C<sub>12</sub>alkylthio, C<sub>1</sub>-C<sub>12</sub>alkylsulfinyl, C<sub>1</sub>-C<sub>12</sub>alkylsulfinyl, C<sub>1</sub>-C<sub>12</sub>alkylsulfinyl, C<sub>2</sub>-C<sub>12</sub>alkenylthio, C<sub>2</sub>-C<sub>12</sub>-alkenylsulfinyl, C<sub>2</sub>-C<sub>12</sub>haloalkylsulfinyl, C<sub>2</sub>-C<sub>12</sub>haloalkenylsulfinyl, C<sub>2</sub>-C<sub>12</sub>-alkenylsulfinyl, C<sub>2</sub>-C<sub>12</sub>-alke

haloalkenylsulfonyl,  $C_2$ - $C_{12}$ alkynylthio,  $C_2$ - $C_{12}$ alkynylsulfinyl,  $C_2$ - $C_{12}$ alkynylsulfonyl,  $C_1$ - $C_4$ alkyl- $S(O)_2O$ , phenyl- $S(O)_2O$ ,  $(C_1$ - $C_4$ alkoxy) $_2P(O)O$ ,  $C_1$ - $C_4$ alkyl( $C_1$ - $C_4$ alkoxy) $_2P(O)O$ ,  $C_1$ - $C_4$ alkoxy) $_2P(O)O$ , benzyloxy, phenoxy, phenylthio, phenylsulfinyl or phenylsulfonyl, wherein the phenyl group may itself be substituted by  $C_1$ - $C_4$ alkyl,  $C_1$ - $C_4$ alkoxy,  $C_1$ - $C_4$ alkoxy,  $C_1$ - $C_4$ alkylcarbonyl,  $C_1$ - $C_4$ alkylamino, di( $C_1$ - $C_4$ alkyl)amino,  $C_1$ - $C_4$ alkylthio,  $C_1$ - $C_4$ alkylsulfinyl,  $C_1$ - $C_4$ alkylsulfonyl,  $C_1$ - $C_4$ alkyl- $S(O)_2O$ ,  $C_1$ - $C_4$ haloalkylthio,  $C_1$ - $C_4$ haloalkylsulfinyl,  $C_1$ - $C_4$ haloalkyl- $S(O)_2O$ ,  $C_1$ - $C_4$ alkyl- $S(O)_2$ NH,  $C_1$ - $C_4$ alkyl- $S(O)_2$ N( $C_1$ - $C_4$ alkyl), halogen, nitro or by cyano;

 $R_{24}$  and  $R_{25}$  are each independently of the other hydrogen or  $C_1$ - $C_4$ alkyl; and Y is oxygen, sulfur, a chemical bond or a  $C_1$ - $C_4$ alkylene bridge; or is the group  $Q_3$ 

wherein  $R_{44}$ ,  $R_{37}$ ,  $R_{38}$  and  $R_{39}$  are each independently of the others hydrogen,  $C_1$ - $C_6$ alkyl,  $C_1$ - $C_6$ alkyl,  $C_2$ - $C_6$ alkenyl,  $C_2$ - $C_6$ alkynyl,  $C_1$ - $C_6$ alkoxycarbonyl,  $C_1$ - $C_6$ alkylthio,  $C_1$ - $C_6$ alkyl-sulfinyl,  $C_1$ - $C_6$ alkylsulfonyl,  $C_1$ - $C_6$ alkyl-NHS(O)2,  $C_1$ - $C_6$ alkylamino, di( $C_1$ - $C_6$ alkyl)amino, hydroxy,  $C_1$ - $C_6$ alkoxy,  $C_3$ - $C_6$ alkenyloxy,  $C_3$ - $C_6$ alkynyloxy, hydroxy- $C_1$ - $C_6$ alkyl,  $C_1$ - $C_4$ alkyl-sulfonyloxy- $C_1$ - $C_6$ alkyl, tosyloxy- $C_1$ - $C_6$ alkyl, halogen, cyano, nitro, phenyl, or phenyl substituted by  $C_1$ - $C_4$ alkyl,  $C_1$ - $C_4$ alaloalkyl,  $C_1$ - $C_4$ alkoxy,  $C_1$ - $C_4$ alkoxy,  $C_1$ - $C_4$ alkoxycarbonyl, amino,  $C_1$ - $C_4$ alkylamino, di( $C_1$ - $C_4$ alkyl)amino,  $C_1$ - $C_6$ alkylsulfinyl,  $C_1$ - $C_6$ alkylsulfonyl,  $C_1$ - $C_4$ alkyl-S(O)2O,  $C_1$ - $C_6$ haloalkylsulfinyl,  $C_1$ - $C_6$ haloalkylsulfinyl,  $C_1$ - $C_6$ haloalkylsulfinyl,  $C_1$ - $C_6$ haloalkylsulfinyl,  $C_1$ - $C_6$ alkylsulfinyl-N( $C_1$ - $C_4$ alkyl),  $C_1$ - $C_6$ alkylsulfonyl-N( $C_1$ - $C_4$ alkyl), halogen, nitro, COOH or by cyano; or adjacent  $R_{44}$  and  $R_{37}$  or  $R_{38}$  and  $R_{39}$  together are  $C_3$ - $C_6$ alkylene;

W is oxygen, sulfur, sulfinyl, sulfonyl, -CR<sub>41</sub>R<sub>42</sub>-, -C(O)- or -NR<sub>43</sub>-; R<sub>41</sub> is hydrogen, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy-C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>alkylthio-C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>alkylcarbonyloxy-C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>alkylsulfonyloxy-C<sub>1</sub>-C<sub>4</sub>alkyl, tosyloxy-C<sub>1</sub>-C<sub>4</sub>alkyl, di(C<sub>1</sub>-C<sub>3</sub>alkoxyalkyl)methyl, di(C<sub>1</sub>-C<sub>3</sub>alkylthioalkyl)methyl, (C<sub>1</sub>-C<sub>3</sub>alkoxyalkyl)-(C<sub>1</sub>-C<sub>3</sub>alkylthioalkyl)methyl, C<sub>3</sub>-C<sub>5</sub>oxacycloalkyl, C<sub>3</sub>-C<sub>5</sub>thiacycloalkyl, C<sub>3</sub>-C<sub>4</sub>dioxacycloalkyl, C<sub>3</sub>-C<sub>5</sub>thiacycloalkyl, C<sub>3</sub>-C<sub>4</sub>dioxacycloalkyl, C<sub>3</sub>-C<sub>5</sub>thiacycloalkyl, C<sub>3</sub>-C<sub>4</sub>dioxacycloalkyl, C<sub>3</sub>-C<sub>5</sub>thiacycloalkyl, C<sub>3</sub>-C<sub>4</sub>dioxacycloalkyl, C<sub>3</sub>-C<sub>5</sub>thiacycloalkyl, C<sub>3</sub>-C<sub>5</sub>thi

 $C_4 \text{dithiacycloalkyl}, \ C_3 - C_4 \text{oxathiacycloalkyl}, \ formyl, \ C_1 - C_4 \text{alkoxycarbonyl}, \ or \ phenyl \ which \ may itself be substituted by $C_1 - C_4 \text{alkyl}, \ C_1 - C_4 \text{haloalkyl}, \ C_1 - C_4 \text{alkoxy}, \ C_1 - C_4 \text{haloalkoxy}, \ C_1 - C_4 \text{alkylamino}, \ di(C_1 - C_4 \text{alkyl}) \text{amino}, \ C_1 - C_4 \text{alkylamino}, \ di(C_1 - C_4 \text{alkyl}) \text{amino}, \ C_1 - C_4 \text{alkylamino}, \ di(C_1 - C_4 \text{alkyl}) \text{amino}, \ C_1 - C_4 \text{alkylamino}, \ di(C_1 - C_4 \text{alkyl}) \text{amino}, \ C_1 - C_4 \text{alkylamino}, \ di(C_1 - C_4 \text{alkyl}) \text{amino}, \ C_1 - C_4 \text{alkylamino}, \ di(C_1 - C_4 \text{alkyl}) \text{amino}, \ C_1 - C_4 \text{alkylamino}, \ di(C_1 - C_4 \text{alkylamino}, \ C_1 - C_4 \text{alkylamino}, \ di(C_1 - C_4 \text{alkylamino}, \ C_1 - C_4 \text{alkylamino}, \ C_1 - C_4 \text{alkylamino}, \ di(C_1 - C_4 \text{alkylamino}, \ C_1 - C_4 \text{alkylamino}, \ C_1 - C_4 \text{alkylamino}, \ C_1 - C_4 \text{alkylamino}, \ di(C_1 - C_4 \text{alkylamino}, \ C_1 - C_4 \text{alkylamino}, \ C_1$ 

R<sub>40</sub> is hydroxy, O<sup>™</sup>, halogen, C<sub>1</sub>-C<sub>12</sub>alkoxy, C<sub>1</sub>-C<sub>12</sub>alkylcarbonyloxy, C<sub>2</sub>-C<sub>4</sub>alkenylcarbonyloxy, C<sub>3</sub>-C<sub>6</sub>cycloalkylcarbonyloxy, C<sub>1</sub>-C<sub>12</sub>alkoxycarbonyloxy, C<sub>1</sub>-C<sub>12</sub>alkylcarbonyloxy,  $R_{98}R_{97}N-C(O)O$ ,  $C_1-C_{12}$ alkylthio,  $C_1-C_{12}$ alkylsulfinyl,  $C_1-C_{12}$ alkylsulfonyl,  $C_1-C_4$ haloalkylthio,  $C_1$ - $C_4$ haloalkylsulfinyl,  $C_1$ - $C_4$ haloalkylsulfonyl,  $C_2$ - $C_{12}$ alkenylthio,  $C_2$ - $C_{12}$ alkenylsulfinyl,  $C_2$ - $C_{12}$ alkenylsulfonyl, C2-C12haloalkenylthio, C2-C12haloalkenylsulfinyl, C2-C12haloalkenylsulfonyl,  $C_2$ - $C_{12}$ alkynylthio,  $C_2$ - $C_{12}$ alkynylsulfinyl,  $C_2$ - $C_{12}$ alkynylsulfonyl,  $C_1$ - $C_4$ alkyl- $S(O)_2O$ ,  $phenyl-S(O)_2O, (C_1-C_4alkoxy)_2P(O)O, C_1-C_4alkyl(C_1-C_4alkoxy)P(O)O, H(C_1-C_4alkoxy)P(O)O, H(C_1-C_4alkoxy$ C<sub>1</sub>-C<sub>12</sub>-alkyl-S(CO)O, benzyloxy, phenoxy, phenylthio, phenylsulfinyl or phenylsulfonyl. wherein the phenyl group may itself be substituted by C1-C4alkyl, C1-C4haloalkyl, C1- $C_4$ alkoxy,  $C_1$ - $C_4$ haloalkoxy,  $C_1$ - $C_4$ alkylcarbonyl,  $C_1$ - $C_4$ alkoxycarbonyl,  $C_1$ - $C_4$ alkylamino, di( $C_1$ - $C_4$ alkyl)amino,  $C_1$ - $C_4$ alkylthio,  $C_1$ - $C_4$ alkylsulfinyl,  $C_1$ - $C_4$ alkylsulfonyl,  $C_1$ - $C_4$ alkyl- $S(O)_2O$ ,  $C_1$ -C₄haloalkylthio, C₁-C₄haloalkylsulfinyl, C₁-C₄haloalkylsulfonyl, C₁-C₄haloalkyl-S(O)₂O, C₁-C4alkyl-S(O)2NH, C1-C4alkyl-S(O)2N(C1-C4alkyl), halogen, nitro or by cyano;  $R_{98}$  and  $R_{97}$  are each independently of the other hydrogen or  $C_1\text{-}C_4$ alkyl; R<sub>43</sub> is hydrogen, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>alkoxycarbonyl, or phenyl which may itself be substituted by C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, C<sub>1</sub>-C<sub>4</sub>haloalkoxy, C<sub>1</sub>-C<sub>4</sub>alkylcarbonyl, C<sub>1</sub>- $C_4$ alkoxycarbonyl,  $C_1$ - $C_4$ alkylamino, di( $C_1$ - $C_4$ alkyl)amino,  $C_1$ - $C_4$ alkylsulfinyl, C<sub>1</sub>-C<sub>4</sub>alkylsulfonyl, C<sub>1</sub>-C<sub>4</sub>alkyl-S(O)<sub>2</sub>O, C<sub>1</sub>-C<sub>4</sub>haloalkylthio, C<sub>1</sub>-C<sub>4</sub>haloalkylsulfinyl, C<sub>1</sub>- $C_4 haloalkyl-S(O)_2O,\ C_1-C_4 alkyl-S(O)_2NH,\ C_1-C_4 alkyl-S(O)_2N(C_1-C_4 alkyl-S(O)_2NH)$ C4alkyl), halogen, nitro or by cyano; or is the group Q

wherein R<sub>30</sub> hydroxy, O⁻M⁺, halogen, C₁-C₁₂alkoxy, C₁-C₁₂alkylcarbonyloxy, C₂-C₄alkenylcarbonyloxy, C<sub>3</sub>-C<sub>6</sub>cycloalkylcarbonyloxy, C<sub>1</sub>-C<sub>12</sub>alkoxycarbonyloxy, C<sub>1</sub>-C<sub>12</sub>alkylcarbonyloxy,  $R_{31}R_{32}N-C(O)O$ ,  $C_1-C_{12}$ alkylthio,  $C_1-C_{12}$ alkylsulfinyl,  $C_1-C_{12}$ alkylsulfonyl,  $C_1-C_4$ haloalkylthio, C<sub>1</sub>-C<sub>4</sub>haloalkylsulfinyl, C<sub>1</sub>-C<sub>4</sub>haloalkylsulfonyl, C<sub>2</sub>-C<sub>12</sub>alkenylthio, C<sub>2</sub>-C<sub>12</sub>alkenylsulfinyl, C<sub>2</sub>-C<sub>12</sub>alkenylsulfonyl, C2-C12haloalkenylthio, C2-C12haloalkenylsulfinyl, C2-C12haloalkenylsulfonyl, C<sub>2</sub>-C<sub>12</sub>alkynylthio, C<sub>2</sub>-C<sub>12</sub>alkynylsulfinyl, C<sub>2</sub>-C<sub>12</sub>alkynylsulfonyl, C<sub>1</sub>-C<sub>4</sub>alkyl-S(O)<sub>2</sub>O, phenyl-S(O)<sub>2</sub>O, ( $C_1$ - $C_4$ alkoxy)<sub>2</sub>P(O)O,  $C_1$ - $C_4$ alkyl( $C_1$ - $C_4$ alkoxy)P(O)O, H( $C_1$ - $C_4$ alkoxy)P(O)O, C<sub>1</sub>-C<sub>12</sub>-alkyl-S(CO)O, benzyloxy, phenoxy, phenylthio, phenylsulfinyl or phenylsulfonyl. wherein the phenyl group may itself be substituted by C1-C4alkyl, C1-C4haloalkyl, C1-C4alkoxy, C1-C4alkylcarbonyl, C1-C4alkylcarbonyl, C1-C4alkoxycarbonyl, C1-C4alkylamino, di(C1-C<sub>4</sub>alkyl)amino, C<sub>1</sub>-C<sub>4</sub>alkylthio, C<sub>1</sub>-C<sub>4</sub>alkylsulfinyl, C<sub>1</sub>-C<sub>4</sub>alkylsulfonyl, C<sub>1</sub>-C<sub>4</sub>alkylsul C4haloalkytthio, C1-C4haloalkylsulfinyl, C1-C4haloalkylsulfonyl, C1-C4haloalkyl-S(O)<sub>2</sub>O, C1-C4alkyl-S(O)2NH, C1-C4alkyl-S(O)2N(C1-C4alkyl), halogen, nitro or by cyano; and R<sub>31</sub> and R<sub>32</sub> are each independently of the other hydrogen or C₁-C₄alkyl; R<sub>33</sub> and R<sub>34</sub> are each independently of the other hydrogen, hydroxy, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>2</sub>-C<sub>6</sub>alkenyl, C2-C6alkynyl, C1-C6alkylsulfinyl, C1-C6alkylsulfinyl, C1-C6alkylsulfinyl, C<sub>1</sub>-C<sub>4</sub>alkyl-NHS(O)<sub>2</sub>, C<sub>1</sub>-C<sub>4</sub>haloalkyl, -NH-C<sub>1</sub>-C<sub>4</sub>alkyl, -N(C<sub>1</sub>-C<sub>4</sub>alkyl)<sub>2</sub>, C<sub>1</sub>-C<sub>6</sub>alkoxy, cyano. nitro, halogen, or phenyl which may itself be substituted by C1-C4alkyl, C1-C4haloalkyl, C1-C4alkoxy, C<sub>1</sub>-C<sub>4</sub>haloalkoxy, C<sub>1</sub>-C<sub>4</sub>alkylcarbonyl, C<sub>1</sub>-C<sub>4</sub>alkoxycarbonyl, amino, C<sub>1</sub>-C<sub>4</sub>alkylamino, di(C<sub>1</sub>-C<sub>4</sub>alkyl)amino, C<sub>1</sub>-C<sub>6</sub>alkylthio, C<sub>1</sub>-C<sub>6</sub>alkylsulfinyl, C<sub>1</sub>-C<sub>6</sub>alkylsulfonyl, C<sub>1</sub>-C<sub>4</sub>alkyl-S(O)<sub>2</sub>O,  $C_1-C_4$ haloalkylthio,  $C_1-C_4$ haloalkylsulfinyl,  $C_1-C_4$ haloalkylsulfonyl,  $C_1-C_4$ haloalkyl-S(O)<sub>2</sub>O, C₁-C₄alkyl-S(O)₂NH, C₁-C₄alkyl-S(O)₂N(C₁-C₄alkyl), halogen, nitro, COOH or by cyano; or R<sub>33</sub> and R<sub>34</sub> together form a C<sub>2</sub>-C<sub>6</sub>alkylene bridge; and R<sub>35</sub> is hydrogen, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>alkoxycarbonyl, or phenyl which may itself be substituted by C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, C<sub>1</sub>-C<sub>4</sub>haloalkoxy, C<sub>1</sub>-C<sub>4</sub>alkylcarbonyl, C<sub>1</sub>-C4alkoxycarbonyl, amino, C1-C4alkylamino, di(C1-C4alkyl)amino, C1-C4alkylthio, C1-C4alkylsulfinyl, C1-C4alkylsulfonyl, C1-C4alkyl-S(O)2O, C1-C4haloalkylthio, C1-C4haloalkylsulfinyl, C1-C4haloalkylsulfonyl, C1-C4haloalkyl-S(O)2O, C1-C4alkyl-S(O)2NH, C1-C4alkyl-S(O)2N(C1-C4alkyl), halogen, nitro, COOH or by cyano: or is the group Q<sub>5</sub>

wherein Z is sulfur, SO or SO2;

 $R_{01} \text{ is hydrogen, } C_1\text{-}C_8 \text{alkyl, } C_1\text{-}C_8 \text{alkyl substituted by halogen, } C_1\text{-}C_4 \text{alkoxy, } C_1\text{-}C_4 \text{alkylthio, } C_1\text{-}C_4 \text{alkylsulfinyl, hydroxy, cyano, nitro, } \text{-}CHO, \text{-}CO_2R_{02}, \text{-}COR_{03}, \text{-}COSR_{04}, \text{-}NR_{06}R_{06}, \text{CONR}_{036}R_{037}, \text{ or by phenyl which may itself be substituted by } C_1\text{-}C_4 \text{alkyl, } C_1\text{-}C_6 \text{haloalkyl, } C_1\text{-}C_4 \text{alkoxy, } C_1\text{-}C_4 \text{haloalkoxy, } C_2\text{-}C_6 \text{alkenyl, } C_3\text{-}C_6 \text{alkynyl, } C_3\text{-} C_6 \text{alkynyloxy, halogen, nitro, cyano, } \text{-}COOH, COOC_1\text{-}C_4 \text{alkyl, } COOphenyl, } C_1\text{-}C_4 \text{alkoxy, phenoxy, } (C_1\text{-}C_4 \text{alkoxy})\text{-}C_1\text{-}C_4 \text{alkyl, } (C_1\text{-}C_4 \text{alkylthio})\text{-}C_1\text{-}C_4 \text{alkyl, } (C_1\text{-} C_4 \text{alkyl, } (C_1\text{-}C_4 \text{alkyl, } NHSO_2\text{-}C_1\text{-}C_4 \text{alkyl, } NHSO_2\text{-}phenyl, } N(C_1\text{-}C_6 \text{alkyl})\text{SO}_2\text{-}C_1\text{-}C_4 \text{alkyl, } NHSO_2\text{-}C_1\text{-}C_4 \text{alkyl, } NHSO_2\text{-}Phenyl, } N(C_1\text{-}C_6 \text{alkyl})\text{SO}_2\text{-}C_1\text{-}C_4 \text{alkyl, } N(C_2\text{-}C_6 \text{alkenyl})\text{SO}_2\text{-}Phenyl, } N(C_3\text{-}C_6 \text{alkynyl})\text{SO}_2\text{-}C_1\text{-}C_4 \text{alkyl, } N(C_3\text{-}C_7\text{-}C_7 \text{alkyl, } N(C_3\text{-}C_7 \text{-}C_7 \text{alkyl, } N(C_3\text{-}C_7 \text{-}C_4 \text{alkyl, } N(C_$ 

or Ro1 is C2-C8alkenyl or C2-C8alkenyl substituted by halogen, C1-C4alkoxy, C1-C4alkytthio,  $C_1$ - $C_4$ alkylsulfonyl,  $C_1$ - $C_4$ alkylsulfinyl, -CONR $_{032}$ R $_{033}$ , cyano, nitro, -CHO, -CO $_2$ R $_{039}$ , -COR $_{039}$ , -COR $_{039}$ -COS-C1-C4alkyl, -NR034R035, or by phenyl which may itself be substituted by C1-C4alkyl,  $C_1$ - $C_6$ haloalkył,  $C_1$ - $C_4$ alkoxy,  $C_1$ - $C_4$ haloalkoxy,  $C_2$ - $C_6$ alkenyl,  $C_3$ - $C_6$ alkenyloxy, C<sub>3</sub>-C<sub>6</sub>alkynyloxy, halogen, nitro, cyano, -COOH, COOC<sub>1</sub>-C<sub>4</sub>alkyl, COOphenyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, phenoxy, (C<sub>1</sub>-C<sub>4</sub>alkoxy)-C<sub>1</sub>-C<sub>4</sub>alkyl, (C<sub>1</sub>-C<sub>4</sub>alkylthio)-C<sub>1</sub>-C<sub>4</sub>alkyl, (C<sub>1</sub>-C<sub>4</sub>alkylsulfinyl)-C<sub>1</sub>-C<sub>4</sub>alkyl,  $(C_1-C_4alkylsulfonyl)-C_1-C_4alkyl, NHSO_2-C_1-C_4alkyl, NHSO_2-phenyl, N(C_1-C_6alkyl)SO_2-C_1-C_4alkyl, NHSO_2-C_1-C_4alkyl, NHSO_$ alkyl,  $N(C_1-C_6alkyl)SO_2$ -phenyl,  $N(C_2-C_6alkenyl)SO_2-C_1-C_4alkyl$ ,  $N(C_2-C_6alkenyl)SO_2$ -phenyl, alkyl, N(C<sub>3</sub>-C<sub>7</sub>cycloalkyl)SO<sub>2</sub>-phenyl, N(phenyl)SO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, N(phenyl)SO<sub>2</sub>-phenyl, OSO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, CONR<sub>040</sub>R<sub>041</sub>, OSO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>haloalkyl, OSO<sub>2</sub>-phenyl, C<sub>1</sub>-C<sub>4</sub>alkylthio, C<sub>1</sub>-C<sub>4</sub>haloalkytthio, phenylthio, C1-C4alkylsulfonyl, C1-C4haloalkylsulfonyl, phenylsulfonyl, C1-C4alkylsulfinyl, C<sub>1</sub>-C<sub>4</sub>haloalkylsulfinyl, phenylsulfinyl, C<sub>1</sub>-C<sub>4</sub>alkylenephenyl or by -NR<sub>043</sub>CO<sub>2</sub>R<sub>042</sub>; or  $R_{01}$  is  $C_3$ - $C_6$ alkynyl or  $C_3$ - $C_6$ alkynyl substituted by halogen,  $C_1$ - $C_4$ haloalkyl, cyano, -CO₂R₀44, or by phenyl which may itself be substituted by C₁-C₄alkyl, C₁-C₅haloalkyl, C₁-C₄alkoxy,  $C_1$ - $C_4$ haloalkoxy,  $C_2$ - $C_6$ alkenyl,  $C_3$ - $C_6$ alkynyl,  $C_3$ - $C_6$ alkenyloxy,  $C_3$ - $C_6$ alkynyloxy, halogen, nitro, cyano, -COOH, COOC $_1$ -C $_4$ alkyl, COOphenyl, C $_1$ -C $_4$ alkoxy, phenoxy, (C $_1$ -C $_4$ -sulfonyl)-C1-C4alkyl, NHSO2-C1-C4alkyl, NHSO2-phenyl, N(C1-C6alkyl)SO2-C1-C4alkyl,

WO 01/54501 PCT/EP01/00720

 $N(C_1-C_6alkyl)SO_2-phenyl,\ N(C_2-C_6alkenyl)SO_2-C_1-C_4alkyl,\ N(C_2-C_6alkenyl)SO_2-phenyl,\ N(C_3-C_6alkenyl)SO_2-phenyl,\ N(C_3-C_6alkynyl)SO_2-C_1-C_4-C_4-alkyl,\ N(C_3-C_7cycloalkyl)SO_2-phenyl,\ N(phenyl)SO_2-phenyl,\ N(phenyl)SO_2-phenyl,\$ 

Ro1 is C1-C4alkylene-C3-C7cycloalkyl, phenyl, or phenyl substituted by C1-C4alkyl, C1-C6haloalkyl, C1-C4alkoxy, C1-C4haloalkoxy, C2-C6alkenyl, C3-C6alkenyloxy, C3-C6alkenyloxy, C3-C6alkynyloxy, halogen, nitro, cyano, -COOH, COOC1-C4alkyl, COOphenyl, C1-C4alkoxy, phenoxy, (C<sub>1</sub>-C<sub>4</sub>alkoxy)-C<sub>1</sub>-C<sub>4</sub>alkyl, (C<sub>1</sub>-C<sub>4</sub>alkylthio)-C<sub>1</sub>-C<sub>4</sub>alkyl, (C<sub>1</sub>-C<sub>4</sub>alkylsulfinyl)-C<sub>1</sub>-C<sub>4</sub>alkyl, (C<sub>1</sub>-C<sub>4</sub>alkylsulfonyl)-C<sub>1</sub>-C<sub>4</sub>alkyl, NHSO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, NHSO<sub>2</sub>-phenyl, N(C<sub>1</sub>-C<sub>6</sub>alkyl)SO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, N(C<sub>1</sub>-C<sub>6</sub>alkyl)SO<sub>2</sub>-phenyl, N(C<sub>2</sub>-C<sub>6</sub>alkenyl)SO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, N(C<sub>2</sub>-C<sub>6</sub>alkenyl)SO<sub>2</sub>-phenyl, N(C<sub>3</sub>-C<sub>6</sub>alkynyi)SO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, N(C<sub>3</sub>-C<sub>6</sub>alkynyi)SO<sub>2</sub>-phenyl, N(C<sub>3</sub>-C<sub>7</sub>cycloalkyl)SO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, N(C<sub>3</sub>-C<sub>7</sub>cycloalkyl)SO<sub>2</sub>-phenyl, N(phenyl)SO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, N(phenyl)SO<sub>2</sub>-phenyl, OSO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, CONR<sub>045</sub>R<sub>048</sub>, OSO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>haloalkyl, OSO<sub>2</sub>-phenyl, C<sub>1</sub>-C<sub>4</sub>alkylthio, C<sub>1</sub>-C<sub>4</sub>haloalkylthio, phenylthio, C1-C4alkylsulfonyl, C1-C4haloalkylsulfonyl, phenylsulfonyl, C1-C4alkylsulfinyl, C<sub>1</sub>-C<sub>4</sub>haloalkylsulfinyl, phenylsulfinyl or by -NR<sub>048</sub>CO<sub>2</sub>R<sub>047</sub>; or R<sub>01</sub> is C<sub>1</sub>-C<sub>4</sub>alkylenephenyl, COR<sub>07</sub> or from 4- to 6-membered heterocyclyl; Roz, Rose, Rose and Rose are each independently of the others hydrogen, C1-C4alkyl, phenyl, or phenyl substituted by C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, C<sub>1</sub>-C<sub>4</sub>haloalkoxy, C<sub>2</sub>-C<sub>6</sub>alkenyl, C<sub>3</sub>-C<sub>6</sub>alkynyl, C<sub>3</sub>-C<sub>6</sub>alkenyloxy, C<sub>3</sub>-C<sub>6</sub>alkynyloxy, halogen, nitro, cyano, -COOH, COOC<sub>1</sub>-C<sub>4</sub>alkyl, COOphenyl, C₁-C₄alkoxy, phenoxy, (C₁-C₄alkoxy)-C₁-C₄alkyl, (C₁-C₄alkylthio)-C₁-C₄alkyl,  $(C_1-C_4$ alkylsulfinyl)- $C_1-C_4$ alkyl,  $(C_1-C_4$ alkylsulfonyl)- $C_1-C_4$ alkyl, NHSO<sub>2</sub>- $C_1-C_4$ alkyl, NHSO<sub>2</sub>-phenyl, N(C<sub>1</sub>-C<sub>6</sub>alkyl)SO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, N(C<sub>1</sub>-C<sub>6</sub>alkyl)SO<sub>2</sub>-phenyl, N(C<sub>2</sub>-C<sub>6</sub>alkenyl)- $SO_2$ - $C_1$ - $C_4$ alkyl,  $N(C_2$ - $C_6$ alkenyl) $SO_2$ -phenyl,  $N(C_3$ - $C_6$ alkynyl) $SO_2$ - $C_1$ - $C_4$ alkyl,  $N(C_3$ - $C_6$ alkynyl)SO<sub>2</sub>-phenyl, N(C<sub>3</sub>-C<sub>7</sub>cycloalkyl)SO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, N(C<sub>3</sub>-C<sub>7</sub>cycloalkyl)SO<sub>2</sub>-phenyl, N(phenyl)SO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, N(phenyl)SO<sub>2</sub>-phenyl, OSO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, CONR<sub>049</sub>R<sub>050</sub>, OSO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>haloalkyl, OSO<sub>2</sub>-phenyl, C<sub>1</sub>-C<sub>4</sub>alkylthio, C<sub>1</sub>-C<sub>4</sub>haloalkylthio, phenylthio, C<sub>1</sub>-C4alkylsulfonyl, C1-C4haloalkylsulfonyl, phenylsulfonyl, C1-C4alkylsulfinyl, C1-C<sub>4</sub>haloalkylsulfinyl, phenylsulfinyl, -C<sub>1</sub>-C<sub>4</sub>-alkylphenyl or by -NR<sub>052</sub>CO<sub>2</sub>R<sub>053</sub>;

 $R_{03}$ ,  $R_{039}$  and  $R_{097}$  are each independently of the others  $C_1$ - $C_4$ alkyl, phenyl, or phenyl substituted by  $C_1$ - $C_4$ alkyl,  $C_1$ - $C_6$ haloalkyl,  $C_1$ - $C_4$ alkoxy,  $C_1$ - $C_4$ haloalkoxy,  $C_2$ - $C_6$ alkenyl,  $C_3$ - $C_6$ -alkynyl,  $C_3$ - $C_6$ alkenyloxy,  $C_3$ - $C_6$ alkynyloxy, halogen, nitro, cyano, -COOH, COOC $_1$ - $C_4$ alkyl, COOphenyl,  $C_1$ - $C_4$ alkoxy, phenoxy,  $(C_1$ - $C_4$ alkoxy)- $C_1$ - $C_4$ alkyl,  $(C_1$ - $(C_4$ alkyl,  $(C_1$ - $(C_4$ alkyl),  $(C_1$ - $(C_4$ alkyl),  $(C_2$ - $(C_4$ alkyl,  $(C_3$ - $(C_4$ alkyl),  $(C_3$ - $(C_4$ alkyl),  $(C_3$ - $(C_4$ alkyl,  $(C_3$ - $(C_4$ alkyl),  $(C_3$ - $(C_$ 

Ro4 is C1-C4alkyl;

R<sub>05</sub> is hydrogen, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>2</sub>-C<sub>6</sub>alkenyl, C<sub>3</sub>-C<sub>6</sub>alkynyl, C<sub>3</sub>-C<sub>7</sub>cycloalkyl, phenyl, or phenyl substituted by C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, C<sub>1</sub>-C<sub>4</sub>haloalkoxy, C<sub>2</sub>-C<sub>6</sub>alkenyl, C<sub>3</sub>-C<sub>6</sub>-alkynyl, C<sub>3</sub>-C<sub>6</sub>alkenyloxy, C<sub>3</sub>-C<sub>6</sub>alkynyloxy, halogen, nitro, cyano, -COOH, COOC<sub>1</sub>-C<sub>4</sub>alkyl, COOphenyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, phenoxy, (C<sub>1</sub>-C<sub>4</sub>alkoxy)-C<sub>1</sub>-C<sub>4</sub>alkyl, (C<sub>1</sub>-C<sub>4</sub>alkylthio)-C<sub>1</sub>-C<sub>4</sub>alkyl, (C<sub>1</sub>-C<sub>4</sub>alkyl), (C<sub>1</sub>-C<sub>4</sub>alkyl, NHSO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, NHSO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, (C<sub>1</sub>-C<sub>6</sub>alkyl)SO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, N(C<sub>1</sub>-C<sub>6</sub>alkyl)SO<sub>2</sub>-phenyl, N(C<sub>1</sub>-C<sub>6</sub>alkyl)SO<sub>2</sub>-phenyl, N(C<sub>3</sub>-C<sub>6</sub>alkenyl)-SO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, N(C<sub>3</sub>-C<sub>6</sub>alkenyl)SO<sub>2</sub>-phenyl, N(C<sub>3</sub>-C<sub>6</sub>alkynyl)SO<sub>2</sub>-phenyl, N(C<sub>3</sub>-C<sub>7</sub>cycloalkyl)SO<sub>2</sub>-phenyl, N(C<sub>3</sub>-C<sub>7</sub>cycloalkyl)SO

 $R_{06} \text{ is hydrogen, } C_1\text{-}C_4\text{alkyl, } C_2\text{-}C_6\text{alkenyl, } C_3\text{-}C_6\text{alkynyl, } C_3\text{-}C_7\text{cycloalkyl, phenyl, or phenyl substituted by } C_1\text{-}C_4\text{alkyl, } C_1\text{-}C_6\text{haloalkyl, } C_1\text{-}C_4\text{alkoxy, } C_1\text{-}C_4\text{haloalkoxy, } C_2\text{-}C_6\text{alkenyl, } C_3\text{-}C_6\text{alkenyloxy, } C_3\text{-}C_6\text{alkynyloxy, halogen, nitro, cyano, -}COOH, COOC_1\text{-}C_4\text{-}alkyl, COOphenyl, } C_1\text{-}C_4\text{alkoxy, phenoxy, } (C_1\text{-}C_4\text{alkoxy})\text{-}C_1\text{-}C_4\text{alkyl, } (C_1\text{-}C_4\text{alkylthio})\text{-}C_1\text{-}C_4\text{-}alkyl, } (C_1\text{-}C_4\text{alkyl, nhso}_2\text{-}C_1\text{-}C_4\text{alkyl, } (C_1\text{-}C_4\text{alkyl, nhso}_2\text{-}C_1\text{-}C_4\text{alkyl, } (C_1\text{-}C_6\text{alkyl})\text{-}C_1\text{-}C_6\text{alkyl})\text{-}C_1\text{-}C_6\text{alkyl, nhso}_2\text{-}phenyl, } N(C_1\text{-}C_6\text{alkenyl})\text{-}SO_2\text{-}C_1\text{-}C_4\text{alkyl, nhso}_2\text{-}phenyl, } N(C_2\text{-}C_6\text{alkenyl})\text{-}SO_2\text{-}phenyl, } N(C_3\text{-}C_7\text{cycloalkyl})\text{SO}_2\text{-}phenyl, } N(C_3\text{-}C_7\text{cycloalkyl})\text{-}SO_2\text{-}phenyl, } N(C_3\text{-}C_7\text{-}C_7\text{cycloalkyl})\text{-}SO_2\text{-}phenyl, } N(C_3\text{-}C_7\text{-}C_7\text{cycloalkyl})\text{-}SO_2\text{-}phenyl, } N(C_3\text{-}C_7\text{-}C_7\text{-}C_7\text{-}C_7\text{-}phenyl, } N(C_3\text{-}C_7\text{-}C_7\text{-}C_7\text{-}C_7\text{-}C_7\text{-}phenyl, } N(C_3\text{-}C_7\text{-}C_7\text{-}C_7\text{-}C_7\text{-}phenyl, } N(C_3\text{-}C_7\text{-}C_7\text{-}C_7\text{-}C_7\text{-}phenyl, } N(C_3\text{-}C_7\text{-}C_7\text{-}C_7\text{-}C_7\text{-}phenyl, } N(C_3\text{-}C_7\text{-}C_7\text{-}C_7\text{-}C_7\text{-}phenyl, } N(C_3\text{-}C_7\text{-}C_7\text{-}C_7\text{-}C_7\text{-}C_7\text{-}phenyl, } N(C_3\text{-}C_7\text{-}C_7\text{-}C_7\text{-}C_7\text{-}phenyl, } N(C_3\text{-}C_7\text{-}C_7\text{-}C_7\text{-}C_7\text{-}C_7\text{-}phen$ 

Ĵ }

 $SO_2$ - $C_1$ - $C_4$ alkyl, N(phenyl) $SO_2$ -phenyl,  $OSO_2$ - $C_1$ - $C_4$ alkyl,  $CONR_{061}R_{062}$ ,  $OSO_2$ - $C_1$ - $C_4$ haloalkyl,  $OSO_2$ -phenyl,  $C_1$ - $C_4$ alkylthio,  $C_1$ - $C_4$ haloalkylthio, phenylthio,  $C_1$ - $C_4$ alkylsulfonyl,  $C_1$ - $C_4$ haloalkylsulfinyl,  $C_1$ - $C_4$ haloalkylsulfinyl, phenylsulfinyl,  $C_1$ - $C_4$ -alkylsulfinyl,  $C_1$ - $C_4$ -alkylenephenyl or by -NR<sub>064</sub> $CO_2$ R<sub>063</sub>;

R<sub>07</sub> is phenyl, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy or -NR<sub>08</sub>R<sub>09</sub>;

 $R_{09}$  and  $R_{09}$  are each independently of the other  $C_1$ - $C_4$ alkyl, phenyl, or phenyl substituted by halogen, nitro, cyano,  $C_1$ - $C_4$ alkyl,  $C_1$ - $C_4$ alkoxy,  $C_1$ - $C_4$ thioalkyl, - $CO_2R_{066}$ , - $COR_{087}$ ,  $C_1$ - $C_4$ -alkylsulfinyl or by  $C_1$ - $C_4$ haloalkyl; or  $R_{08}$  and  $R_{09}$  together form a 5- or 6-membered ring, which may be interrupted by oxygen,  $NR_{086}$  or by S;

 $R_{015}$ ,  $R_{031}$ ,  $R_{048}$ ,  $R_{062}$ ,  $R_{066}$ ,  $R_{060}$  and  $R_{064}$  are each independently of the others hydrogen,  $C_1$ - $C_4$ alkyl,  $C_2$ - $C_6$ alkenyl,  $C_3$ - $C_6$ alkynyl or  $C_3$ - $C_7$ cycloalkyl;

R<sub>025</sub>, R<sub>026</sub>, R<sub>027</sub>, R<sub>028</sub>, R<sub>029</sub>, R<sub>030</sub>, R<sub>032</sub>, R<sub>033</sub>, R<sub>034</sub>, R<sub>035</sub>, R<sub>035</sub>, R<sub>037</sub>, R<sub>040</sub>, R<sub>041</sub>, R<sub>042</sub>, R<sub>045</sub>, R<sub>048</sub>, R<sub>047</sub>, R<sub>049</sub>, R<sub>050</sub>, R<sub>053</sub>, R<sub>054</sub>, R<sub>055</sub>, R<sub>057</sub>, R<sub>058</sub>, R<sub>058</sub>, R<sub>059</sub>, R<sub>061</sub>, R<sub>062</sub>, R<sub>063</sub>, R<sub>065</sub> and R<sub>068</sub> are each independently of the others hydrogen,  $C_1$ - $C_4$ alkyl,  $C_2$ - $C_6$ alkenyl,  $C_3$ - $C_6$ alkynyl,  $C_3$ - $C_7$ cycloalkyl, phenyl, or phenyl substituted by halogen, nitro, cyano,  $C_1$ - $C_4$ alkoxy,  $C_1$ - $C_4$ haloalkylthio,  $C_1$ - $C_4$ haloalkylthio,  $C_1$ - $C_4$ haloalkylthio,  $C_1$ - $C_4$ haloalkyl,  $C_3$ - $C_6$ alkenyl,  $C_3$ - $C_6$ haloalkyl,  $C_3$ - $C_6$ alkenyl,  $C_3$ - $C_6$ alkenyl,  $C_3$ - $C_6$ alkenyl,  $C_3$ - $C_6$ alkynyl,  $C_3$ - $C_6$ alkynyl,  $C_3$ - $C_6$ alkoxycarbonyl,  $C_3$ - $C_6$ alkenyl,  $C_3$ - $C_6$ alkenyl,  $C_3$ - $C_6$ alkylsulfinyl,  $C_4$ - $C_4$ alkylsulfinyl,  $C_5$ - $C_6$ alkylsulfinyl,  $C_7$ - $C_6$ alkylsulfonyl,  $C_7$ - $C_6$ alkylsulfinyl,  $C_7$ - $C_7$ alkylsulfonyl,  $C_7$ - $C_7$ alkylsulfinyl,  $C_7$ - $C_7$ alkoxycarbonyl, di( $C_7$ - $C_7$ alkyl)arnino,  $C_7$ - $C_7$ alkoxycarbonyl,  $C_7$ - $C_7$ alkoxy,  $C_7$ - $C_7$ alkoxy,  $C_7$ - $C_7$ alkyl- $C_7$ - $C_7$ alkyl- $C_7$ - $C_7$ alkyl- $C_7$ - $C_7$ -

or an agronomically acceptable salt of such a compound, and

b) a synergistically effective amount of one or more compounds selected from a compound of formula 2.1

wherein R<sub>51</sub> is CH<sub>2</sub>-OMe, ethyl or hydrogen;

R<sub>S2</sub> is hydrogen or R<sub>51</sub> and R<sub>S2</sub> together are the group -CH=CH-CH=CH-; and a compound of formula 2.2

wherein  $R_{53}$  is ethyl,  $R_{54}$  is methyl or ethyl and  $R_{55}$  is -CH(Me)-CH<sub>2</sub>OMe, <S>-CH(Me)-CH<sub>2</sub>OMe, CH<sub>2</sub>OMe or CH<sub>2</sub>O-CH<sub>2</sub>CH<sub>3</sub>; and a compound of formula 2.3

wherein R<sub>58</sub> is CH(Me)-CH<sub>2</sub>OMe or <S>CH(Me)-CH<sub>2</sub>OMe; and a compound of formula 2.4

wherein  $R_{57}$  is chlorine, methoxy or methylthio,  $R_{58}$  is ethyl and  $R_{59}$  is ethyl, isopropyl, -C(CN)(CH<sub>3</sub>)-CH<sub>3</sub> or tert-butyl; and a compound of formula 2.5

wherein R<sub>60</sub> is ethyl or n-propyl, R<sub>61</sub> is COO 1/2 Ca<sup>++</sup>, -CH<sub>2</sub>-CH(Me)S-CH<sub>2</sub>CH<sub>3</sub> or the group

and X is oxygen, N-O-CH<sub>2</sub>CH<sub>3</sub> or N-O-CH<sub>2</sub>CH=CH-Cl;

and a compound of formula 2.6

wherein  $R_{82}$  is hydrogen, methoxy or ethoxy,  $R_{83}$  is hydrogen, methyl, methoxy or fluorine,  $R_{84}$  is COOMe, fluorine or chlorine,  $R_{85}$  is hydrogen or methyl, Y is methine, C-F or nitrogen, Z is methine or nitrogen and  $R_{66}$  is fluorine or chlorine; and a compound of formula 2.7

wherein  $R_{67}$  is hydrogen or -C(O)-S-n-octyl; and a compound of formula 2.8

wherein  $R_{68}$  is either bromine or iodine; and a compound of formula 2.9

wherein  $R_{69}$  is chlorine or nitro; and a compound of formula 2.10

wherein  $R_{70}$  is fluorine or chlorine and  $R_{71}$  is -CH<sub>2</sub>-CH(Cl)-COOCH<sub>2</sub>CH<sub>3</sub> or -NH-SO<sub>2</sub>Me; and a compound of formula 2.11

wherein  $R_{72}$  is trifluoromethyl or chlorine; and a compound of formula 2.12

wherein R<sub>73</sub> is NH<sub>2</sub> or <S>NH<sub>2</sub>; and a compound of formula 2.13

wherein  $Y_1$  is nitrogen, methine, NH-CHO or N-Me,  $Y_2$  is nitrogen, methine or C-I,  $Y_3$  is methine,  $Y_4$  is methine or  $Y_3$  and  $Y_4$  together are sulfur or C-CI,  $Y_5$  is nitrogen or methine,  $Y_6$  is methyl, diffuoromethoxy, trifluoromethyl or methoxy,  $Y_7$  is methoxy or diffuoromethoxy and  $R_{74}$  is CONMe<sub>2</sub>, COOMe, COOC<sub>2</sub>H<sub>5</sub>, trifluoromethyl, CH<sub>2</sub>-CH<sub>2</sub>CF<sub>3</sub> or SO<sub>2</sub>CH<sub>2</sub>CH<sub>3</sub>, or a sodium salt thereof ("Me" being in each case the methyl group); and the compound of formula 2.13.c

and the compound of formula 2.14

$$Me \xrightarrow{Me} N \xrightarrow{N-N} Me$$

$$Me \xrightarrow{N-N} N \xrightarrow{N-H} (2.14),$$

and the compound of formula 2.15

( )

$$O_2N$$
  $O_2$   $O_2$ 

and the compound of formula 2.18

and the compound of formula 2.19

and the compound of formula 2.20

and the compound of formula 2.23

and the compound of formula 2.26

and the compound of formula 2.27

and the compound of formula 2.28

1

and the compound of formula 2.30

and the compound of formula 2.31

and the compound of formula 2.32

(\_)

$$H_2N - SO_2NHCO_2CH_3$$
 (2.34), and the compound of formula 2.35

$$CH_{2}NH - N - CF_{3}$$

$$CH_{2}NH - CI - O$$

$$(2.35),$$

$$CH_3$$
 $N$ 
 $O$ 
 $C(CH_3)_3$ 
 $(2.36),$ 

and the compound of formula 2.37 
$$N = CO_2CH_3$$
 (2.37),

and the compound of formula 2.38 
$$CH_3SOC$$
  $CH_2CH(CH_3)_2$  (2.38),

and the compound of formula 2.39 
$$(CH_3)_2N$$
  $N$   $N$   $O$   $(2.39),$ 

$$CI - \left\langle \underline{\phantom{C}} \right\rangle - OCH_2CO_2H$$
 $CH_3$ 
 $CH_3$ 

and the compound of formula 2.42

$$(CH_3)_3C \nearrow S \longrightarrow NCONHCH_3$$
 $N-N$  (2.43),

and the compound of formula 2.43

 $\binom{n}{n}$ 

and the compound of formula 2.44

and the compound of formula 2.45

and the compound of formula 2.48

and the compound of formula 2.49

and the compound of formula 2.50

$$H_3C$$
 $CH_3$ 
 $CH_3$ 

( )

$$CI \xrightarrow{F} O \xrightarrow{CH_3} F$$

$$O \xrightarrow{F} F$$

$$O \xrightarrow{CH_3} CH_3$$

$$O \xrightarrow{CH_3} CH_3$$

$$O \xrightarrow{CH_3} CH_3$$

In the above formulae, "Me" is a methyl group. The alkyl groups appearing in the substituent definitions may be straight-chained or branched and are, for example, methyl, ethyl, n-propyl, isopropyl, n-butyl, sec-butyl, isobutyl, tert-butyl, pentyl, hexyl, heptyl, octyl, nonyl, decyl, undecyl and dodecyl and also branched isomers thereof. Alkoxy, alkenyl and alkynyl radicals are derived from the mentioned alkyl radicals. The alkenyl and alkynyl groups may be unsaturated once or more than once.

An alkylene group may be substituted by one or more methyl groups; preferably, such alkylene groups are unsubstituted in each case. The same also applies to all C<sub>3</sub>-C<sub>5</sub>cycloalkyl-, C<sub>3</sub>-C<sub>5</sub>oxacycloalkyl-, C<sub>3</sub>-C<sub>5</sub>thiacycloalkyl-, C<sub>3</sub>-C<sub>4</sub>dioxacycloalkyl-, C<sub>3</sub>-C<sub>4</sub>dithiacycloalkyl-, C<sub>3</sub>-C<sub>4</sub>oxathiacycloalkyl- and N(CH<sub>2</sub>)-containing groups.

Halogen is, generally, fluorine, chlorine, bromine or iodine. The same correspondingly applies to halogen in the context of other definitions, such as haloalkyl or halophenyl.

Haloalkyl groups having a chain length of from 1 to 6 carbon atoms are, for example, fluoromethyl, difluoromethyl, trifluoromethyl, chloromethyl, dichloromethyl, trichloromethyl, 2,2,2-trifluoroethyl, 2-fluoroethyl, 2-chloroethyl, pentafluoroethyl, 1,1-difluoro-2,2,2-trichloroethyl, 2,2,3,3-tetrafluoroethyl and 2,2,2-trichloroethyl, pentafluoroethyl, heptafluoro-n-propyl, perfluoro-n-hexyl; haloalkyl groups in the definitions of  $R_2$ ,  $R_3$  and especially  $R_5$  are preferably trichloromethyl, dichlorofluoromethyl, difluorochloromethyl, difluoromethyl, trifluoromethyl, pentafluoroethyl or heptafluoro-n-propyl.

Suitable haloalkenyl radicals include alkenyl groups substituted one or more times by halogen, halogen being fluorine, chlorine, bromine or iodine and especially fluorine or chlorine, for example 2,2-difluoro-1-methylvinyl, 3-fluoropropenyl, 3-chloropropenyl, 3-chloropropenyl, 3-bromopropenyl, 2,3,3-trifluoropropenyl, 2,3,3-trichloropropenyl and 4,4,4-trifluorobut-2-en-1-yl. Preferred C<sub>2</sub>-C<sub>12</sub>alkenyl radicals substituted once, twice or three times by halogen are those having a chain length of from 2 to 5 carbon atoms. Suitable haloalkynyl radicals

include, for example, alkynyl groups substituted one or more times by halogen, halogen being bromine or iodine and, especially, fluorine or chlorine, for example 3-fluoropropynyl, 3-chloropropynyl, 3-bromopropynyl, 3,3,3-trifluoropropynyl and 4,4,4-trifluoro-but-2-yn-1-yl. Preferred alkynyl groups substituted one or more times by halogen are those having a chain length of from 2 to 5 carbon atoms.

Alkoxy groups preferably have a chain length of from 1 to 6 carbon atoms. Alkoxy is, for example, methoxy, ethoxy, propoxy, isopropoxy, n-butoxy, isobutoxy, sec-butoxy or tert-butoxy or a pentyloxy or hexyloxy isomer, preferably methoxy and ethoxy. Alkylcarbonyl is preferably acetyl or propionyl. Alkoxycarbonyl is, for example, methoxycarbonyl, ethoxycarbonyl, propoxycarbonyl, isopropoxycarbonyl, n-butoxycarbonyl, isobutoxycarbonyl, sec-butoxycarbonyl or tert-butoxycarbonyl, preferably methoxycarbonyl, ethoxycarbonyl or tert-butoxycarbonyl, preferably have a chain length of from 1 to 8 carbon atoms.

Haloalkoxy is, for example, fluoromethoxy, difluoromethoxy, trifluoromethoxy, 2,2,2-trifluoroethoxy, 1,1,2,2-tetrafluoroethoxy, 2-fluoroethoxy, 2-chloroethoxy, 2,2-difluoroethoxy or 2,2,2-trichloroethoxy, preferably difluoromethoxy, 2-chloroethoxy or trifluoromethoxy.

Alkylthio groups preferably have a chain length of from 1 to 8 carbon atoms.

Alkylthio is, for example, methylthio, ethylthio, propylthio, isopropylthio, n-butylthio, isobutylthio, sec-butylthio or tert-butylthio, preferably methylthio or ethylthio. Alkylsulfinyl, isobutylsulfinyl, ethylsulfinyl, propylsulfinyl, isopropylsulfinyl, n-butylsulfinyl, sulfinyl, sec-butylsulfinyl or tert-butylsulfinyl, preferably methylsulfinyl or ethylsulfinyl.

Alkylsulfonyl is, for example, methylsulfonyl, ethylsulfonyl, propylsulfonyl, isopropylsulfonyl, n-butylsulfonyl, isobutylsulfonyl, sec-butylsulfonyl, preferably methylsulfonyl, preferably methylsulfonyl, or ethylsulfonyl, preferably methylsulfonyl, or ethylsulfonyl, preferably methylsulfonyl or ethylsulfonyl.

Alkylamino is, for example, methylamino, ethylamino, n-propylamino, isopropylamino or a butylamine isomer. Dialkylamino is, for example, dimethylamino, methylethylamino, diethylamino, n-propylmethylamino, dibutylamino or diisopropylamino. Preference is given to alkylamino groups having a chain length of from 1 to 4 carbon atoms. Alkoxyalkyl groups preferably have from 1 to 6 carbon atoms. Alkoxyalkyl is, for example, methoxymethyl, methoxyethyl, ethoxymethyl, ethoxyethyl, n-propoxymethyl, n-propoxyethyl, isopropoxymethyl or isopropoxyethyl. Alkylthioalkyl groups preferably have from 1 to 6 carbon atoms. Alkylthioalkyl is, for example, methylthiomethyl, methylthioethyl, ethylthiomethyl, ethylthio-

ethyl, n-propylthiomethyl, n-propylthioethyl, isopropylthiomethyl, isopropylthioethyl, butylthiomethyl, butylthioethyl or butylthiobutyl.

The cycloalkyl groups preferably have from 3 to 6 ring carbon atoms and may be substituted by one or more methyl groups; they are preferably unsubstituted, for example cyclopropyl, cyclobutyl, cyclopentyl or cyclohexyl. Phenyl, including phenyl as part of a substituent such as phenoxy, benzyl, benzyloxy, benzoyl, phenylthio, phenylalkyl, phenoxyalkyl or tosyl, may be in mono- or poly-substituted form, in which case the substituents may, as desired, be in the ortho-, meta- and/or para-position(s).

The invention also includes the salts that the compounds of formula I may form with amines, alkali metal and alkaline earth metal bases or quaternary ammonium bases. Among the alkali metal and alkaline earth metal hydroxides used as salt formers, emphasis is to be given to the hydroxides of lithium, sodium, potassium, magnesium and calcium, but especially those of sodium and potassium.

Examples of suitable amines for ammonium salt formation that come into consideration are ammonia as well as primary, secondary and tertiary C1-C18alkylamines, C1-C4hydroxyalkylamines and C2-C4alkoxyalkylamines, for example methylamine, ethylamine, n-propylamine, isopropylamine, the four butylamine isomers, n-amylamine, isoamylamine, hexylamine, heptylamine, octylamine, nonylamine, decylamine, pentadecylamine, hexadecylamine, heptadecylamine, octadecylamine, methyl-ethylamine, methyl-isopropylamine, methylhexylamine, methyl-nonylamine, methyl-pentadecylamine, methyl-octadecylamine, ethylbutylamine, ethyl-heptylamine, ethyl-octylamine, hexyl-heptylamine, hexyl-octylamine, dimethylamine, diethylamine, di-n-propylamine, diisopropylamine, di-n-butylamine, di-namylamine, diisoamylamine, dihexylamine, diheptylamine, dioctylamine, ethanolamine, n-propanolamine, isopropanolamine, N,N-diethanolamine, N-ethylpropanolamine, N-butylethanolamine, allylamine, n-butenyl-2-amine, n-pentenyl-2-amine, 2,3-dimethylbutenyl-2amine, dibutenyl-2-amine, n-hexenyl-2-amine, propylenediamine, trimethylamine, triethylamine, tri-n-propylamine, triisopropylamine, tri-n-butylamine, triisobutylamine, tri-secbutylamine, tri-n-amylamine, methoxyethylamine and ethoxyethylamine; heterocyclic amines, for example pyridine, quinoline, isoquinoline, morpholine, piperidine, pyrrolidine, indoline, quinuclidine and azepine; primary aryl amines for example anilines, methoxyanilines, ethoxyanilines, o-, m- and p-toluidines, phenylenediamines, benzidines, naphthylamines and

o-, m- and p-chloroanilines; but especially triethylamine, isopropylamine and diisopropylamine.

It is extremely surprising that the combination of the active ingredient of formula I with one or more active ingredients selected from formulae 2.1 to 2.51 exceeds the additive effect on the weeds to be controlled that is to be expected in principle, and thus broadens the range of action of the individual active ingredients especially in two respects: Firstly, the rates of application of the individual compounds of formulae 1 and 2.1 to 2.51 are reduced while a good level of action is maintained and, secondly, the composition according to the invention achieves a high level of weed control also in those cases where the individual substances, in the range of low rates of application, have become unusable from the agronomic standpoint. The result is a considerable broadening of the spectrum of weeds and an additional increase in selectivity in respect of the crops of useful plants, as is necessary and desirable in the event of an unintentional overdose of active ingredient. The composition according to the invention, while retaining excellent control of weeds in crops of useful plants, also enables greater flexibility in succeeding crops.

The composition according to the invention can be used against a large number of agronomically important weeds, such as Stellaria, Nasturtium, Agrostis, Digitaria, Avena, Setaria, Sinapis, Lolium, Solanum, Phaseolus, Echinochloa, Scirpus, Monochoria, Sagittaria, Bromus, Alopecurus, Sorghum halepense, Rottboellia, Cyperus, Abutilon, Sida, Xanthium, Amaranthus, Chenopodium, Ipomoea, Chrysanthemum, Galium, Viola and Veronica. The composition according to the invention is suitable for all methods of application conventionally used in agriculture, e.g. pre-emergence application, post-emergence application and seed dressing. The composition according to the invention is suitable especially for controlling weeds in crops of useful plants, such as cereals, rape, sugar beet, sugar cane, plantation crops, rice, maize and soybeans, and also for non-selective weed control.

"Crops" are to be understood to mean also those crops which have been made tolerant to herbicides or classes of herbicides as a result of conventional methods of breeding or genetic engineering.

Preferred compositions according to the invention comprise compounds of formula I wherein

WO 01/54501 PCT/EP01/00720

each R is independently hydrogen, C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>2</sub>-C<sub>6</sub>alkenyl, C<sub>2</sub>-C<sub>6</sub>haloalkenyl, C<sub>2</sub>-C<sub>6</sub>alkynyl, C2-C6haloalkynyl, C3-C6cycloalkyl, C1-C6alkoxy, C1-C6haloalkoxy, C1-C6alkylthio, C1-C6alkylsulfinyl, C1-C6alkylsulfonyl, C1-C6haloalkyl, C1-C6haloalkylthio, C1-C6haloalkylsulfinyl, C1-C6haloalkylsulfonyl,  $C_1$ - $C_6$ alkoxycarbonyl,  $C_1$ - $C_6$ alkylcarbonyl,  $C_1$ - $C_6$ alkylamino, di( $C_1$ - $C_6$ alkyl)amino,  $C_1$ - $C_6$ alkylaminosulfonyl, di( $C_1$ - $C_6$ alkyl)aminosulfonyl, -N( $R_1$ )-S- $R_2$ , -N( $R_3$ )-SO- $R_4$ , -N(R<sub>5</sub>)-SO<sub>2</sub>-R<sub>6</sub>, nitro, cyano, halogen, hydroxy, amino, benzylthio, benzylsulfinyl, benzylsulfonyl, phenyl, phenoxy, phenylthio, phenylsulfinyl or phenylsulfonyl; wherein the phenyl group may itself be mono-, di- or tri-substituted by C1-C6alkyl, C1-C6haloalkyl, C3-C6alkenyl, C<sub>3</sub>-C<sub>6</sub>haloalkenyl, C<sub>3</sub>-C<sub>6</sub>alkynyl, C<sub>3</sub>-C<sub>6</sub>haloalkynyl, C<sub>1</sub>-C<sub>6</sub>alkoxy, C<sub>1</sub>-C<sub>6</sub>haloalkoxy, C<sub>3</sub>-C<sub>6</sub>alkenyloxy, C3-C6alkynyloxy, mercapto, C1-C6alkylthio, C1-C6haloalkylthio, C3-C6alkenylthio, C<sub>3</sub>-C<sub>6</sub>haloalkenylthio, C<sub>3</sub>-C<sub>6</sub>alkynylthio, C<sub>2</sub>-C<sub>5</sub>alkoxyalkylthio, C<sub>3</sub>-C<sub>5</sub>acetylalkylthio, C<sub>3</sub>-C<sub>6</sub>alkoxycarbonylalkylthio, C<sub>2</sub>-C<sub>4</sub>cyanoalkylthio, C<sub>1</sub>-C<sub>6</sub>alkylsulfinyl, C<sub>1</sub>-C<sub>6</sub>haloalkylsulfinyl, C<sub>1</sub>-C<sub>6</sub>alkylsulfonyl, C<sub>1</sub>-C<sub>6</sub>haloalkylsulfonyl, aminosulfonyl, C<sub>1</sub>-C<sub>2</sub>alkylaminosulfonyl, C<sub>2</sub>-C<sub>4</sub>dialkylaminosulfonyl, C<sub>1</sub>-C<sub>3</sub>alkylene-R<sub>45</sub>, NR<sub>48</sub>R<sub>47</sub>, halogen, cyano, nitro, phenyl or by benzylthio, wherein the latter phenyl and benzylthio groups may themselves be substituted on the phenyl ring by C<sub>1</sub>-C<sub>3</sub>aikyl, C<sub>1</sub>-C<sub>3</sub>haloaikyl, C<sub>1</sub>-C<sub>3</sub>aikoxy, C<sub>1</sub>-C<sub>3</sub>haloaikoxy, halogen, cyano or by nitro;

or each R is independently a monocyclic or fused bicyclic ring system having from 5 to 10 members, which may be aromatic or partially saturated and may contain from 1 to 4 hetero atoms selected from nitrogen, oxygen and sulfur; wherein the ring system either is bound directly to the pyridine ring or is bound to the pyridine ring via a C1-C4alkylene group, and each ring system may not contain more than two oxygen atoms and may not contain more than two sulfur atoms, and the ring system may itself be mono-, di- or tri-substituted by C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>haloalkyl, C<sub>3</sub>-C<sub>6</sub>alkenyl, C<sub>3</sub>-C<sub>6</sub>haloalkenyl, C<sub>3</sub>-C<sub>6</sub>alkynyl, C<sub>3</sub>-C<sub>6</sub>haloalkynyl, C<sub>1</sub>-C<sub>6</sub>alkoxy, C<sub>1</sub>-C<sub>6</sub>haloalkoxy, C<sub>3</sub>-C<sub>6</sub>alkenyloxy, C<sub>3</sub>-C<sub>6</sub>alkynyloxy, mercapto, C<sub>1</sub>-C<sub>6</sub>alkylthio, C1-C6haloalkylthio, C3-C6alkenylthio, C3-C6haloalkenylthio, C3-C6alkynylthio, C2-C<sub>5</sub>alkoxyalkylthio, C<sub>3</sub>-C<sub>5</sub>acetylalkylthio, C<sub>3</sub>-C<sub>6</sub>alkoxycarbonylalkylthio, C<sub>2</sub>-C<sub>4</sub>cyanoalkylthio, C<sub>1</sub>-C<sub>6</sub>alkylsulfinyl, C<sub>1</sub>-C<sub>6</sub>haloalkylsulfinyl, C<sub>1</sub>-C<sub>6</sub>alkylsulfonyl, C<sub>1</sub>-C<sub>6</sub>haloalkylsulfonyl, aminosulfonyl, C1-C2alkylaminosulfonyl, C2-C4dialkylaminosulfonyl, C1-C3alkylene-R7, NR8R9, halogen, cyano, nitro, phenyl or by benzylthio, wherein phenyl and benzylthio may themselves be substituted on the phenyl ring by C1-C3alkyl, C1-C3haloalkyl, C1-C3alkoxy, C1-C<sub>3</sub>haloalkoxy, halogen, cyano or by nitro, and wherein the substituents on the nitrogen in the heterocyclic ring are other than halogen.

.{ }

Compositions according to the invention that are also preferred comprise, as compound of formula I, a compound of formula Ia

#### wherein

 $R_{48} \text{ is } C_1\text{-}C_6 \text{alkyl, } C_2\text{-}C_6 \text{alkenyl, } C_2\text{-}C_6 \text{haloalkenyl, } C_2\text{-}C_6 \text{alkynyl, } C_2\text{-}C_6 \text{haloalkynyl, } C_3\text{-}C_6 \text{cyclostate}$ alkyl, C<sub>1</sub>-C<sub>6</sub>haloalkyl, or a monocyclic or fused bicyclic ring system having from 5 to 10 members, which may be aromatic or partially saturated and may contain from 1 to 4 hetero atoms selected from nitrogen, oxygen and sulfur, wherein the ring system either is bound directly to the pyridine ring or is bound to the pyridine ring via a C1-C4alkylene group, and each ring system may not contain more than two oxygen atoms and may not contain more than two sulfur atoms, and the ring system may itself be mono-, di- or tri-substituted by  $C_1$ - $C_6$ alkyl,  $C_1$ - $C_6$ haloalkyl,  $C_3$ - $C_6$ alkenyl,  $C_3$ - $C_6$ haloalkynyl,  $C_3$ - $C_6$ haloalkynyl, C<sub>1</sub>-C<sub>6</sub>alkoxy, C<sub>1</sub>-C<sub>6</sub>haloalkoxy, C<sub>3</sub>-C<sub>6</sub>alkenyloxy, C<sub>3</sub>-C<sub>6</sub>alkynyloxy, mercapto, C<sub>1</sub>-C<sub>6</sub>alkylthio, C<sub>1</sub>-C<sub>6</sub>haloalkylthio, C<sub>3</sub>-C<sub>6</sub>alkenylthio, C<sub>3</sub>-C<sub>6</sub>haloalkenylthio, C<sub>3</sub>-C<sub>6</sub>alkynylthio, C<sub>2</sub>-C<sub>5</sub>alkoxyalkylthio,  $C_3$ - $C_5$ acetylalkylthio,  $C_3$ - $C_6$ alkoxycarbonylalkylthio,  $C_2$ - $C_4$ cyanoalkylthio,  $C_1$ - $C_6$ alkylsulfinyl,  $C_1$ - $C_6$ haloalkylsulfinyl,  $C_1$ - $C_6$ alkylsulfonyl,  $C_1$ - $C_6$ haloalkylsulfonyl, aminosulfonyl,  $C_1$ - $C_2$ alkylaminosulfonyl,  $C_2$ - $C_4$ dialkylaminosulfonyl,  $C_1$ - $C_3$ alkylene- $R_7$ ,  $NR_8R_9$ , halogen, cyano, nitro, phenyl or by benzylthio, wherein phenyl and benzylthio may themselves be substituted on the phenyl ring by C₁-C₃alkyl, C₁-C₃haloalkyl, C₁-C₃alkoxy, C₁-C₃haloalkoxy, halogen, cyano or by nitro, and wherein the substituents on the nitrogen in the heterocyclic ring are other than halogen;

 $R_{49}$  is hydrogen,  $C_1$ - $C_6$ alkyl,  $C_1$ - $C_6$ haloalkyl, halogen, or phenyl which may be substituted by  $C_1$ - $C_3$ alkyl,  $C_1$ - $C_3$ haloalkyl,  $C_1$ - $C_3$ alkoxy,  $C_1$ - $C_3$ haloalkoxy, halogen, cyano or by nitro, and  $R_{50}$  is  $C_1$ - $C_6$ haloalkyl.

Among that group of compounds preference is given to those wherein  $R_{48}$  is  $C_1$ - $C_6$ alkyl,  $C_2$ - $C_6$ alkenyl,  $C_2$ - $C_6$ haloalkenyl,  $C_2$ - $C_6$ alkynyl,  $C_2$ - $C_6$ haloalkyl,  $C_3$ - $C_6$ cycloalkyl or  $C_1$ - $C_6$ -haloalkyl.

Preference is given also to compositions wherein, in formula I, Q is the group  $Q_2$  or  $Q_3$ , wherein, especially, in the group  $Q_2$  R<sub>23</sub> is hydroxy and in the group  $Q_3$  R<sub>40</sub> is hydroxy. Among that group emphasis is to be given to those compounds wherein m is 2 and one substituent R is  $C_1$ - $C_4$ alkoxy- $C_1$ - $C_4$ alkyl or  $C_1$ - $C_4$ alkoxy- $C_1$ - $C_4$ alkyl.

Further preferred synergistic mixtures according to the invention comprise as active ingredients a compound of formula I and either a compound of formula 2.2,a

chloroacetyl-2-ethyl-6-methylaniline), or a compound of formula 2.2.b

$$CH_3$$
  $C(O)$ - $CH_2CI$   $C(C)$ - $CH_2CH_3$   $C(C)$ - $CH_2CH_3$   $C_2H_5$   $CH_3$   $C(C)$ - $CH_2$ 

or a compound of formula 2.2 wherein  $R_3$  is ethyl,  $R_4$  is methyl and  $R_5$  is ethoxymethyl, or a compound of formula 2.2 wherein  $R_3$  is ethyl,  $R_4$  is ethyl and  $R_5$  is methoxymethyl, or a compound 2.3, or a compound of formula 2.30, or a compound of formula 2.4, or a compound of formula 2.13, or a compound of formula 2.14, or a compound of formula 2.6 wherein  $R_{12}$  is hydrogen, Z is methine,  $R_{13}$  is methyl, Y is nitrogen,  $R_{14}$  is fluorine,  $R_{15}$  is hydrogen and  $R_{16}$  is fluorine, or  $R_{12}$  is methoxy, Z is methine,  $R_{13}$  is methoxy, Y is methine,  $R_{14}$  is chlorine,  $R_{15}$  is methyl and  $R_{16}$  is chlorine, or a compound of formula 2.7 wherein  $R_{17}$  is -C(O)-S-n-octyl, or a compound of formula 2.12, or a compound of formula 2.18, or a compound of formula 2.19, or a compound of formula 2.21, or a compound of formula 2.25, or a compound of formula 2.33, or a compound of formula 2.45, or a compound of formula 2.31.

Especially preferred synergistic mixtures according to the invention comprise as active ingredients a compound of formula I and either a compound of formula 2.2.a

chloroacetyl-2-ethyl-6-methylaniline), or a compound of formula 2.2.b

$$CH_3$$
 $C(O)$ - $CH_2CI$ 
 $C_2H_5$ 
 $CH_3$ 
 $C_2H_5$ 
 $CH_3$ 
 $CO$ - $CH_2CH_3$ 
 $CO$ - $CH_2CH_3$ 

or a compound of formula 2.2 wherein  $R_3$  is ethyl,  $R_4$  is methyl and  $R_5$  is ethoxymethyl, or a compound of formula 2.2 wherein  $R_3$  is ethyl,  $R_4$  is ethyl and  $R_5$  is methoxymethyl, or a compound of formula 2.3, or a compound of formula 2.30.

Combinations of the compounds of formula 1 with the compound of formula 2.2a

chloroacetyl-2-ethyl-6-methylaniline) have been found to be especially effective, the compound 1.001 indicated hereinbelow under Table 1 being especially preferred as the compound of formula 1.

The compounds of formula I can be prepared in a manner analogous to the processes described in WO 97/46530, by

a) reacting a compound of formula II

(\_)

wherein R and m are as defined for formula I and X is a leaving group, e.g. halogen, in an inert, organic solvent in the presence of a base, with compounds of formula III, IV,V or VI

wherein  $R_{20}$ ,  $R_{23}$ ,  $R_{30}$  and  $R_{40}$  are hydroxy and the other substituents are as defined for formula I, to form the compounds of formula VII, VIII, IX or X

$$(VIII)$$
,  $(VIII)$ 

Ì

$$(R)$$
n  $(R)$ n

and then isomerising those compounds, for example in the presence of a base and a catalytic amount of dimethylaminopyridine (DMAP) or a cyanide source; or b) reacting a compound of formula XI

wherein R and m are as defined for formula I, with compounds of formula III, IV, V or VI in an inert, organic solvent in the presence of a base and a coupling agent, to form the compound of formula VII, VIII, IX or X, and then isomerising that compound, for example in the manner described under route a).

Compounds of formula I wherein Q is a group Q<sub>5</sub>

wherein Z is sulfur and  $R_{38}$  and  $R_{01}$  are as defined for formula I, can be prepared in a manner analogous to known processes (e.g. those described in WO 97/43270), by either a) converting a compound of formula XII

 $\{\cdot,\cdot\}$ 

( )

wherein  $R_{36}$ , R and m are as defined, in the presence of a base, carbon disulfide and an alkylating reagent of formula XIII

$$R_{01}-X_1$$
 (XIII),

wherein  $R_{01}$  is as defined for formula I and  $X_1$  is a leaving group, e.g. halogen or sulfonate, into the compound of formula XIV

$$\begin{array}{c|c} (R)m & O & O \\ \hline N & R_{01}Z & ZR_{01} \end{array}$$
 (XIV),

wherein Z is sulfur and R,  $R_{01}$ ,  $R_{36}$  and m are as defined, and then cyclising that compound with hydroxylamine hydrochloride, optionally in a solvent, in the presence of a base, to form the compound of formula le

wherein Z is sulfur and R,  $R_{36}$ ,  $R_{01}$  and m are as defined, and then oxidising that compound with an oxidising agent, e.g. meta-chloroperbenzoic acid (m-CPBA).

Preparation of the compounds of formula I is illustrated in greater detail in the following Reaction Schemes 1 and 2.

# Reaction Scheme 1

route a):

(R)m 
$$+$$
 III, IV, V or VI  $\frac{\text{base, e.g. } (C_2H_5)_3N_1}{\text{solvent, e.g. } CH_2Cl_2}$ , VII, VIII, IX, or X 0-110°C

route b):

(R)m 
$$\rightarrow$$
 OH  $\rightarrow$  III, IV, V or VI  $\rightarrow$  base, e.g.  $(C_2H_8)_3N$ , coupling reagent, e.g.  $\rightarrow$  VII, VIII, IX, or X  $\rightarrow$  Solvent, e.g.  $\rightarrow$  CH $_2$ CL $_2$ ,  $\rightarrow$  0-110°C

The compounds of formula I containing the groups  $Q_1$ ,  $Q_2$ ,  $Q_3$  and  $Q_4$  wherein  $R_{20}$ ,  $R_{23}$ ,  $R_{30}$  and  $R_{40}$  are hydroxy can especially be prepared according to the above Reaction Scheme.

# Reaction Scheme 2

For preparation of the compounds of formula I wherein Q is a group  $Q_1$  to  $Q_4$  and  $R_{20}$ ,  $R_{23}$ ,  $R_{30}$  and  $R_{40}$  are hydroxy, there are used as starting materials, in accordance with Reaction Scheme 1, route a), the carboxylic acid derivatives of formula II wherein X is a leaving group, for example halogen, e.g. iodine, bromine or especially chlorine, N-oxyphthalimide or N,O-

(formed from dicyclohexylcarbodiimide (DCC) and the appropriate carboxylic acid) or  $^{C_2H_5N=C-NH(CH_2)_3N(CH_3)_2} \quad \text{(formed from N-ethyl-N'-(3-dimethylaminopropyl)carbodiimide }$ 

(EDC) and the appropriate carboxylic acid). Those compounds are reacted in an inert, organic solvent, for example a halogenated hydrocarbon, e.g. dichloromethane, a nitrile, e.g. acetonitrile, or an aromatic hydrocarbon, e.g. toluene, and in the presence of a base, for example an alkylamine, e.g. triethylamine, an aromatic amine, e.g. pyridine or 4-dimethylaminopyridine (DMAP), with the dione derivatives of formula III, IV, V or VI to form the isomeric enol ethers of formula VII, VIII, IX and X. The esterification occurs at temperatures of from 0°C to 110°C.

The isomerisation of the ester derivatives of formulae VII, VIII, IX and X to form the dione derivatives of formula I (wherein  $R_{20}$ ,  $R_{23}$ ,  $R_{30}$  and  $R_{40}$  are hydroxy) can be carried out, for example, analogously to EP 369 803 in the presence of a base, for example an alkylamine, e.g. triethylamine, a carbonate, e.g. potassium carbonate, and a catalytic amount of DMAP or a cyanide source, for example acetone cyanohydrin or potassium cyanide.

,

According to Reaction Scheme 1, route b), the desired diones of formula I (wherein  $R_{20}$ ,  $R_{23}$ ,  $R_{30}$  and  $R_{40}$  are hydroxy) can be obtained, for example, analogously to Chem. Lett. 1975, 1045 by means of esterification of the carboxylic acids of formula XI with the dione derivatives of formula III, IV, V or VI in an inert solvent, for example a halogenated hydrocarbon, e.g. dichloromethane, a nitrile, e.g. acetonitrile, or an aromatic hydrocarbon, e.g. toluene, in the presence of a base, for example an alkylamine, e.g. triethylamine, and a coupling agent, for example 2-chloro-1-methyl-pyridinium iodide. The esterification occurs, depending on the solvent used, at temperatures of from 0°C to 110°C and yields first, as described under route a), the isomeric ester of formula I, which can be isomerised, as described under route a), for example in the presence of a base and a catalytic amount of DMAP, or a cyanide source to form the desired dione derivatives of formula I (wherein  $R_{20}$ ,  $R_{23}$ ,  $R_{30}$  and  $R_{40}$  are hydroxy).

Preparation of the compounds of formula I wherein Q is the group  $Q_5$  can be carried out in accordance with Reaction Scheme 2, by reacting the b-diketone derivative of formula XII, for example analogously to Synthesis 1991, 301; ibid. 1988, 793; or Tetrahedron 32, 3055 (1976), with carbon disulfide in the presence of a base, for example a carbonate, e.g. potassium carbonate, a metal hydride, e.g. sodium hydride, or potassium fluoride on aluminium, and an alkylating reagent of formula XIII, wherein  $X_1$  is a leaving group, for example halogen, e.g. iodine, bromine or especially chlorine,  $R_{25}OSO_2O$ -,  $CH_3SO_2O$ - or

$$\mathrm{CH_3}$$
 SO<sub>2</sub>O- . The reaction is preferably carried out in a solvent, for example an

amide, e.g. N,N-dimethylformamide (DMF), a sulfoxide, e.g. dimethyl sulfoxide (DMSO), or a nitrile, e.g. acetonitrile. The ketene thioacetal of formula XIV formed is cyclised using hydroxylamine hydrochloride in the presence of a base, for example sodium acetate, in a solvent, for example an alcohol, e.g. ethanol, or an ether, e.g. tetrahydrofuran, to form the compound of formula le wherein Z is S-. The cyclisation reaction is carried out at temperatures of from  $0^{\circ}$ C to  $100^{\circ}$ C. The compound of formula le (Z=S) may optionally be oxidised in a manner analogous to standard procedures, for example using peracids, e.g. meta-chloroperbenzoic acid (m-CPBA) or peracetic acid, to form the corresponding sulfones and sulfoxides of formula le (Z = SO- or SO<sub>Z</sub>), wherein the degree of oxidation at the sulfur atom (Z = SO- or SO<sub>Z</sub>) can be controlled by the amount of oxidising agent.

Oxidation to the compound of formula le (Z = SO- or  $SO_2$ -) is carried out as described, for example, in H. O. House, "Modern Synthetic Reactions" W. A. Benjamin, Inc., Menlo Park, California, 1972, pages 334-335 and 353-354.

The activated carboxylic acid derivatives of formula II in Reaction Scheme 1 (route a), wherein X is a leaving group, for example halogen, e.g. bromine, iodine or especially chlorine, can be prepared in accordance with known standard procedures, for example as described in C. Ferri "Reaktionen der organischen Synthese", Georg Thieme Verlag, Stuttgart, 1978, page 461 ff and as shown in the following Reaction Scheme 3.

#### **Reaction Scheme 3**

(R)m OH 
$$W_1$$
-X, DMF  $Cat.$ ,  $X$   $W_1$ -X, DMF  $X$   $W_1$ -X, DMF

According to Reaction Scheme 3, preparation of the compounds of formula II (X = leaving group) or II (X = halogen) is carried out, for example, by using a halogenating agent, for example a thionyl halide, e.g. thionyl chloride or bromide; a phosphorus halide or phosphorus oxychloride or phosphorus oxychloride or phosphorus pentabromide or phosphoryl bromide; or an oxalyl halide, e.g. oxalyl chloride, or by using a reagent for the formation of an activated ester for example N,N'-dicyclohexyl-carbodiimide (DCC) or N-ethyl-N'-(3-dimethylaminopropyl)carbodiimide (EDC) of formula X. In the compound of formula X, as a halogenating agent, X, for example, is a leaving group, for example halogen, e.g. fluorine, bromine or iodine and especially chlorine, and W<sub>1</sub> is, for example, PCl<sub>2</sub>, SOCl, SOBr or CICOCO.

The procedure is optionally carried out in an inert, organic solvent, for example in an aliphatic, halogenated aliphatic, aromatic or halogenated aromatic hydrocarbon, e.g. n-hexane, benzene, toluene, xylenes, dichloromethane, 1,2-dichloroethane or chlorobenzene, at reaction temperatures in the range from -20°C to the reflux temperature of the reaction mixture, preferably at from 40 to 150°C, and in the presence of a catalytic amount of N,N-

dimethylformamide. Such reactions are generally known and described in the literature in a number of variants with respect to the leaving group X.

The compounds of formulae III, IV, V and VI are known and can be prepared in an analogous manner to that described, for example, in WO 92/07837, DE 3 818 958, EP 338 992 and DE 3 902 818.

The compounds of formula XII in Reaction Scheme 2 can be obtained by standard procedures, for example from the corresponding compounds of formula II

wherein R and m are as defined for formula I and X is a leaving group, for example halogen, for example *via* Claisen condensation, or from the compounds of formula II by reaction with a ketocarboxylic acid salt of formula XV

$$COO^*M^+$$
 $H_2C$ 
 $COR_{36}$ 
 $(XV),$ 

wherein  $R_{38}$  is as defined for formula I and M<sup>+</sup> is an alkali metal ion (cf., for example, WO 96/26192).

The compounds of formulae II and XI are known and can be prepared in an analogous manner to that described, for example, in WO 97/46530, Heterocycles, 48, 779 (1998), Heterocycles, 46, 129 (1997) or Tetrahedron Letters, 1749 (1998).

For the preparation of all further compounds of formula I functionalised according to the definition of  $(R)_m$ , a large number of known standard procedures, for example alkylation, halogenation, acylation, amidation, oximation, oxidation and reduction, are available, the choice of a suitable preparation procedure being governed by the properties (reactivities) of

the substituents in the respective intermediates. Examples of such reactions are given in WO 97/46353.

All further compounds falling within the scope of formula I can be prepared by simple means, taking into account the chemical properties of the pyridyl and  $\widehat{Q}$  moieties.

The end products of formula I can be isolated in customary manner by concentration or evaporation of the solvent and can be purified by recrystallisation or trituration of the solid residue in solvents in which they are not readily soluble, such as ethers, aromatic hydrocarbons or chlorinated hydrocarbons, by distillation or by means of column chromatography and a suitable eluant.

Furthermore, the person skilled in the art will be familiar with the sequence in which certain reactions should advantageously be performed in order to avoid possible subsidiary reactions.

Where synthesis is not directed at the isolation of pure isomers, the product may be in the form of a mixture of two or more isomers. The isomers can be separated according to methods known *per se*.

#### Preparation Examples:

Example P1: Preparation of 4-hydroxy-3-(2-methyl-6-trifluoromethyl-pyridine-3-carbonyl)-bicyclo[3.2.1]oct-3-en-2-one:

6.68 g (0.0305 mol) of 2-methyl-6-trifluoromethyl-nicotinic acid methyl ester (prepared in the manner described in Heterocycles, 46, 129 (1997)) are dissolved in 250 ml of methanol/water (3:1 mixture) and 1.92 g (0.046 mol) of lithium hydroxide hydrate are added in portions at 22°C. After 4 hours at 22°C, the reaction mixture is added to ethyl acetate and 2N hydrochloric acid; the organic phase is washed three times with water, dried with sodium sulfate and concentrated by evaporation, and the residue is triturated with a small amount of hexane. After filtering, 5.69 g (90 % of theory) of the expected 2-methyl-6-trifluoromethyl-nicotinic acid having a melting point of 147-149°C are obtained.

The 2-methyl-6-trifluoromethyl-nicotinic acid (2.0 g, 0.0098 mol) obtained is dissolved in 20 ml of oxalyl chloride. Three drops of dimethylformamide are added and the mixture is refluxed for 1 hour. The mixture is then concentrated using a rotary evaporator and the residue (2-methyl-6-trifluoromethyl-nicotinoyl chloride) is taken up in 30 ml of methylene

Ì

chloride. At 0°C, 2.7 ml (0.0196 mol) of triethylamine and 0.12 g (0.00098 mol) of dimethylaminopyridine are added, and then 1.49 g (0.0108 mol) of bicyclo[3.2.1]oct-2,4-dione. dissolved in 20 ml of methylene chloride, are added dropwise. After 3 hours at 22°C, the reaction mixture is extracted by shaking with 2N hydrochloric acid. The separated methylene chloride phase is washed with water and then extracted by shaking with 10 % aqueous sodium bicarbonate solution, dried over sodium sulfate and concentrated by evaporation. 3.18 g (100 % of theory) of 2-methyl-6-trifluoromethyl-nicotinic acid 4-oxo-bicyclo[3.2.1]oct-2en-2-yl ester are obtained in the form of an oil, which can be used further without purification. 3.02 g (0.0093 mol) of methyl-6-trifluoromethyl-nicotinic acid 4-oxo-bicyclo[3.2.1]oct-2-en-2yl ester and 1.9 ml (0.0136 mol) of triethylamine are dissolved in 45 ml of acetonitrile. At 22°C, 0.01 ml of acetone cyanohydrin is added. After 18 hours at 22°C, the reaction mixture is poured onto a mixture of water and 2N hydrochloric acid and extracted by shaking with ethyl acetate. The ethyl acetate phase is washed with water and then with brine, dried over sodium sulfate and concentrated by evaporation, and the residue is dissolved in a small amount of warm acetone. On being left to stand, the product crystallises out. After filtering, 0.99 g (33 % of theory) of the expected 4-hydroxy-3-(2-methyl-6-trifluoromethyl-pyridine-3carbonyl)-bicyclo[3.2.1]oct-3-en-2-one is obtained in the form of white crystals (m.p. 75-77°C).

# Example P2: (5-Cyclopropyl-3-methylsulfanyl-isoxazol-4-yl)-(2-methyl-6-trifluoromethyl-pyridin-3-yl)-methanone:

14.8 g (0.080 mol) of 3-cyclopropyl-3-oxo-propionic acid tert-butyl ester are dissolved in 25 ml of MeOH and 1.93 g (0.080 mol) of magnesium are added. 7 ml of carbon tetrachloride are added dropwise while cooling in an ice bath and the reaction mixture is stirred at 22°C for 1 hour to complete the reaction. After concentrating by evaporation, the residue is suspended in 100 ml of acetonitrile and, at 22°C, 16.31 g (0.073 mol) of 2-methyl-6-trifluoromethyl-nicotinoyl chloride (prepared in the manner described in Example P1), dissolved in 50 ml of acetonitrile, are added dropwise. After 6 hours, the reaction mixture is taken up in ethyl acetate and washed with saturated sodium bicarbonate solution. The separated ethyl acetate phase is washed with water, dried over sodium sulfate and concentrated by evaporation. The residue is dissolved in 160 ml of methylene chloride and 10 ml of trifluoroacetic acid are added dropwise at 22°C. After 18 hours, the reaction mixture is poured into water and extracted with methylene chloride. The methylene chloride phase is washed with water and then with brine, dried over sodium sulfate and concentrated by

evaporation. 17.3 g (88 % of theory) of 1-cyclopropyl-3-(2-methyl-6-trifluoromethyl-pyridin-3-yl)-propane-1,3-dione are obtained in the form of an oil, which can be used further without purification.

The 1-cyclopropyl-3-(2-methyl-6-trifluoromethyl-pyridin-3-yl)-propane-1,3-dione (15.0 g, 0.055 mol) obtained is dissolved in 150 ml of dimethylformamide and  $\overline{50}$  g of potassium fluoride on an aluminium oxide support (Alox) (0.0055 mol/g, 0.276 mol) are added in portions at 0°C. After 5 minutes, 6.7 g (0.088 mol) of carbon disulfide are added. After 2 hours, 23.6 g (0.166 mol) of methyl iodide are added dropwise and the reaction mixture is heated at 22°C. After 2 hours the Alox is filtered off, the filtrate is poured into water and extracted by shaking with ethyl acetate. The ethyl acetate phase is washed with water and then with brine, dried over sodium sulfate and concentrated by evaporation. The residue is chromatographed on silica gel (eluant: ethyl acetate/hexane 15/1). 12.0 g (60 % of theory) of 2-(bis-methylsulfanyl-methylene)-1-cyclopropyl-3-(2-methyl-6-trifluoromethyl-pyridin-3-yl)-propane-1,3-dione are obtained in the form of a solid substance.

12.0 g (0.033 mol) of the product obtained are suspended in 120 ml of ethanol together with 5.4 g (0.066 mol) of anhydrous sodium acetate. 4.6 g (0.066 mol) of hydroxylamine hydrochloride are added and the batch is reacted at 22°C for 5 hours. A further 2.7 g of anhydrous sodium acetate and 2.3 g of hydroxylamine hydrochloride are then added. After 18 hours, the reaction mixture is diluted with water and extracted with ethyl acetate. The ethyl acetate phase is washed with water and then with brine, dried over sodium sulfate and concentrated by evaporation. On triturating with a small amount of ethyl acetate, 9.0 g (79.5 %) of the desired product are obtained in the form of white crystals (m.p. 103-104°C).

### Example P3: (5-Cyclopropyl-3-methylsulfinyl-isoxazol-4-yl)-(2-methyl-6-trifluoromethyl-pyridin-3-yl)-methanone

1.50 g (0.0043 mol) of (5-cyclopropyl-3-methylsulfanyl-isoxazol-4-yl)-(2-methyl-6-trifluoro-methyl-pyridin-3-yl)-methanone are dissolved in 30 ml of acetone/water (2:1 mixture) and 1.02 g (0.0048 mol) of sodium metaperiodate are added in portions at 22°C. After 5 hours, the reaction mixture is concentrated by evaporation using a rotary evaporator. The residue is taken up in water and ethyl acetate. The ethyl acetate phase is dried over sodium sulfate and concentrated by evaporation. The residue is chromatographed on silica gel (eluant: ethyl acetate/hexane 3/1). 0.8 g (51 %) of the desired product is obtained in the form of white crystals (m.p. 96-97°C).

Example P4: Preparation of 3-hydroxy-4,4-dimethyl-2-(2-methyl-6-trifluoromethyl-pyridine-3-carbonyl)-cyclohex-2-enone (A2-B24):

6.68 g (0.0305 mol) of 2-methyl-6-trifluoromethyl-nicotinic acid methyl ester (prepared in the manner described in Heterocycles, 46, 129 (1997)) are dissolved in 250 ml of methanol/water (3:1 mixture) and 1.92 g (0.046 mol) of lithium hydroxide hydrate are added in portions at a temperature of 22°C. After 4 hours at 22°C, the reaction mixture is added to ethyl acetate and 2N hydrochloric acid; the organic phase is washed three times with water, dried over sodium sulfate and concentrated by evaporation, and the residue is triturated with a small amount of hexane. After filtering, 5.69 g (90 % of theory) of the expected 2-methyl-6-trifluoromethyl-nicotinic acid having a melting point of 147-149°C are obtained.

The 2-methyl-6-trifluoromethyl-nicotinic acid (1.026 g, 0.005 mol) obtained is dissolved in 20 ml of oxalyl chloride. Three drops of dimethylformamide are added and the mixture is refluxed for 1 hour. The mixture is then concentrated by evaporation using a rotary evaporator and the residue (2-methyl-6-trifluoromethyl-nicotinoyl chloride) is taken up in 100 ml of methylene chloride. At a temperature of 0°C, 1.6 ml (0.0115 mol) of triethylamine and 0.7 g (0.005 mol) 4,4-dimethyl-cyclohexane-1,3-dione are added. After 2 hours at a temperature of 22°C, the solvent is removed using a vacuum rotary evaporator, the residue that remains is dissolved in 55 ml of acetonitrile and, for rearrangement of the intermediate, 0.15 ml (0.0016 mol) of acetone cyanohydrin and 0.79 ml (0.0057 mol) of triethylamine are added. After stirring for four hours at room temperature, the reaction solution is concentrated by evaporation. The syrup that remains is chromatographed on silica gel. The light-yellow, viscous oil obtained by eluting with a mixture of toluene, ethyl alcohol, dioxane, triethylamine and water (100:40:20:20:5 parts by volume) (Rf = 0.39 based on the said mixture as mobile phase) is dissolved in dichloromethane and washed with 75 ml of hydrochloric acid 5 % and 75 ml of water in succession. After drying the organic solution with Na<sub>2</sub>SO<sub>4</sub>, concentration by evaporation yields 1.05 g (63 %) of pure title compound.

 $^{1}$ H NMR (d<sub>6</sub>-DMSO, δ in ppm): 1.342, s, 6H: 2.088, t, J 9Hz, 2H: 2.685, s, 3H: 2.982, t, J 9Hz, 2H:8.030, d, J 8.1Hz, IH: 8.094, d, J 8.1Hz, 1H.

Example P5: Preparation of 5-methyl-5-trifluoromethyl-cyclohexane-1,3-dione (Example B1066):

0.64 g of sodium is introduced into 40 ml of ethanol, 3.23 ml of acetic acid methyl ester and 4.9 g of 4,4,4-trifluoro-3-methyl-but-2-enoic acid isopropyl ester are incorporated and the

mixture is heated at boiling temperature for 18 hours. After extraction with dilute hydrochloric acid against ethyl acetate, concentration by evaporation is carried out. The non-purified 2-methyl-4,6-dioxo-2-trifluoromethyl-cyclohexanecarboxylic acid methyl ester that remains behind is esterified in the presence of 9.1 g of sodium hydroxide in a mixture of methanol and water at boiling temperature. The mixture is then acidified with hydrochloric acid and extracted with fresh ethyl acetate. After recrystallisation (ethyl acetate), pure 5-methyl-5-trifluoromethyl-cyclohexane-1,3-dione having a melting point of 150-152°C is obtained.

## Example P6: Preparation of 2-hydroxy-1-methoxy-5-methyl-4-oxo-cyclohex-2-enecarboxylic acid methyl ester (B1069):

A 30 % solution of 35.8 g of sodium methanolate is made up in 65 ml of dimethyl sulfoxide and, over a period of 20 minutes, is treated at a temperature of from 30 to 35°C with a mixture of 16.7 g of 3-methyl-3-buten-2-one and 32.4 g of methoxymalonic acid dimethyl ester. The mixture is stirred for 1 hour at a temperature of 35°C, acidified with hydrochloric acid and then extracted several times with dichloromethane. The organic phases are washed with water, dried and concentrated. By crystallising from hot ethyl acetate and hexane, pure 2-hydroxy-1-methoxy-5-methyl-4-oxo-cyclohex-2-enecarboxylic acid methyl ester having a melting point of 117-117.5°C is obtained.

Example P7: Preparation of 2-hydroxy-1-methoxy-5-methyl-3-(2-methyl-6-trifluoromethyl-pyridine-3-carbonyl)-4-oxo-cyclohex-2-ene-carboxylic acid methyl ester (A2-B1069):

2.23 g of fresh 2-methyl-6-trifluoromethyl-nicotinoyl chloride are added to a mixture of 2.14 g of 2-hydroxy-1-methoxy-5-methyl-4-oxo-cyclohex-2-ene-carboxylic acid methyl ester and 2.02 g of triethylamine in 30 ml of acetonitrile. After about 30 minutes, 0.065 g of potassium cyanide is added and the batch is stirred for 18 hours. The batch is then extracted at pH 2 with water against ethyl acetate, dried over magnesium sulfate and concentrated by evaporation. By filtering over silica gel (mobile phase: ethyl acetate/methanol/triethylamine 85:10:5), pure 2-hydroxy-1-methoxy-5-methyl-3-(2-methyl-6-trifluoromethyl-pyridine-3-carbonyl)-4-oxo-cyclohex-2-enecarboxylic acid methyl ester is obtained in the form of a viscous oil.

# Example P8: Preparation of 3-hydroxy-4-methoxy-6-methyl-2-(2-methyl-6-trifluoromethyl-pyridine-3-carbonyl)-cyclohex-2-enone (A2-B1070):

0.586 g of potassium hydroxide is added to 1.4 g of 2-hydroxy-1-methoxy-5-methyl-3-(2-methyl-6-trifluoromethyl-pyridine-3-carbonyl)-4-oxo-cyclohex-2-enecarboxylic acid methyl ester in dioxane/water (5:3) and the batch is stirred for 3 hours. The batch is then acidified (pH 3) and extracted with fresh ethyl acetate. The crude product is purified by chromatography analogously to Example P7. 3-Hydroxy-4-methoxy-8-methyl-2-(2-methyl-6-trifluoromethyl-pyridine-3-carbonyl)-cyclohex-2-enone is obtained in the form of a viscous oil (as a mixture of 3 tautomeric forms, according to <sup>1</sup>H-NMR).

The compounds listed in the following Tables can also be prepared in an analogous manner and using methods described in the general Reaction Schemes 1 and 2 and in the references mentioned therein. In the following Tables Ph is the phenyl group and CC is an ethyne group.

Table 1: Compounds of formula lb:

$$\begin{array}{c|c} R_{78} & O & O \\ \hline R_{78} & N & R_{78} & O \end{array}$$
 (Ib)

Compd.	R 75	R 76	R <sub>77</sub>	R 78	m.p. (°C)
1.001	CH₃	CF <sub>3</sub>	н	н	75-77
1.002	CH₃CH₂	CF₃	н	. н	
1.003	(CH₃)₂CH	CF <sub>3</sub>	Н	н	111-112
1.004	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CF <sub>3</sub>	Н	Н	
1.005	Ph	CF₃	Н	н	oil
1.006	CH₂Br	CF₃	. Н	н	
1.007	CH₂OCH₃	CF₃	Н	Н	124-126
1.008	CH₂SMe	CF₃	н	Н	oil
1.009	CH₂SO₂Me	CF₃	Н	н	55-55
1.010	SCH₃	CF <sub>3</sub>	н	Н	

Compd.	R 75	R 78	R <sub>77</sub>	R 78	m.p. (°C)
no.		•			
1.011	SOCH₃	CF <sub>3</sub>	Н	н	
1.012	SO₂CH₃	CF <sub>3</sub>	Н	Н	
1.013 <sub>:</sub>	SPh	CF <sub>3</sub>	н	н	<b>425</b>
1.014	SOPh	CF <sub>3</sub>	Η .	Н	•
1.015	SO <sub>2</sub> Ph	CF <sub>3</sub>	Н	Н	
1.016	CH₃	CF <sub>3</sub> CF <sub>2</sub>	н	Н	
1.017	CH₃CH₂	CF <sub>3</sub> CF <sub>2</sub>	Н	Н	
1.018	(CH₃)₂CH	CF <sub>3</sub> CF <sub>2</sub>	Н	Н	
1.019	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub>	Н	н	
1.020	Ph	CF <sub>3</sub> CF <sub>2</sub>	Н	Н	
1.021	CH₂Br	CF₃CF₂	Н	Н	
1.022	CH₂OCH₃	CF <sub>3</sub> CF <sub>2</sub>	н	Н	
1.023	CH₂SMe	CF <sub>3</sub> CF <sub>2</sub>	Н	н	
1.024	CH <sub>2</sub> SO <sub>2</sub> Me	CF <sub>3</sub> CF <sub>2</sub>	H	Н	
1.025	SCH₃	CF₃CF₂	H	Н	
1.026	SOCH <sub>3</sub>	CF₃CF₂	н	Н	
1.027	SO₂CH₃	CF <sub>3</sub> CF <sub>2</sub>	H	Н	
1.028	SPh	CF <sub>3</sub> CF <sub>2</sub>	Н	Н	
1.029	SOPh	CF <sub>3</sub> CF <sub>2</sub>	Н	Н	
1.030	SO₂Ph	CF <sub>3</sub> CF <sub>2</sub>	Н	Н	•
1.031	CH₃	CHF <sub>2</sub>	Н	Н	
1.032	CH₃CH₂	CHF₂	Н	Н	
1.033	(CH₃)₂CH	CHF <sub>2</sub>	Н	Н	
1.034	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CHF <sub>2</sub>	Н	Н	
1.035	Ph	CHF₂	Н	H	
1.036	CH₂Br	CHF <sub>2</sub>	Н	Н	
1.037	CH₂OCH₃	CHF <sub>2</sub>	Н	Н	•
1.038	CH₂SMe	CHF₂	Н	Н	
1.039	CH <sub>2</sub> SO <sub>2</sub> Me	CHF <sub>2</sub>	Н	Н	•
1.040	SCH₃	CHF <sub>2</sub>	Н	Н	
1.041	SOCH₃	CHF <sub>2</sub>	Н	Н	
1.042	SO₂CH₃	CHF <sub>2</sub>	н	Н	

Compd.	R 75	R 76	R <sub>77</sub>	R 78	m.p. (°C)
n.				·	
1.043	SPh	CHF <sub>2</sub>	Н	н	
1.044	SOPh	CHF <sub>2</sub>	н	н	
1.045	SO₂Ph	CHF <sub>2</sub>	Н	Н	-
1.046	CH₃	CF <sub>3</sub>	CH₃	Н	
1.047	CH₃CH₂	CF <sub>3</sub>	СН₃	н	
1.048	(CH₃)₂CH	CF₃	СН₃	н	
1.049	CH₃(CH₂)₃	CF <sub>3</sub>	СН₃	H	
1.050	Ph	CF <sub>3</sub>	СН₃	н	
1.051	CH₂Br	CF <sub>3</sub>	СН₃	н	
1.052	· CH <sub>2</sub> OCH <sub>3</sub>	CF <sub>3</sub>	СН₃	·H	
1.053	CH₂SMe	CF₃	СН₃	Н	
1.054	CH <sub>2</sub> SO <sub>2</sub> Me	CF₃	СН₃	Ĥ	•
1.055	SCH <sub>3</sub>	CF₃	СН₃	н	•
1.056	SOCH <sub>3</sub>	CF₃	CH <sub>3</sub>	Н	
1.057	SO₂CH₃	CF₃	CH <sub>3</sub>	Н	
1.058	SPh	CF <sub>3</sub>	CH₃	Н	
1.059	SOPh	CF <sub>3</sub>	CH₃	Н	
1.060	SO₂Ph	CF <sub>3</sub>	CH₃	Н	
1.061	CH₃	CF <sub>3</sub> CF <sub>2</sub>	CH₃	Н	
1.062	CH₃CH₂	CF <sub>3</sub> CF <sub>2</sub>	CH₃	Н	
1.063	(CH₃)₂CH	CF <sub>3</sub> CF <sub>2</sub>	CH <sub>3</sub>	Н	
1.064	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub>	CH₃	Н	
1.065	Ph	CF <sub>3</sub> CF <sub>2</sub>	CH₃	Н	
1.066	CH₂Br	CF <sub>3</sub> CF <sub>2</sub>	CH₃	Н	
1.067	CH₂OCH₃	CF <sub>3</sub> CF <sub>2</sub>	СН₃	Н	
1.068	CH₂SMe	CF <sub>3</sub> CF <sub>2</sub>	CH₃	Н	
1.069	CH <sub>2</sub> SO <sub>2</sub> Me	CF <sub>3</sub> CF <sub>2</sub>	CH₃	н	
1.070	SCH₃	CF <sub>3</sub> CF <sub>2</sub>	СН₃	н	
1.071	SOCH₃	CF <sub>3</sub> CF <sub>2</sub>	CH <sub>3</sub>	Н	•
1.072	SO₂CH₃	CF <sub>3</sub> CF <sub>2</sub>	СН₃	Н	
1.073	SPh	CF <sub>3</sub> CF <sub>2</sub>	СН₃	Н	
1.074	SOPh	CF <sub>3</sub> CF <sub>2</sub>	CH <sub>3</sub>	Н	

Compd.	R 75	R 76	R 77	R 78	m.p. (°C)
n.					
1.075	SO₂Ph	CF₃CF₂	CH₃	Н	
1.076	· CH <sub>3</sub>	CHF₂	CH <sub>3</sub>	Н	•
1.077	CH₃CH₂	CHF <sub>2</sub>	CH₃	Н	-
1.078	(CH₃)₂CH	CHF <sub>2</sub>	CH₃	Н	
1.079	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CHF₂	CH <sub>3</sub>	Н	
1.080	Ph	CHF <sub>2</sub>	CH₃	Н	
1.081	CH₂Br	CHF <sub>2</sub>	CH₃	Н	
1.082	CH₂OCH₃	CHF <sub>2</sub>	CH <sub>3</sub>	Н	
1.083	CH₂SMe	CHF <sub>2</sub>	CH <sub>3</sub>	н	
1.084	CH₂SO₂Me	CHF <sub>2</sub>	CH₃	н	
1.085	SCH₃	CHF <sub>2</sub>	CH₃	Н	
1.086	SOCH₃	CHF <sub>2</sub>	CH₃	Н	•
1.087	SO₂CH₃	CHF <sub>2</sub>	CH₃	Н	
1.088	SPh	CHF <sub>2</sub>	CH₃	Н	
1.089	SOPh	CHF <sub>2</sub>	CH <sub>3</sub>	Н	•
1.090	SO₂Ph	CHF <sub>2</sub>	CH₃	Н	
1.091	CH₃	CF <sub>3</sub>	Н	CH₃	92-94
1.092	CH₃CH₂	CF₃	Н	CH₃	
1.093	(CH₃)₂CH	CF <sub>3</sub>	Н	CH₃	
1.094	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CF₃	Н	CH₃	
1.095	Ph	CF <sub>3</sub>	Н	CH₃	
1.096	CH₂Br	CF₃	Н	CH₃	
1.097	CH₂OCH₃	CF <sub>3</sub>	Н	CH₃	
1.098	CH₂SMe	CF <sub>3</sub>	H	CH₃	
1.099	CH₂SO₂Me	CF <sub>3</sub>	Н	CH₃	
1.100	SCH₃	CF₃	Н	CH₃	
1.101	SOCH₃	CF <sub>3</sub>	Н	CH₃	
1.102	SO₂CH₃	CF <sub>3</sub>	Н	CH <sub>3</sub>	
1.103	SPh	CF <sub>3</sub>	Н	CH <sub>3</sub>	
1.104	SOPh	CF <sub>3</sub>	Н	CH₃	
1.105	SO₂Ph	CF <sub>3</sub>	Н	CH₃	

Table 2: Compounds of formula Ic:

Compd.	R 75	R 76	R <sub>77</sub>	R 78	m.p.(°C)
no.		•	•	· · ·	
2.001	CH₃	CF₃	Н	Н	107-109
2.002	CH₃CH₂	CF₃	Н	H	oil
2.003	(CH₃)₂CH	CF <sub>3</sub>	Н	, <b>H</b>	oil
2.004	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CF <sub>3</sub>	Η .	н	
2.005	Ph	CF <sub>3</sub>	Н	н	oil
2.006	CH₂Br	CF₃	н	н	
2.007	CH₂OCH₃	CF <sub>3</sub>	H ·	H	
2.008	· CH <sub>2</sub> SMe	CF₃	Н	Н	
2.009	CH <sub>2</sub> SO <sub>2</sub> Me .	CF <sub>3</sub>	<b>'H</b>	н	
2.010	SCH₃	CF <sub>3</sub>	Н	Н	
2.011	SOCH₃	CF <sub>3</sub>	Н	Н	
2.012	SO₂CH₃	CF <sub>3</sub>	Н	Н	
2.013	SPh	CF <sub>3</sub>	Н	Н	
2.014	SOPh	CF <sub>3</sub>	Н	Н	
2.015	SO <sub>2</sub> Ph	CF <sub>3</sub>	Н	Н	
2.016	CH <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub>	Н	Н	
2.017	CH₃CH₂	CF <sub>3</sub> CF <sub>2</sub>	Н	Н	
2.018	(CH₃)₂CH	CF <sub>3</sub> CF <sub>2</sub>	Н	Н	
2.019	CH₃(CH₂)₃	CF <sub>3</sub> CF <sub>2</sub>	Н	Н	
2.020	Ph	CF <sub>3</sub> CF <sub>2</sub>	н.	н	•
2.021	CH₂Br	CF <sub>3</sub> CF <sub>2</sub>	н	н	
2.022	CH <sub>2</sub> OCH <sub>3</sub>	CF₃CF₂	Н	Н	ē

Compd.	R 75	R 76	R <sub>77</sub>	R 78	m.p.(°C)
no.					
2.023	CH₂SMe	CF <sub>3</sub> CF <sub>2</sub>	н	н	
2.024	CH₂SO₂Me	CF <sub>3</sub> CF <sub>2</sub>	н	Н	
2.025	SCH₃	CF <sub>3</sub> CF <sub>2</sub>	H	Н	~
2.026	SOCH₃	CF <sub>3</sub> CF <sub>2</sub>	н	Н	•
2.027	SO₂CH₃	CF <sub>3</sub> CF <sub>2</sub>	Н	н	
2.028	SPh	CF₃CF₂	Н	Н	
2.029	SOPh	CF <sub>3</sub> CF <sub>2</sub>	н	Н	
2.030	SO₂Ph	CF <sub>3</sub> CF <sub>2</sub>	н	Н	
2.031	CH₃	CHF₂	н	н	
2.032	CH₃CH₂	CHF <sub>2</sub>	Н	Н	
2.033	(CH₃)₂CH	CHF <sub>2</sub>	Н	Н	
2.034	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CHF <sub>2</sub>	Н	Н	
2.035	Ph	CHF <sub>2</sub>	н	Н	
2.036	CH₂Br	CHF <sub>2</sub>	Н	Н	
2.037	CH₂OCH <sub>3</sub>	CHF <sub>2</sub>	н	Н	
2.038	CH₂SMe	CHF <sub>2</sub>	Н	Н	
2.039	CH₂SO₂Me	CHF <sub>2</sub>	Н	Н	
2.040	SCH₃	CHF <sub>2</sub>	н	Н	
2.041	SOCH <sub>3</sub>	CHF <sub>2</sub>	Н	Н	
2.042	SO₂CH₃	CHF <sub>2</sub>	Н	Н	
2.043	SPh	CHF <sub>2</sub>	Н	$\mathbf{H}_{\perp}$	
2.044	SOPh	CHF <sub>2</sub>	Н	Н	
2.045	SO₂Ph	CHF <sub>2</sub>	Н	Н	
2.046	CH₃	CF <sub>3</sub>	CH₃	Н	
2.047	CH₃CH₂	CF <sub>3</sub>	CH₃	Н	
2.048	(CH₃)₂CH	CF <sub>3</sub>	CH₃	Н	
2.049	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CF <sub>3</sub>	CH₃	н	
2.050	Ŕh	`CF₃	CH₃	Н	
2.051	CH₂Br	CF <sub>3</sub>	CH₃	н	
2.052	CH₂OCH₃	CF <sub>3</sub>	CH <sub>3</sub>	Н	
2.053	CH₂SMe	CF <sub>3</sub>	CH₃	н	
2.054	CH₂SO₂Me	CF <sub>3</sub>	CH₃	н	

Compd.	R 75	R 76	R <sub>77</sub>	R 78	m.p.(°C)
no.					
2.055	SCH₃	CF <sub>3</sub>	CH₃	Н	
2.056	SOCH₃	CF₃	СН₃	Н	
2.057	SO₂CH₃	CF₃	CH₃	н	-
2.058	SPh	CF <sub>3</sub>	CH₃	н	
2.059	SOPh	CF <sub>3</sub>	СН₃	Н	
2.060	SO₂Ph	CF₃	СН₃	н	
2.061	CH₃	CF <sub>3</sub> CF <sub>2</sub>	CH₃	Н	
2.062	CH₃CH₂	CF <sub>3</sub> CF <sub>2</sub>	CH₃	н	
2.063	(CH₃)₂CH	CF <sub>3</sub> CF <sub>2</sub>	СН₃	н	
2.064	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub>	CH₃	н	•
2.065	Ph	CF <sub>3</sub> CF <sub>2</sub>	СН₃	Н	
2.066	CH₂Br	CF <sub>3</sub> CF <sub>2</sub>	CH <sub>3</sub>	н .	•
2.067	CH <sub>2</sub> OCH <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub>	СН₃	Н	
2.068	CH₂SMe	CF <sub>3</sub> CF <sub>2</sub>	СН₃	Н	
2.069	CH₂SO₂Me	CF <sub>3</sub> CF <sub>2</sub>	СН₃	. н	
2.070	SCH₃	CF <sub>3</sub> CF <sub>2</sub>	СН₃	Н	
2.071	SOCH <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub>	СН₃	Н	
2.072	SO₂CH₃	CF <sub>3</sub> CF <sub>2</sub>	CH₃	н	•
2.073	SPh	CF <sub>3</sub> CF <sub>2</sub>	CH <sub>3</sub>	Н	٠
2.074	SOPh	CF <sub>3</sub> CF <sub>2</sub>	CH <sub>3</sub>	Н	
2.075	SO₂Ph	CF <sub>3</sub> CF <sub>2</sub>	CH₃	H	
2.076	CH₃	CHF <sub>2</sub>	CH₃	Н	
2.077	CH₃CH₂	CHF <sub>2</sub>	CH <sub>3</sub>	Н	
2.078	(CH₃)₂CH	CHF <sub>2</sub>	· CH <sub>3</sub>	н	
2.079	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CHF <sub>2</sub>	CH₃	н	
2.080	Ph	CHF <sub>2</sub>	CH₃	Н	
2.081	CH₂Br	CHF <sub>2</sub>	СН₃	Н	•
2.082	CH₂OCH₃	CHF <sub>2</sub>	CH <sub>3</sub>	Н	
2.083	CH₂SMe	CHF <sub>2</sub>	CH <sub>3</sub>	H	
2.084	CH₂SO₂Me	CHF <sub>2</sub>	CH <sub>3</sub>	Н	
2.085	SCH <sub>3</sub>	CHF <sub>2</sub>	CH₃	Н	
2.086	SOCH₃	CHF₂	CH <sub>3</sub>	Н	-

Compd.	R 75	R 76	R 77	R 78	m.p.(°C)
no.	•				
2.087	SO₂CH₃	CHF <sub>2</sub>	CH₃	н	
2.088	SPh	CHF <sub>2</sub>	CH <sub>3</sub>	н	
2.089	SOPh	CHF <sub>2</sub>	CH₃	Н	· <del>-</del>
2.090	SO₂Ph	CHF <sub>2</sub>	CH <sub>3</sub>	Н	
2.091	CH₃	CF <sub>3</sub>	Н	CH <sub>3</sub>	
2.092	CH₃CH₂	CF <sub>3</sub>	H	CH₃	•
2.093	(CH₃)₂CH	CF <sub>3</sub>	н	CH₃	
2.094	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CF₃	Н	CH <sub>3</sub>	
2.095	Ph	CF <sub>3</sub>	Н	CH <sub>3</sub>	•
2.096	CH₂Br	CF <sub>3</sub>	Н	CH₃	
2.097	CH <sub>2</sub> OCH <sub>3</sub>	CF <sub>3</sub>	Н	CH₃	
2.098	CH <sub>2</sub> SMe	CF₃	Н	CH₃ ·	
2.099	CH <sub>2</sub> SO <sub>2</sub> Me	CF₃	Н	CH₃	
2.100	SCH₃	CF₃	Н	CH₃	
2.101	SOCH₃	CF₃	Н	CH₃	
2.102	SO₂CH₃	CF₃	H	CH₃	
2.103	SPh	CF₃	Н	CH₃	
2.104	SOPh	CF <sub>3</sub>	H	CH₃	
2.105	SO₂Ph	CF₃	Н	CH₃	

### Table 3: Compounds of formula Id:

()

Compd. R<sub>75</sub> R<sub>76</sub> R<sub>77</sub> R<sub>78</sub> m.p.(°C) no.

Compd.	R 75	R 78	R <sub>77</sub>	R 78	m.p.(°C)
no.					
3.001	CH₃	CF₃	н	н	
3.002	CH₃CH₂	CF₃	Н	н	_
3.003	(CH₃)₂CH	CF <sub>3</sub>	н	н	
3.004	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CF₃	н	н	
3.005	Ph	· CF <sub>3</sub>	Н	н	
3.006	CH₂Br	CF₃	Н	н	•
3.007	CH₂OCH₃	CF <sub>3</sub>	н	Н	
3.008	CH₂SMe	CF <sub>3</sub>	н	H	
3.009	CH <sub>2</sub> SO <sub>2</sub> Me	CF₃	H	н	
3.010	SCH₃	CF₃	н	н	•
3.011	SOCH <sub>3</sub>	CF₃	н	н 🖓	٠.
3.012	SO₂CH₃	CF <sub>3</sub>	н	н	,
3.013	. SPh	CF₃	Н	Н	
3.014	SOPh	CF <sub>3</sub>	н	н	
3.015	SO₂Ph	CF <sub>3</sub>	н	Н	
3.016	CH₃	CF <sub>3</sub> CF <sub>2</sub>	$\mathbf{H}_{+}$	н .	
3.017	CH₃CH₂	CF <sub>3</sub> CF <sub>2</sub>	Н	н	
3.018	(CH₃)₂CH	CF <sub>3</sub> CF <sub>2</sub>	Н	Н	
3.019	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub>	Ħ	Н	
3.020	Ph	CF <sub>3</sub> CF <sub>2</sub>	н	н	
3.021	CH₂Br	CF <sub>3</sub> CF <sub>2</sub>	Н	H	
3.022	CH₂OCH₃	CF <sub>3</sub> CF <sub>2</sub>	Н	Н	
3.023	CH₂SMe	.CF3CF2	H	н	
3.024	CH₂SO₂Me	CF <sub>3</sub> CF <sub>2</sub>	Н .	Н	
3.025	SCH₃	CF <sub>3</sub> CF <sub>2</sub>	Н	Н	
3.026	SOCH₃	CF <sub>3</sub> CF <sub>2</sub>	Н	H .	
3.027	SO <sub>2</sub> CH₃	CF <sub>3</sub> CF <sub>2</sub>	Н	Н	
3.028	SPh	CF <sub>3</sub> CF <sub>2</sub>	H	Н	
3.029	SOPh	CF₃CF₂	н	. н	
3.030	SO₂Pħ	CF <sub>3</sub> CF <sub>2</sub>	Н	н	
3.031	CH <sub>3</sub>	CHF₂	Н	н	

Compd.	R 75	R 76	R <sub>77</sub>	R 78	m.p.(°C)
no.					
3.032	CH₃CH₂	CHF <sub>2</sub>	Н	н	
3.033	(CH₃)₂CH	CHF <sub>2</sub>	Н	н	
3.034	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CHF <sub>2</sub>	н	Н	
3.035	Ph	CHF <sub>2</sub>	н	Н	
3.036	CH₂Br	CHF <sub>2</sub>	н	Н	
3.037	CH₂OCH₃	CHF <sub>2</sub>	Н	Н	1
3.038	CH₂SMe	CHF <sub>2</sub>	Н	Ħ	•
3.039	CH <sub>2</sub> SO <sub>2</sub> Me	CHF <sub>2</sub>	н	Н	
. 3.040	SCH <sub>3</sub>	CHF <sub>2</sub>	Н	н .	•
3.041	SOCH₃	CHF <sub>2</sub>	Н	Н .	
3.042	SO₂CH₃	CHF <sub>2</sub>	н	Н	
3.043	SPh	CHF <sub>2</sub>	н	H ·	
3.044	SOPh	CHF <sub>2</sub>	н	н	
3.045	SO₂Ph	CHF <sub>2</sub>	Н	Н	
3.046	CH₃	CF₃	CH₃	Н	
3.047	CH₃CH₂	CF <sub>3</sub>	CH <sub>3</sub>	Н	
3.048	(CH <sub>3</sub> ) <sub>2</sub> CH	CF₃	CH₃	Н	
3.049	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CF <sub>3</sub>	CH₃	Н	
3.050	Ph	CF <sub>3</sub>	CH₃	Н	
3.051	CH₂Br	CF <sub>3</sub>	CH₃	Н	
3.052	CH₂OCH₃	CF <sub>3</sub>	CH₃	Н	
3.053	CH₂SMe	CF <sub>3</sub>	CH₃	Н	
3.054	CH <sub>2</sub> SO <sub>2</sub> Me	CF <sub>3</sub>	CH₃	Н	
3.055	SCH₃	CF <sub>3</sub>	CH₃	Н	
3.056	SOCH <sub>3</sub>	CF <sub>3</sub>	CH₃	H.	
3.057	SO₂CH₃	CF <sub>3</sub>	CH₃	Н	
3.058	SPh	CF <sub>3</sub>	CH₃	Н	
3.059	SOPh ·	CF <sub>3</sub>	CH₃	Н	
3.060	SO₂Ph	CF <sub>3</sub>	CH₃	Н	
3.061	CH₃	CF₃CF₂	CH₃	H	
3.062	CH₃CH₂	CF₃CF₂	CH₃	Н	
3.063	(CH₃)₂CH	CF <sub>3</sub> CF <sub>2</sub>	CH <sub>3</sub>	Н	

Compd.	R 75	R 76	R 77	R 78	m.p.(°C)
no.					,
3.064	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub>	СН₃	н	•
3.065	Ph	CF <sub>3</sub> CF <sub>2</sub>	СН₃	Н	
3.066	CH₂Br	CF <sub>3</sub> CF <sub>2</sub>	СН₃	н	-
3.067	CH₂OCH₃	CF <sub>3</sub> CF <sub>2</sub>	CH₃	Н	
3.068	CH₂SMe	CF <sub>3</sub> CF <sub>2</sub>	СН₃	н	
3.069	CH <sub>2</sub> SO <sub>2</sub> Me	CF <sub>3</sub> CF <sub>2</sub>	СН₃	н	
3.070	SCH₃	CF <sub>3</sub> CF <sub>2</sub>	СН₃	н	
3.071	SOCH <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub>	СН₃	Н	
3.072	SO₂CH₃	CF <sub>3</sub> CF <sub>2</sub>	СН₃∶	н∹	·
3.073	SPh	CF <sub>3</sub> CF <sub>2</sub>	СН₃	н	
3.074	SOPh	CF <sub>3</sub> CF <sub>2</sub>	СН₃	Н	
3.075	SO₂Ph	CF <sub>3</sub> CF <sub>2</sub>	СН₃	. н	
3.076	CH <sub>3</sub>	CHF <sub>2</sub>	CH₃	н	
3.077	CH₃CH₂	CHF <sub>2</sub>	СН₃	н	
3.078	(CH₃)₂CH	CHF₂	CH₃	н	
3.079	CH₃(CH₂)₃	CHF₂	CH₃	н	
3.080	Ph	CHF <sub>2</sub>	CH₃	Н	
3.081	CH₂Br	CHF <sub>2</sub>	CH₃	н	
3.082	CH₂OCH₃	CHF <sub>2</sub>	СН₃	Н	
3.083	CH₂SMe	CHF <sub>2</sub>	CH₃.	Н	
3.084	CH₂SO₂Me	CHF₂	CH₃	Н	
3.085	SCH₃	CHF₂	СН₃	Н	
3.086	SOCH₃	CHF₂	CH₃	н	
3.087	SO₂CH₃	CHF <sub>2</sub>	CH₃	Н	
3.088	SPh	CHF₂	CH₃	Н	
3.089	SOPh	CHF <sub>2</sub>	CH₃	н	
3.090	SO₂Ph	CHF <sub>2</sub>	CH₃	Н	
3.091	СН₃	CF <sub>3</sub>	н	CH₃	
3.092	CH₃CH₂	CF <sub>3</sub>	H	CH₃	
3.093	(CH₃)₂CH	CF <sub>3</sub>	н	CH₃	
3.094	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CF <sub>3</sub>	н	CH₃	
3.095	<u>P</u> h	CF <sub>3</sub>	н	CH₃	

Compd.	R 75	R 76	R <sub>77</sub>	R 78	m.p.(°C)
no.					
3.096	CH₂Br	CF <sub>3</sub>	Н	CH₃	
3.097	CH₂OCH₃	CF₃	Н	CH₃	_
3.098	CH₂SMe	CF₃	H.	CH₃	
3.099	CH₂SO₂Me	CF₃	Н	CH₃	
3.100	SCH₃	CF₃	Н	CH₃	
3.101	SOCH₃	CF <sub>3</sub>	Н	CH₃	
3.102	SO₂CH₃	CF <sub>3</sub>	Н	CH₃	
3.103	SPh	CF <sub>3</sub>	Н	CH₃	
3.104	SOPh	CF₃	Н	CH₃	•
3.105	SO₂Ph	CF₃	Н	CH₃	

Table 4: Compounds of formula le:

Compd.	R 75	R 76	R <sub>77</sub>	Ř <sub>78</sub>	Z	m.p.(°C)
4.001	CH₃	CF₃	Н	н	S	103-104
4.002	CH₃CH₂	CF <sub>3</sub>	Н	н	S	
4.003	(CH₃)₂CH	CF₃	Н	Н	S	
4.004	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CF <sub>3</sub>	н	н	S	
4.005	Ph	CF₃	н	н	s	
4.006	CH₂Br	CF <sub>3</sub>	Н	H	S	
4.007	CH₂OCH₃	CF <sub>3</sub>	Н	н	S	
4.008	CH₂SMe	CF <sub>3</sub>	н	н	s	

Compd	. R <sub>75</sub>	R 76	R <sub>77</sub>	R 78	Z	m.p.(°C)
no.						, , , , , , , , , , , , , , , , , , ,
4.009	CH₂SO₂Me	CF₃	н	н	s	
4.010	SCH₃	CF <sub>3</sub>	H	H	S	
4.011	SOCH₃	CF <sub>3</sub>	н	Н	S	-
4.012	SO₂CH₃	CF₃	н	Н	s	
4.013	SPh	CF₃	н	н	S	
4.014	SOPh	CF₃	н	н	S	
4.015	SO₂Ph	CF₃	Н	н	S	
4.016	CH <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub>	н	Н	S	
4.017	CH₃CH₂	CF <sub>3</sub> CF <sub>2</sub>	Н	н	S	
4.018	(CH₃)₂CH	CF <sub>3</sub> CF <sub>2</sub>	Н	H·	S	
4.019	CH₃(CH₂)₃	CF <sub>3</sub> CF <sub>2</sub>	Н	Н	S	
4.020	Ph	CF <sub>3</sub> CF <sub>2</sub>	Н	Н	S	
4.021	CH₂Br	CF <sub>3</sub> CF <sub>2</sub>	Н	Ĥ	s	
4.022	CH <sub>2</sub> OCH₃	CF <sub>3</sub> CF <sub>2</sub>	н	н	s	
4.023	CH₂SMe	CF <sub>3</sub> CF <sub>2</sub>	Н	н	s	
4.024	CH₂SO₂Me	CF <sub>3</sub> CF <sub>2</sub>	Н	Н	s	
4.025	SCH₃	CF <sub>3</sub> CF <sub>2</sub>	Н	H ·	. <b>S</b>	
4.026	SOCH₃	CF <sub>3</sub> CF <sub>2</sub>	Н	Н	Ş	
4.027	SO <sub>2</sub> CH <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub>	Н	Н	S	
4.028	SPh	CF <sub>3</sub> CF <sub>2</sub>	H	Н	S	
4.029	SOPh	CF <sub>3</sub> CF <sub>2</sub>	Н	Н	s	
4.030	SO₂Ph	CF <sub>3</sub> CF <sub>2</sub>	Н	Н	S	
4.031	CH₃	CHF <sub>2</sub>	Н	Н	S	
4.032	CH₃CH₂	CHF₂	Н	Н	S	
4.033	(CH₃)₂CH	CHF <sub>2</sub>	Н	Н	S	
4.034	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CHF <sub>2</sub>	Н	H ·	S	
4.035	Ph	CHF <sub>2</sub>	Н	Н	S	
4.036	CH₂Br	CHF <sub>2</sub>	Н	Н	S	
4.037	CH₂OCH₃	CHF <sub>2</sub>	H	Η .	S	
4.038	CH₂SMe	CHF <sub>2</sub>	Н	н	S	
4.039	CH₂SO₂Me	CHF <sub>2</sub>	Н	н	S	
4.040	SCH₃	CHF <sub>2</sub>	Н	Н	S	

Compd.	R 75	R 76	R 77	R 78	Z	m.p.(°C)
·	N 75	76	11.77	11 78	-	
no. 4.041	SOCH₃	CHF₂	н	'н	s	
	SO <sub>2</sub> CH <sub>3</sub>	_	Н	Н	S	
4.042		CHF <sub>2</sub>		Н	S	<u>~</u> .
4.043	SPh	CHF <sub>2</sub>	Н		S	
4.044	SOPh	CHF <sub>2</sub>	H	н		
4.045	SO₂Ph	CHF₂	H	. н	S	•
4.046	CH₃	CF₃	CH₃	Н	S	
4.047	CH₃CH₂	CF <sub>3</sub>	CH₃	H	S	
4.048	(CH₃)₂CH	CF₃	CH₃	Н	S	
4.049	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CF <sub>3</sub>	CH₃	· H	S	, .
4.050	Ph	CF <sub>3</sub>	CH₃	Н	S	
4.051	CH₂Br	CF₃	CH₃	Н	S	
4.052	CH <sub>2</sub> OCH <sub>3</sub>	CF <sub>3</sub>	CH₃	H	S	
4.053	CH₂SMe	CF <sub>3</sub>	CH <sub>3</sub>	Н	S	
4.054	CH₂SO₂Me	CF <sub>3</sub>	CH <sub>3</sub>	Н	S	
4.055	SCH₃	CF <sub>3</sub>	CH₃	Н	S	
4.056	SOCH <sub>3</sub>	CF <sub>3</sub>	СН₃	Н	S	
4.057	SO₂CH₃	CF <sub>3</sub>	CH₃	Н	S	
4.058	SPh	CF <sub>3</sub>	СН₃	Н	S	
<b>4.059</b> .	SOPh	CF <sub>3</sub>	CH₃	H	s	
4.060	SO₂Ph	CF <sub>3</sub>	CH₃	Н	S	
4.061	CH₃ ·	CF <sub>3</sub> CF <sub>2</sub>	CH₃	Н	S	
4.062	CH₃CH₂	CF <sub>3</sub> CF <sub>2</sub>	СН₃	н	S	
4.063	(CH₃)₂CH	CF <sub>3</sub> CF <sub>2</sub>	СН₃	н	S	
4.064	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub>	СН₃	н	S.	
4.065	Ph	CF <sub>3</sub> CF <sub>2</sub>	СН₃	Н	s	
4.066	CH₂Br	CF <sub>3</sub> CF <sub>2</sub>	CH₃	Н	s	
4.067	CH₂OCH₃	CF <sub>3</sub> CF <sub>2</sub>	CH₃	Н	<b>S</b> -	
4.068	CH₂SMe	CF <sub>3</sub> CF <sub>2</sub>	CH₃	Н	S	
4.069	CH <sub>2</sub> SO <sub>2</sub> Me	CF <sub>3</sub> CF <sub>2</sub>	CH <sub>3</sub>	Н	S	
4.070	SCH <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub>	CH₃	Н	· S	
4.071	SOCH <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub>	CH₃	Н	S	•
4.072	SO <sub>2</sub> CH <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub>	CH₃	н	S	

Compd.	R 75	R 76	R <sub>77</sub>	R 78	Z	m.p.(°C)
no.				•		
4.073	SPh .	CF <sub>3</sub> CF <sub>2</sub>	СН₃	• н	s	
4.074	SOPh	CF <sub>3</sub> CF <sub>2</sub>	СН₃	н	S	•
4.075	SO₂Ph	CF <sub>3</sub> CF <sub>2</sub>	СН₃	н	s	-
4.076	CH₃	CHF2	СН₃	н	s	
4.077	CH₃CH₂	CHF₂	СН₃	Н	S	
4.078	(CH₃)₂CH	CHF₂	СН₃	Н	· s	
4.079	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CHF <sub>2</sub>	СН₃	Н	s	•
4.080	Ph	CHF₂	CH₃	Н	S	
4.081	CH₂Br	CHF2	СН₃	н	S	
4.082	CH₂OCH₃	CHF <sub>2</sub>	CH₃	н	S	
4.083	CH₂SMe	CHF <sub>2</sub>	СН₃	н	S	
4.084	CH₂SO₂Me	CHF <sub>2</sub>	СН₃	н	S	
4.085	SCH₃	CHF <sub>2</sub>	СН₃	н	S	
4.086	SOCH₃	CHF <sub>2</sub>	CH₃	н	. <b>S</b>	
4.087	SO₂CH₃	CHF₂	СН₃	Н	S	
4.088	SPh	CHF₂	CH₃	н	S	
4.089	SOPh	CHF₂	CH₃	н	<b>s</b> .	
4.090	SO₂Ph	CHF <sub>2</sub>	CH₃	Н	S	
4.091	CH₃	CF <sub>3</sub>	Н	CH₃	S	
4.092	CH₃CH₂	CF <sub>3</sub>	H	CH₃	S	4
4.093	(CH₃)₂CH	CF <sub>3</sub>	H	CH₃	S	
4.094	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CF <sub>3</sub>	Н	СН₃	S	
4.095	Ph	CF₃	Н	СН₃	S	
4.096	CH₂Br	CF <sub>3</sub>	Н	. CH₃	S	
4.097	CH₂OCH₃	CF <sub>3</sub>	Н	CH₃	s	
4.098	CH₂SMe	CF <sub>3</sub>	Н	СН₃	S	
4.099	CH₂SO₂Me	CF <sub>3</sub>	Н	СН₃	S	
4.100	SCH₃	CF <sub>3</sub>	Н	CH₃	S	
4.101	SOCH₃	CF <sub>3</sub>	H	CH₃	S	
4.102	SO₂CH₃	CF <sub>3</sub>	Н	CH₃	S	
4.103	SPh	CF <sub>3</sub>	Н	CH₃	S	
4.104	SOPh	CF <sub>3</sub>	н	CH <sub>3</sub>	S	

Compd.	R 75	R 76	ь	D	Z	
-	n 75	ra 76	R 77	R 78	2	m.p.(°C)
no.	CO 10h	05	• •	011	c	
4.105	SO₂Ph	CF₃	H	CH₃	S	00.07
4.106	CH₃	CF₃	Н	Н	SO	96-97
4.107	CH₃CH₂	CF₃	Н	H	so	
4.108	(CH₃)₂CH	CF₃	Н	Н	SO	
4.109	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CF₃	Н	Н	SO	
4.110	Ph	CF₃	Н	Н	SO	
4.111	CH₂Br	CF₃	Н	H	SO	•
4.112	CH <sub>2</sub> OCH₃	CF₃	Н	Н	SO	•
4.113	CH₂SMe	CF₃	Н	Н	SO	
4.114	CH <sub>2</sub> SO₂Me	CF <sub>3</sub>	Н	Н	SO	
4.115	SCH₃	CF₃	Н	Н	SO	
4.116	SOCH <sub>3</sub>	CF <sub>3</sub>	Н	Н	SO	
4.117	SO₂CH₃	CF <sub>3</sub>	Н	Н	so	•
4.118	SPh	CF <sub>3</sub>	· H	Н	SO	
4.119	SOPh	CF <sub>3</sub>	н	н	so	
4.120	SO₂Ph	CF <sub>3</sub>	Н	Н .	so	
4.121	CH₃	CF <sub>3</sub> CF <sub>2</sub>	Н	н	SO	
4.122	CH₃CH₂	CF <sub>3</sub> CF <sub>2</sub>	Н	Н	SO	•
4.123	(CH₃)₂CH	CF₃CF₂	H	Н	SO	
4.124	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub>	Н	Н	so	
4.125	Ph	CF <sub>3</sub> CF <sub>2</sub>	Н	Н	so	
4.126	CH₂Br	CF₃CF₂	Н	н .	so	•
4.127	CH₂OCH₃	CF <sub>3</sub> CF <sub>2</sub>	, н	Н	SO	
4.128	CH₂SMe	CF <sub>3</sub> CF <sub>2</sub>	Н	н	<b>SO</b>	
4.129	CH <sub>2</sub> SO <sub>2</sub> Me	CF <sub>3</sub> CF <sub>2</sub>	н	Н	SO	
4.130	SCH₃	CF <sub>3</sub> CF <sub>2</sub>	н	н	SO	
4.131	SOCH <sub>3</sub>	CF₃CF₂	н	н	SO	·
4.132	SO₂CH₃	CF₃CF₂	н	н	so	
4.133	SPh	CF <sub>3</sub> CF <sub>2</sub>	н	н	, so	
4.134	SOPh	CF <sub>3</sub> CF <sub>2</sub>	н	н	so	
4.135	SO₂Ph	CF <sub>3</sub> CF <sub>2</sub>	н	Н	so	
4.136	CH₃	CHF <sub>2</sub>	н	Н	SO	

Compd.	R 75	R 76	R <sub>77</sub>	R 78	<b>Z</b>	m.p.(°C)
no.						
4.137	CH₃CH₂	CHF <sub>2</sub>	н	н	so	
4.138	(CH₃)₂CH	CHF <sub>2</sub>	н	н	SO	
4.139	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CHF₂	Н	н	so	-
4.140	Ph	CHF₂	н	Н	SO	
4.141	CH₂Br	CHF <sub>2</sub>	н	н	SO	
4.142	CH₂OCH₃	CHF <sub>2</sub>	н	н	so	
4.143	CH₂SMe	CHF <sub>2</sub>	н	Н	so	
4.144	CH₂SO₂Me	CHF <sub>2</sub>	н	Н	SO	
4.145	SCH₃	CHF <sub>2</sub>	н	Н	so	
4.146	SOCH <sub>3</sub>	CHF <sub>2</sub>	н	н	SO	•
4.147	SO₂CH₃	CHF <sub>2</sub>	н	н	SO	
4.148	SPh	CHF <sub>2</sub>	н	Н	so	
4.149	SOPh	CHF₂	Н	H	so	
4.150	SO₂Ph	CHF₂	Н	Н	so	
4.151	CH₃	CF <sub>3</sub>	CH₃	н	so	
4.152	CH₃CH₂	CF <sub>3</sub>	СН₃	н	so	
4.153	(CH₃)₂CH	CF <sub>3</sub>	СН₃	н	so	
4.154	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CF <sub>3</sub>	CH₃	Н	SO	
4.155	Ph	CF <sub>3</sub>	CH <sub>3</sub>	н	SO	
4.156	CH₂Br	CF₃	CH <sub>3</sub>	H	so	
4.157	CH₂OCH₃	CF₃	CH₃	Н	SO	
4.158	CH₂SMe	CF <sub>3</sub>	CH₃	Н	SO <sub>.</sub>	
4.159	CH₂SO₂Me	CF <sub>3</sub>	CH₃	Н	SO	
4.160	SCH <sub>3</sub>	CF <sub>3</sub>	CH <sub>3</sub>	Н.	SO	
4.161	SOCH <sub>3</sub>	CF <sub>3</sub>	CH <sub>3</sub>	Н	so	
4.162	SO₂CH₃	CF <sub>3</sub>	CH₃	Н	so	
4.163	SPh	CF₃	CH₃	Н	so	
4.164	SOPh	CF <sub>3</sub>	CH₃	Н	SO	
4.165	SO₂Ph	CF <sub>3</sub>	···CH <sub>3</sub> ·	н	SO	
4.166	CH₃	CF <sub>3</sub> CF <sub>2</sub>	CH₃	н	SO	
4.167	CH₃CH₂	CF <sub>3</sub> CF <sub>2</sub>	CH₃	н	so	
4.168	(CH₃)₂CH	CF <sub>3</sub> CF <sub>2</sub>	CH₃	н	so	

,						
Compd.	R 75	R 76	R <sub>77</sub>	R 78	Z	m.p.(°C)
no.	•		•			
4.169	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub>	CH₃	Н	SO	
4.170	Ph	CF <sub>3</sub> CF <sub>2</sub>	CH₃	Н	SO	_
4.171	CH₂Br	CF <sub>3</sub> CF <sub>2</sub>	CH₃	Н	SO	_
4.172	CH₂OCH₃	CF <sub>3</sub> CF <sub>2</sub>	CH₃	Н	SO	
4.173	CH₂SMe	CF₃CF₂	CH₃	Н	SO.	
4.174	CH <sub>2</sub> SO <sub>2</sub> Me	CF <sub>3</sub> CF <sub>2</sub>	CH <sub>3</sub>	Н	SO	
4.175	SCH₃	CF₃CF₂	CH₃	·H	SO	
4.176	. SOCH <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub>	CH <sub>3</sub>	Н	SO	
4.177	SO₂CH₃	CF₃CF₂	CH <sub>3</sub>	Н	so	
4.178	SPh	CF₃CF₂	CH <sub>3</sub>	. н	so	
4.179	SOPh	CF <sub>3</sub> CF <sub>2</sub>	CH₃	н	SO	
4.180	SO₂Ph	CF <sub>3</sub> CF <sub>2</sub>	CH₃	Н	so	•
4.181	CH <sub>3</sub>	CHF <sub>2</sub>	CH₃	Н	SO	
4.182	CH₃CH₂	CHF <sub>2</sub>	CH₃	н	so	
4.183	(CH₃)₂CH	CHF <sub>2</sub>	CH <sub>3</sub>	Н	so	
4.184	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CHF <sub>2</sub>	CH₃	H	SO	
4.185	Ph	CHF <sub>2</sub>	CH₃	Н	SO	
4.186	CH₂Br	CHF <sub>2</sub>	CH <sub>3</sub>	Н	SO	
4.187	CH <sub>2</sub> OCH <sub>3</sub>	CHF <sub>2</sub>	CH <sub>3</sub>	Н	SO	
4.188	CH₂SMe	CHF <sub>2</sub>	CH₃	Н	SO	
4.189	CH₂SO₂Me	CHF <sub>2</sub>	CH₃	Н	SO	
4.190	SCH₃	CHF <sub>2</sub>	CH₃	Н	SO	
4.191	SOCH₃	CHF <sub>2</sub>	CH₃	Н	SO	
4.192	SO₂CH₃	CHF₂	CH <sub>3</sub>	Н	SO	
4.193	SPh	CHF <sub>2</sub>	CH <sub>3</sub>	Н	so	
4.194	SOPh	CHF₂	CH₃	Н	SO	
4.195	SO₂Ph	CHF₂	CH <sub>3</sub>	H	so	
4.196	CH₃	CF <sub>3</sub>	Н	CH <sub>3</sub>	SO	
4.197	CH₃CH₂	CF <sub>3</sub>	н	СН₃	SO	
4.198	(CH₃)₂CH	CF <sub>3</sub>	Н	СН₃	so	
4.199	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CF <sub>3</sub>	Н	CH <sub>3</sub>	SO	
4.200	<u>P</u> h	CF <sub>3</sub>	н	CH₃	so	

Compd.	. R 75	R 76	R <sub>77</sub>	R 78	Z	m.p.(°C)
no.						
4.201	CH₂Br	CF <sub>3</sub>	Н	CH₃	so	
4.202	CH <sub>2</sub> OCH <sub>3</sub>	CF <sub>3</sub>	Н	CH₃	SO	
4.203	CH₂SMe	CF₃	н	CH₃	so	-
4.204	CH₂SO₂Me	CF <sub>3</sub>	Н	CH₃	SO	
4.205	SCH₃	CF <sub>3</sub>	н	CH <sub>3</sub>	so	
4.206	SOCH <sub>3</sub>	CF <sub>3</sub>	Н	CH₃	SO	
4.207	SO₂CH₃	CF <sub>3</sub>	Н	CH₃	so	
4.208	SPh	CF <sub>3</sub>	Н	CH₃	SO	
4.209	SOPh	CF <sub>3</sub>	H	CH₃	SO	· .
4.210	SO₂Ph	CF <sub>3</sub>	н	CH₃	so	
4.211	CH₃	CF₃	H.	н	SO <sub>2</sub>	amorph-
	,	•				ous
4.212	CH₃CH₂	CF <sub>3</sub> .	Н	н	SO <sub>2</sub>	
4.213	(CH₃)₂CH	CF <sub>3</sub>	н	Н	SO <sub>2</sub>	
4.214	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CF <sub>3</sub>	н	Н,	SO <sub>2</sub>	
4.215	Ph	CF <sub>3</sub>	н	Н	SO <sub>2</sub>	
4.216	CH₂Br	CF₃	Н	Н	SO <sub>2</sub>	
4.217	CH₂OCH₃	CF₃	Н	н	SO <sub>2</sub>	
4.218	CH₂SMe	CF <sub>3</sub>	Н	Н	SO <sub>2</sub>	
4.219	CH <sub>2</sub> SO <sub>2</sub> Me	CF <sub>3</sub>	Н	Н	SO <sub>2</sub>	
4.220	SCH₃	CF₃	Н	, H	SO <sub>2</sub>	
4.221	SOCH <sub>3</sub>	CF <sub>3</sub>	н	Н	SO <sub>2</sub>	
4.222	SO₂CH₃	CF <sub>3</sub>	Н	Н	SO <sub>2</sub>	•
4.223	SPh	CF <sub>3</sub>	Н	н	SO <sub>2</sub>	
4.224	SOPh	CF <sub>3</sub>	Н	Н	SO <sub>2</sub>	
4.225	SO₂Ph	CF <sub>3</sub>	Н	Н	SO₂	
4.226	CH₃	CF₃CF₂	Н	Н	SO <sub>2</sub>	
4.227	CH₃CH₂	CF <sub>3</sub> CF <sub>2</sub>	Н	Н	SO <sub>2</sub>	
4.228	(CH₃)₂CH	CF <sub>3</sub> CF <sub>2</sub>	TH	* H	SO₂	
4.229	$CH_3(CH_2)_3$	CF <sub>3</sub> CF <sub>2</sub>	Н	Н	SO <sub>2</sub>	
4.230	Ph	CF₃CF₂	Н	Н	SO <sub>2</sub>	
4.231	CH₂Br	CF₃CF₂	Н	Н	SO <sub>2</sub>	

Compd.	R 75	R 76	R <sub>77</sub>	R 78	Z	m.p.(°C)
no.			••			
4.232	CH₂OCH₃	CF₃CF₂	Н	н	SO <sub>2</sub>	
4.233	CH <sub>2</sub> SMe	CF <sub>3</sub> CF <sub>2</sub>	Н	н	SO <sub>2</sub>	
4.234	CH₂SO₂Me	CF <sub>3</sub> CF <sub>2</sub>	H	Н	SO <sub>2</sub>	-
4.235	SCH₃	CF <sub>3</sub> CF <sub>2</sub>	н	Н	SO <sub>2</sub>	
4.236	SOCH₃	CF₃CF₂	н	Н	SO <sub>2</sub>	
4.237	SO₂CH₃	CF <sub>3</sub> CF <sub>2</sub>	н	Н	SO <sub>2</sub>	
4.238	SPh	CF <sub>3</sub> CF <sub>2</sub>	н	н	SO₂	
4.239	SOPh	CF <sub>3</sub> CF <sub>2</sub>	н	н	SO <sub>2</sub>	
4.240	SO₂Ph	CF₃CF₂	н	Н	SO <sub>2</sub>	
4.241	CH₃	CHF <sub>2</sub>	Н	Н	SO <sub>2</sub>	
4.242	CH₃CH₂	CHF₂	н	Н	SO₂	
4.243	(CH₃)₂CH	CHF <sub>2</sub>	Н	н .	SO <sub>2</sub>	
4.244	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CHF <sub>2</sub>	H .	Н	SO <sub>2</sub>	
4.245	Ph	CHF <sub>2</sub>	н	н .	SO <sub>2</sub>	
4.246	CH₂Br	CHF <sub>2</sub>	H.	Н	SO <sub>2</sub>	
4.247	CH₂OCH₃	CHF <sub>2</sub>	Н	Ή	SO <sub>2</sub>	
4.248	CH₂SMe	CHF <sub>2</sub>	н	Н	SO <sub>2</sub>	
4.249	CH₂SO₂Me	CHF <sub>2</sub>	н	Н	SO <sub>2</sub>	
4.250	SCH₃	CHF <sub>2</sub>	Н	Н	SO <sub>2</sub>	
4.251	SOCH <sub>3</sub>	CHF <sub>2</sub>	Н	Н	SO <sub>2</sub>	
4.252	SO₂CH₃	CHF <sub>2</sub>	Н	н	SO <sub>2</sub>	
4.253	SPh	CHF <sub>2</sub>	н	Н	SO <sub>2</sub>	
4.254	SOPh	CHF <sub>2</sub>	H	H	SO <sub>2</sub>	
4.255	SO₂Ph	CHF₂	н	Н	SO <sub>2</sub>	
4.256	CH₃	CF <sub>3</sub>	CH <sub>3</sub>	Н	SO <sub>2</sub>	
4.257	CH₃CH₂	CF <sub>3</sub>	CH₃	Н	SO <sub>2</sub>	
4.258	(CH₃)₂CH	CF <sub>3</sub>	СН₃	Н	SO <sub>2</sub>	
4.259	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CF <sub>3</sub>	СН₃	, <b>H</b>	SO <sub>2</sub>	
4.260	Ph	CF <sub>3</sub>	CH₃	н	SO <sub>2</sub>	
4.261	CH₂Br	CF <sub>3</sub>	CH <sub>3</sub>	Н	SO <sub>2</sub>	
4.262	CH₂OCH₃	CF₃	CH₃	н	SO <sub>2</sub>	
4.263	.CH₂SMe	CF <sub>3</sub>	СН₃	н	SO <sub>2</sub>	

Compd.	R 75	R 76	R <sub>77</sub>	R 78	Z	m.p.(°C)
no.						1.( -7
4.264	CH₂SO₂Me	CF <sub>3</sub>	СН₃	н	SO₂	
4.265	SCH₃	CF <sub>3</sub>	CH₃	н	SO <sub>2</sub>	
4.266	SOCH₃	CF <sub>3</sub>	СН₃	н	SO <sub>2</sub>	-
4.267	SO₂CH₃	CF <sub>3</sub>	СН₃	Н	SO₂	
4.268	SPh	CF <sub>3</sub>	. CH₃	Н	SO <sub>2</sub>	
4.269	SOPh	CF₃	СН₃	Н	SO <sub>2</sub>	
4.270	SO₂Ph	CF <sub>3</sub>	СН₃	Н	SO <sub>2</sub>	
4.271	CH₃	CF <sub>3</sub> CF <sub>2</sub>	СН₃	Н	SO <sub>2</sub>	
4.272	CH₃CH₂	CF <sub>3</sub> CF <sub>2</sub>	СН₃	· н	SO <sub>2</sub>	
4.273	(CH₃)₂CH	CF <sub>3</sub> CF <sub>2</sub>	CH₃	H	SO <sub>2</sub>	
4.274	$CH_3(CH_2)_3$	CF <sub>3</sub> CF <sub>2</sub>	СН₃	н	SO <sub>2</sub>	
4.275	Ph	CF <sub>3</sub> CF <sub>2</sub>	СН₃	н	SO <sub>2</sub>	.•
4.276	CH₂Br	CF <sub>3</sub> CF <sub>2</sub>	СН₃	н	SO <sub>2</sub>	
4.277	CH₂OCH₃	CF <sub>3</sub> CF <sub>2</sub>	CH₃	Н	SO <sub>2</sub>	
4.278	CH₂SMe	CF <sub>3</sub> CF <sub>2</sub>	СН₃	· H	SO <sub>2</sub>	
4.279	CH₂SO₂Me	CF <sub>9</sub> CF <sub>2</sub>	СН₃	Н	SO <sub>2</sub>	
4.280	SCH₃	CF <sub>3</sub> CF <sub>2</sub>	СН₃	Н	SO <sub>2</sub>	
4.281	SOCH₃	CF <sub>3</sub> CF <sub>2</sub>	CH₃	н	SO₂	
4.282	SO₂CH₃	CF <sub>3</sub> CF <sub>2</sub>	СН₃	н	SO <sub>2</sub>	
4.283	SPh	CF <sub>3</sub> CF <sub>2</sub>	CH <sub>3</sub>	Н	SO <sub>2</sub>	
4.284	SOPh	CF <sub>3</sub> CF <sub>2</sub>	CH <sub>3</sub>	Н	SO <sub>2</sub>	
4.285	SO₂Ph	CF <sub>3</sub> CF <sub>2</sub>	CH <sub>3</sub>	H .	SO <sub>2</sub>	
4.286	CH₃	CHF₂	CH <sub>3</sub>	н	SO <sub>2</sub>	
4.287	CH₃CH₂	CHF <sub>2</sub>	CH₃	н	SO <sub>2</sub>	
4.288	(CH₃)₂CH	CHF₂	CH₃	Н	SO <sub>2</sub>	
4.289	CH₃(CH₂)₃	CHF₂	CH₃	Н	SO <sub>2</sub>	
4.290	Ph	CHF₂	CH <sub>3</sub>	Н	SO <sub>2</sub>	
4.291	CH₂Br	CHF <sub>2</sub>	СН₃	Н	SO₂	
4.292	CH₂OCH₃	CHF <sub>2</sub>	CH <sub>3</sub>	Ή	SO₂	•
4.293	CH₂SMe	CHF <sub>2</sub>	CH₃	н	SO <sub>2</sub>	
4.294	CH <sub>2</sub> SO₂Me	CHF <sub>2</sub>	CH₃	н	SO <sub>2</sub>	
4.295	SCH₃	CHF₂	CH₃	Н	SO <sub>2</sub>	

Compd.	R 75	R 76	R 77	R 78	Z	m.p.(°C)
no.	75	76	//	78	_	
4.296	SOCH₃	CHF <sub>2</sub>	CH₃	н	SO₂	
	_	_	-			
4.297	SO₂CH₃	CHF <sub>2</sub>	CH₃	Н	SO <sub>2</sub>	•
4.298	SPh	CHF₂	CH₃	Н	SO₂	
4.299	SOPh	CHF <sub>2</sub>	CH₃	Н	SO <sub>2</sub>	
4.300	SO₂Ph	CHF₂	CH₃	Н	SO <sub>2</sub>	
4.301	CH₃	CF <sub>3</sub>	Н	CH₃	SO <sub>2</sub>	
4.302	CH₃CH₂	CF <sub>3</sub>	Н	CH₃	SO <sub>2</sub>	
4.303	(CH₃)₂CH	CF <sub>3</sub>	· H	CH₃	SO <sub>2</sub>	
4.304	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub>	CF <sub>3</sub>	$\mathbf{H}_{i}$	CH₃	SO <sub>2</sub>	
4.305	Ph	CF <sub>3</sub>	н	CH₃	SO <sub>2</sub>	
4.306	CH₂Br	CF <sub>3</sub>	н	CH₃	SO <sub>2</sub>	
4.307	CH₂OCH₃	CF <sub>3</sub>	Н	CH₃	SO <sub>2</sub>	
4.308	CH₂SMe	CF <sub>3</sub>	Н	CH₃	SO <sub>2</sub>	
4.309	CH₂SO₂Me	CF₃	Н	CH <sub>3</sub>	SO <sub>2</sub>	•
4.310	SCH₃	CF <sub>3</sub>	Н	CH₃	SO <sub>2</sub>	
4.311	SOCH <sub>3</sub>	CF <sub>3</sub>	Н	CH₃	SO <sub>2</sub>	
4.312	SO₂CH₃	CF <sub>3</sub>	Н	CH <sub>3</sub>	SO <sub>2</sub>	
4.313	SPh	CF <sub>3</sub>	Н	CH <sub>3</sub>	SO <sub>2</sub>	
4.314	SOPh	CF <sub>3</sub>	н	CH₃	SO <sub>2</sub>	
4.315	SO₂Ph	CF <sub>3</sub>	Н	CH₃	SO <sub>2</sub>	

### Table 5: Compounds of formula XVI:

()

Compd.	R 79	R 80	R <sub>81</sub>	R <sub>82</sub>
no.				
A1	 Н	<b>H</b>	н	CF <sub>3</sub>

Compo	i. R <sub>79</sub>	R 80	R <sub>81</sub>	R <sub>82</sub>
no.				
A2	CH₃	Н	Н	CF₃
А3	CH₃CH₂	Н	н	CF₃
<b>A4</b>	(CH₃)₂CH	н	Н	CF₃
<b>A5</b>	(CH₃)₃C	Н	H	CF₃
A6	cyclopropyl	Н	H.	CF₃
<b>A7</b>	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	Н	Н	CF₃
<b>A8</b>	CH₃OCH₂	Н	Н	CF <sub>3</sub>
<b>A9</b> -	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	H	Н	CF₃
A10	Ph	Н	н	CF <sub>3</sub>
A11	PhO	Н	н	CF <sub>3</sub>
A12	PhS	Н	Н	CF₃
A13	PhSO	н	Н	CF <sub>3</sub>
A14	PhSO <sub>2</sub>	н	Н	CF₃
A15	CH <sub>3</sub> S	Н	Н	CF₃
A16	CH₃SO	н	н	CF₃
A17	CF₃	н	н	CF₃
A18	F₂CH	Н	Н	CF₃
A19	HCC	н	Н	CF₃
A20	CH₃CC	Н	н	CF₃
A21	CH₂=CH	, H	Н	CF <sub>3</sub>
A22	CH <sub>2</sub> =CHCH <sub>2</sub>	Н	Н	CF <sub>3</sub>
A23	CH₃SO₂N(CH₃)	н	Н	CF₃
A24	(CH₃)₂N	н	Н	CF <sub>3</sub>
A25	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Н	• н	CF₃
A26	CICH <sub>2</sub>	Н	Н	CF₃
A27	CH₃SCH₂	Н	Н	CF₃
A28	CH₃SOCH₂	Н	Н	CF₃
A29	CH₃SO₂CH₂	Н	Н	CF <sub>3</sub>
A30	[1,2,4]-triazol-1-yl-methyl	H	Н	CF <sub>3</sub>
A31	СН₃	CF <sub>3</sub>	н	CH₃
A32	CH₃	СН₃	н	CF <sub>3</sub>
A33	Н	н	Н	CF <sub>3</sub> CF <sub>2</sub>

Compd.	R 79	R 80	R <sub>81</sub>	R <sub>82</sub>
no.	•			
A34	CH₃	Н	н	CF <sub>3</sub> CF <sub>2</sub>
A35	CH₃CH₂	Н	Н	CF <sub>3</sub> CF <sub>2</sub>
A36	cyclopropyl	н	Н	CF₃CF₂
A37	(CH₃)₃C	Н	Н	CF <sub>3</sub> CF <sub>2</sub>
A38	(CH₃)₂CH	H	Н	CF <sub>3</sub> CF <sub>2</sub>
A39	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	н	, H	CF <sub>3</sub> CF <sub>2</sub>
A40	CH₃OCH₂	Н	н	CF <sub>3</sub> CF <sub>2</sub>
A41	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	н	н	CF <sub>3</sub> CF <sub>2</sub>
A42	Ph	н	н	CF₃CF₂
A43	PhO	н	Н	CF <sub>3</sub> CF <sub>2</sub>
A44	PhS	Н	Н	CF <sub>3</sub> CF <sub>2</sub>
A45	PhSO	н	Н	CF <sub>3</sub> CF <sub>2</sub>
A46	PhSO <sub>2</sub>	н	н	CF <sub>3</sub> CF <sub>2</sub>
A47	CH₃S	Н	н	CF <sub>3</sub> CF <sub>2</sub>
A48	CH₃SO	Н	н	CF <sub>3</sub> CF <sub>2</sub>
A49	CF <sub>3</sub>	Н	Н	CF <sub>3</sub> CF <sub>2</sub>
A50	F₂CH	н	Н	CF <sub>3</sub> CF <sub>2</sub>
A51	HCC	Н	Н	CF <sub>3</sub> CF <sub>2</sub>
A52	CH₃CC	Н	Н	CF <sub>3</sub> CF <sub>2</sub>
A53	CH₂=CH	н	Н	CF <sub>3</sub> CF <sub>2</sub>
A54	CH₂=CHCH₂	н	н	CF <sub>3</sub> CF <sub>2</sub>
A55	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	Н	Н	CF <sub>3</sub> CF <sub>2</sub>
A56	(CH <sub>3</sub> )₂N	Н	н	CF <sub>3</sub> CF <sub>2</sub>
A57	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	H	· H	CF <sub>3</sub> CF <sub>2</sub>
A58	CICH₂	H	Н	CF <sub>3</sub> CF <sub>2</sub>
A59	CH₃SCH₂	н	н	CF <sub>3</sub> CF <sub>2</sub>
A60	CH₃SOCH₂	Н	н	CF <sub>3</sub> CF <sub>2</sub>
A61	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	Н	H	CF₃CF₂
A62	[1,2,4]-triazol-1-yl-methyl	Н	Н	CF <sub>3</sub> CF <sub>2</sub>
A63	Н	Н	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A64	CH₃	н	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A65	···· CH₃CH₂	н	н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>

Compd	. R <sub>79</sub>	R so	Ret	R <sub>82</sub>
no.				
A66	cyclopropyl	Н	н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A67	(CH₃)₃C	н	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A68	(CH₃)₂CH	Н	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A69	CH₃(CH₂)₂	Н	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A70	CH₃OCH₂	Н	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A71	CH₃O(CH₂)₂	Н	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A72	Ph	Н	Н.	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A73	PhO	H	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A74	PhS	Н	← H	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A75	PhSO	Н	· н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A76	PhSO <sub>2</sub>	н	н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A77	CH₃S	Н	Н.	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A78	CH₃SO	Н	н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A79	CF <sub>3</sub>	Н	н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A80	F₂CH	Н	н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A81	HCC	Н	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A82	CH₃CC	н	н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A83	CH <sub>2</sub> =CH	Н	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A84	CH <sub>2</sub> =CHCH <sub>2</sub>	н	· H	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A85	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	Н	н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A86	(CH <sub>3</sub> ) <sub>2</sub> N	Н	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A87	(CH <sub>3</sub> )₂NSO₂	Н	н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A88	CICH <sub>2</sub>	Н	. H	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A89	CH₃SCH₂	н	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A90	CH₃SOCH₂	н	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A91	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	Н	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A92	[1,2,4]-triazol-1-yl-methyl	Н	н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A93	Н .	• н	Н	CF <sub>2</sub> CI
A94	CH₃	Н	Н	CF₂CI
A95	CH₃CH₂	Н	Н	CF₂CI
A96	cyclopropyl	Н	н	CF₂CI
A97	(CH₃)₃C	H	Н	CF₂CI

()

0	D	<b>D</b>		
Compd	. R <sub>79</sub>	R 80	Pi <sub>81</sub>	R <sub>82</sub>
по.	. (011.) (011	11		05.01
A98	(CH₃)₂CH	H	H	CF₂CI
A99	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	Н	H	CF₂CI
A100	CH₃OCH₂	H	Н	ĈF₂CI
A101	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	Н	Н	CF <sub>2</sub> CI
A102	Ph	Н	Н	CF <sub>2</sub> CI
A103	PhO	Н	. Н	CF <sub>2</sub> CI
A104	PhS	H	Н	CF <sub>2</sub> Cl
A105	PhSO	Н	Н	CF <sub>2</sub> CI
A106	PhSO <sub>2</sub>	Н	H	CF <sub>2</sub> Cl
A107	CH₃S	Н	Н	CF <sub>2</sub> CI
A108	CH₃SO	Н	Н	CF <sub>2</sub> Cl
A109	· CF <sub>3</sub>	Н	Н	CF₂CI
A110	F₂CH	Н	н	CF <sub>2</sub> Cl
A111	HCC.	Н	Н	CF <sub>2</sub> CI
A112	CH₃CC	Н	Н	CF <sub>2</sub> Ci
A113	CH₂=CH	H	Н	CF <sub>2</sub> Cl
A114	CH₂=CHCH₂	Н	Н	CF <sub>2</sub> CI
A115	CH₃SO₂N(CH₃)	н	Н	CF <sub>2</sub> Cl
A116	(CH₃)₂N	Н	Н	CF <sub>2</sub> CI
A117	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	н	Н	CF <sub>2</sub> Cl
A118	CICH <sub>2</sub>	H	Н	CF <sub>2</sub> CI
A119	CH₃SCH₂	Н	Н	CF <sub>2</sub> CI
A120	CH₃SOCH₂	Н	Н	CF <sub>2</sub> CI
A121	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	Н	Н	CF₂CI
A122	[1,2,4]-triazol-1-yl-methyl	Н	Н	CF₂CI
A123	Н	Н	н	CHF <sub>2</sub>
A124	CH₃	Н	Н	CHF₂
A125	CH₃CH₂	н	Н	CHF₂
A126	cyclopropyl	Н	Н	CHF₂
A127	(CH₃)₃C	н	н	CHF <sub>2</sub>
A128	(CH₃)₂CH	Н.	Н	CHF <sub>2</sub>
A129	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	Н	Н	CHF₂

	•			
Compd.	. R <sub>79</sub>	R 80	R <sub>81</sub>	R <sub>82</sub>
no.				
A130	CH₃OCH₂	н	н	CHF <sub>2</sub>
A131	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	н	н	CHF <sub>2</sub>
A132	Ph	н	н	CHF <sub>2</sub>
A133	PhO	Н	Н	CHF <sub>2</sub>
A134	PhS	Н	Н	CHF <sub>2</sub>
A135	PhSO	Н	н	CHF₂
A136	PhSO <sub>2</sub>	Н	н	CHF₂
A137	CH₃S	Н	Н	CHF₂
A138	CH₃SO	Н	Н	CHF <sub>2</sub>
A139	CF <sub>3</sub>	Н	н	CHF <sub>2</sub>
A140	F₂CH	Н	н	CHF <sub>2</sub>
A141	HCC	. н	н	CHF <sub>2</sub>
A142	CH₃CC	Н	Н	CHF <sub>2</sub>
A143	CH₂=CH	н	Н	CHF <sub>2</sub>
A144	CH <sub>2</sub> =CHCH <sub>2</sub>	н	Н	CHF <sub>2</sub>
A145	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	Н	Н	CHF <sub>2</sub>
A146	(CH <sub>3</sub> ) <sub>2</sub> N	Н	H	CHF <sub>2</sub>
A147	(CH <sub>3</sub> )₂NSO₂	Н	Н	CHF <sub>2</sub>
A148	CICH <sub>2</sub>	Н	Н	CHF <sub>2</sub>
A149	CH₃SCH₂	, Н	H	CHF <sub>2</sub>
A150	CH₃SOCH₂	Н	H	CHF <sub>2</sub>
A151	CH₃SO₂CH₂	Н	Н	CHF <sub>2</sub>
A152	[1,2,4]-triazol-1-yl-methyl	Н	Н	CHF₂
A153	Н	, H	Н	CCl <sub>3</sub>
A154	CH₃	Н	н.	CCI <sub>3</sub>
A155	CH₃CH₂	Н	. Н	CCl <sub>3</sub>
A156	cyclopropyl	Н	Н	CCl <sub>3</sub>
A157	(CH₃)₃C	Н	Н	CCI <sub>3</sub>
A158	(CH₃)₂CH	Н	Н .	CCl <sub>3</sub>
A159	CH₃(CH₂)₂	Н	н	CCl₃
A160	CH₃OCH₂	Н	Н	CCl <sub>3</sub>
A161	······CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	Н	н	CCl3

Compd.	. R <sub>79</sub>	R 80	R <sub>81</sub>	 R <sub>82</sub>
no.	•			
A162	Ph	н	Н	CCl₃
A163	PhO	Н	н	CCl <sub>3</sub>
A164	PhS	Н	Н	ĈCl₃
A165	PhSO	н	н -	CCI <sub>3</sub>
A166	PhSO <sub>2</sub>	Н	н	CCl₃
A167	CH₃S	Н	н	CCl₃
A168	CH₃SO	Н	Н	CCI <sub>3</sub>
A169	CF <sub>3</sub>	Н	Н	CCl₃
A170	F₂CH	Н	Н	CCl₃
A171	HCC	Н	н	CCl₃
A172	CH₃CC	Н	н	CCl₃
A173	CH₂=CH	н	• н	CCl <sub>3</sub>
A174	CH₂=CHCH₂	Н	н	CCl₃
A175	CH₃SO₂N(CH₃)	Н	н	CCl3
A176	(CH₃)₂N	н	Н	. CCl <sub>3</sub>
A177	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Н	н	CCl <sub>3</sub>
A178	CICH₂	H,	Н	CCI <sub>3</sub>
A179	CH₃SCH₂	Н	Н	CCI <sub>3</sub>
A180	CH₃SOCH₂	Η '	Н	CCl <sub>3</sub>
A181	CH <sub>3</sub> SO₂CH₂	Н	Ħ	CCI <sub>3</sub>
A182	[1,2,4]-triazol-1-yl-methyl	н	Н	CCl <sub>3</sub>
A183	н	н	CH₃	CF₃
A184	CH₃	Н	CH₃	CF₃
A185	CH₃CH₂	Н	CH₃	CF <sub>3</sub>
A186	cyclopropyl	• н	CH₃	CF <sub>3</sub>
A187	(CH₃)₃C	Н	CH₃	CF <sub>3</sub>
A188	(CH₃)₂CH	Н	CH₃	CF <sub>3</sub>
A189	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	H	CH₃	CF <sub>3</sub>
A190	CH₃OCH₂	H	CH₃	CF <sub>3</sub>
A191	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	н	CH₃	CF <sub>3</sub>
A192	Ph	Н	CH₃	CF <sub>3</sub>
A193	PhO	Н	CH₃	CF₃

Compd.	R 79	R <sub>so</sub>	R <sub>81</sub>	R <sub>82</sub>
no.		~		**02
A194	PhS	н	СН₃	CF₃
A195	PhSO	Н	СН₃	CF₃
A196	PhSO₂	Н	CH₃	CF <sub>3</sub>
A197	CH₃S	Н	CH₃	CF₃
A198	CH₃SO	н	CH₃	CF₃
A199	CF <sub>3</sub>	н	CH₃	CF₃
A200	F <sub>2</sub> CH	н	CH₃	CF₃
A201	HCC	н	CH₃	CF₃
A202	CH₃CC	. <b>H</b>	CH₃	CF₃
A203	CH₂=CH	н	CH₃	CF₃
A204	CH <sub>2</sub> =CHCH <sub>2</sub>	н	CH₃	CF <sub>3</sub>
A205	CH₃SO₂N(CH₃)	н	СН₃	CF <sub>3</sub>
A206	(CH₃)₂N	Н	СН₃	CF <sub>3</sub>
A207	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	н	CH₃	CF₃
A208	CICH <sub>2</sub>	Н	СН₃	CF <sub>3</sub>
A209	CH₃SCH₂	н	CH₃	CF <sub>3</sub>
A210	CH₃SOCH₂	Н	CH₃	CF <sub>3</sub>
A211	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	н	СН₃	. CF <sub>3</sub>
A212	н	н	CH₃	CF <sub>3</sub> CF <sub>2</sub>
A213	CH₃	, Н	CH₃	CF <sub>3</sub> CF <sub>2</sub>
A214	CH₃CH₂	н	CH₃	CF <sub>3</sub> CF <sub>2</sub>
A215	cyclopropyl	н	CH₃	CF <sub>3</sub> CF <sub>2</sub>
A216	(CH₃)₃C	н	. CH₃	CF <sub>3</sub> CF <sub>2</sub>
A217	(CH₃)₂CH	н	СН₃	CF <sub>3</sub> CF <sub>2</sub>
A218	CH₃(CH₂)₂	Н	CH₃	CF <sub>3</sub> CF <sub>2</sub>
A219	CH₃OCH₂	Н	CH₃	CF₃CF₂
A220	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	. Н	CH₃	CF <sub>3</sub> CF <sub>2</sub>
A221	Ph	Н	СН₃	CF <sub>3</sub> CF <sub>2</sub>
A222	PhO	Н	CH₃	CF <sub>3</sub> CF <sub>2</sub>
A223	PhS	н	CH₃	CF <sub>3</sub> CF <sub>2</sub>
A224	PhSO	н	CH₃ .	CF <sub>3</sub> CF <sub>2</sub>
A225	PhSO <sub>2</sub>	Н	CH₃	CF <sub>3</sub> CF <sub>2</sub>

Compd.	R 79	R 80	R <sub>81</sub>	R <sub>82</sub>
no.				
A226	CH₃S	H	CH₃	CF <sub>3</sub> CF <sub>2</sub>
A227	CH₃SO	Н	CH₃	CF <sub>3</sub> CF <sub>2</sub>
A228	CF <sub>3</sub>	Н	CH₃	CF₃CF₂
A229	F₂CH	H	CH₃	CF₃CF₂
A230.	HCC	н	СН₃	CF <sub>3</sub> CF <sub>2</sub>
A231	CH₃CC	н	CH₃	CF <sub>3</sub> CF <sub>2</sub>
A232	CH₂=CH	н	CH₃	CF <sub>3</sub> CF <sub>2</sub>
A233	CH <sub>2</sub> =CHCH <sub>2</sub>	Н	CH₃	CF <sub>3</sub> CF <sub>2</sub>
A234	CH₃SO₂N(CH₃)	н	CH₃	CF₃CF₂
A235	(CH₃)₂N	Н.	CH₃	CF₃CF₂
A236	(CH <sub>3</sub> )₂NSO₂	Н	CH₃	CF <sub>3</sub> CF <sub>2</sub>
A237	CICH₂	н	CH₃	CF <sub>3</sub> CF <sub>2</sub>
A238	CH₃SCH₂	Н	CH₃	CF <sub>3</sub> CF <sub>2</sub>
A239	CH₃SOCH₂	н	CH₃	CF <sub>3</sub> CF <sub>2</sub>
A240	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	Н	CH₃	CF₃CF₂
A241	Н	н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A242	CH₃	н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A243	CH₃CH₂	Н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A244	cyclopropyl	H	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A245	(CH₃)₃C	н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A246	(CH₃)₂CH	H	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A247	CH₃(CH₂)₂	н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A248	CH₃OCH₂	н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A249	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	Н	CH <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A250	Ph	H	CH <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A251	PhO	Н	CH <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A252	PhS	Н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A253	PhSO	н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A254	PhSO <sub>2</sub>	Н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A255	CH₃S	н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A256	CH₃SO	н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A257	CF <sub>3</sub>	Н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>

Compd.	R 79	R <sub>so</sub>	Ra	R <sub>82</sub>
no.				
A258	F₂CH	н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A259	HCC	н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A260	CH₃CC	Н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A261	CH₂=CH	н	СН₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A262	CH <sub>2</sub> =CHCH <sub>2</sub>	н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A263	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	Н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A264	(CH <sub>3</sub> ) <sub>2</sub> N	н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A265	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A266	CICH <sub>2</sub>	н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A267	CH₃SCH₂	Н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A268	CH₃SOCH₂	H	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A269	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	H	СН₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A270	н	Н	СН₃	CF <sub>2</sub> Cl
A271	CH₃	н	CH₃	CF <sub>2</sub> Cl
A272	CH₃CH₂	Н	CH₃	' CF <sub>2</sub> Cl
A273	cyclopropyl	н	CH₃	CF <sub>2</sub> CI
A274	(CH₃)₃C	н	CH₃	CF₂CI
A275	(CH₃)₂CH	H	CH₃	CF₂CI
A276	CH₃(CH₂)₂	Н	СН₃	CF₂CI
A277	CH₃OCH₂	Н	CH₃	CF <sub>2</sub> CI
A278	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	Н	СН₃	CF <sub>2</sub> CI
A279	Ph	Н	СН₃	CF <sub>2</sub> CI
A280	PhO	н	CH₃	CF <sub>2</sub> CI
A281	PhS	н	CH₃	CF₂CI
A282	PhSO	н	CH₃	CF <sub>2</sub> Cl
A283	PhSO₂	Н	СН₃	CF₂CI
A284	CH₃S	Н	CH₃	CF₂CI
A285	CH₃SO	Н	CH₃	CF₂CI
A286	CF <sub>3</sub>	н	СН₃	CF₂Ci
A287	F₂CH	Н	CH₃	CF₂CI
A288	HCC	Н	СН₃	CF₂CI
A289	· CH₃CC	н	CH <sub>3</sub>	CF <sub>2</sub> CI

Compd.	R 79	R 80	R <sub>81</sub>	R <sub>82</sub>
no.	•			
A290	CH₂=CH	Н	CH₃	CF₂CI
A291	CH <sub>2</sub> =CHCH <sub>2</sub>	н	CH₃	CF <sub>2</sub> CI
A292	CH₃SO₂N(CH₃)	Н	CH₃	ĈF₂CI
A293	(CH₃)₂N	н	CH₃	CF₂CI
A294	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	н	СН₃	CF <sub>2</sub> Cl
A295	CICH₂	н	CH₃	CF <sub>2</sub> CI
A296	CH₃SCH₂	Н	CH₃	CF <sub>2</sub> CI
A297	CH₃SOCH₂	н	CH₃	CF <sub>2</sub> Cl
A298	CH₃SO₂CH₂	н	CH₃	CF <sub>2</sub> CI
A299	н	н	CH₃	CHF <sub>2</sub>
A300	CH <sub>3</sub>	Н	CH₃	CHF <sub>2</sub>
A301	CH₃CH₂	н	CH₃	CHF <sub>2</sub>
A302	cyclopropyl	н	СН₃	CHF <sub>2</sub>
A303	(CH <sub>3</sub> ) <sub>3</sub> C	н	CH₃	CHF <sub>2</sub>
A304	(CH₃)₂CH	н	CH₃	CHF <sub>2</sub>
A305	$CH_3(CH_2)_2$	Н	CH₃	CHF <sub>2</sub>
A306	CH₃OCH₂	н	CH₃	CHF <sub>2</sub>
A307	CH₃O(CH₂)₂	н	CH₃	CHF <sub>2</sub>
A308	Ph	н	CH₃	CHF <sub>2</sub>
A309	PhO ·	Н	CH₃	CHF <sub>2</sub>
A310	PhS	Н	CH₃	CHF <sub>2</sub>
A311	PhSO	Н	CH₃	CHF <sub>2</sub>
A312	PhSO₂	Н	CH₃	CHF <sub>2</sub>
A313	CH₃S	н	CH₃	CHF <sub>2</sub>
A314	CH₃SO	н	CH₃	CHF₂
A315	CF <sub>3</sub>	н	CH₃	CHF₂
A316	F <sub>2</sub> CH	н	CH₃	CHF <sub>2</sub>
A317	HCC	н	CH₃	CHF <sub>2</sub>
A318	CH₃CC	н	CH₃	CHF <sub>2</sub>
A319	CH₂=CH	н	CH₃	CHF <sub>2</sub>
A320	CH₂=CHCH₂	Н	CH₃	CHF <sub>2</sub>
A321	CH₃SO₂N(CH₃)	н	CH₃	CHF <sub>2</sub>

Compd.	R 79	R 80	R <sub>81</sub>	R <sub>82</sub>
no.				
A322	(CH₃)₂N	н	CH₃	CHF <sub>2</sub>
A323	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Н	CH₃	CHF <sub>2</sub>
A324	CICH₂	н	CH₃	CHF₂
A325	CH₃SCH₂	Н	CH₃	CHF <sub>2</sub>
A326	CH₃SOCH₂	Н	CH₃	CHF <sub>2</sub>
A327	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	Н	CH₃	CHF <sub>2</sub>
A328	Н	Н	CH₃	CCl₃
A329	CH₃	Н	CH₃	CCl₃
A330	·· CH₃CH₂	н	CH₃	CCl₃
A331	(CH₃)₃C	Н	CH₃	CCl <sub>3</sub>
A332	(CH₃)₂CH	Н	CH₃	CCl₃
A333	cyclopropyl	н	СН₃	CCl <sub>3</sub>
A334	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	н	CH₃	CCI <sub>3</sub>
A335	CH₃OCH₂	н	CH₃	CCl <sub>3</sub>
A336	CH₃O(CH₂)₂	.H	CH₃	CCl <sub>3</sub>
A337	Ph	н	CH₃	CCl <sub>3</sub>
A338	PhO	н	СН₃	CCl <sub>3</sub>
A339	PhS	н	CH₃	CCl <sub>3</sub>
A340	PhSO	Н	CH₃	CCI <sub>3</sub>
A341	PhSO <sub>2</sub>	H	CH <sub>3</sub>	CCl <sub>3</sub>
A342	CH₃S	Н	CH₃	CCI <sub>3</sub>
A343	CH₃SO	Н	CH <sub>3</sub>	CCl3
A344	CF₃	н	CH₃	CCl <sub>3</sub>
A345	F₂CH	н	CH <sub>3</sub>	CCI <sub>3</sub>
A346	HCC	н	CH₃	CCI <sub>3</sub>
A347	CH₃CC	н	. CH₃	CCI <sub>3</sub>
A348	CH₂=CH	н	CH <sub>3</sub>	CCl <sub>3</sub>
A349	CH₂=CHCH₂	н	CH₃	CCl <sub>3</sub>
A350	CH₃SO₂N(CH₃)	н	CH₃	CCI <sub>3</sub>
A351	(CH₃)₂N	н	CH <sub>3</sub>	CCl₃
A352	(CH₃)₂NSO₂	н	CH₃	CCl <sub>3</sub>
A353	·····CICH <sub>2</sub>	н	CH₃	CCl <sub>3</sub>

Compd.	R 79	R 80	R <sub>81</sub>	R <sub>82</sub>
no.				-
A354	CH₃SCH₂	н	СН₃	CCl₃
A355	CH₃SOCH₂	н	CH₃	CCl₃
A356	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	н	СН₃	ĈCI₃
A357	Н	н	Ph	CF <sub>3</sub>
A358	CH₃	н	Ph	CF <sub>3</sub>
A359	CH₃CH₂	H	Ph	CF <sub>3</sub>
A360	cyclopropyl	н	Ph	CF <sub>3</sub>
A361	(CH <sub>3</sub> ) <sub>3</sub> C	· H	Ph	CF₃
A362	(CH₃)₂CH	н	Ph	CF <sub>3</sub>
A363	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	н	. Ph	CF <sub>3</sub>
A364	CH₃OCH₂	н	Ph	CF₃
A365	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	н	Ph	CF <sub>3</sub>
A366	Ph	н	Ph	CF₃
A367	PhO	н	Ph	CF₃
A368	PhS	Н	Ph	CF₃
A369	PhSO	Н	Ph	CF₃
A370	PhSO <sub>2</sub>	Н	Ph	CF₃
A371	CH₃S	н	Ph	CF <sub>3</sub>
A372	CH₃SO	н	Ph	CF <sub>3</sub>
A373	CF₃	Н	Ph	CF₃
A374	F₂CH	Н	Ph	CF₃
A375	HCC	Н	Ph	CF <sub>3</sub>
A376	CH₃CC	Н	Ph	CF <sub>3</sub>
A377	CH <sub>2</sub> =CH	Н	Ph	CF <sub>3</sub>
A378	CH <sub>2</sub> =CHCH <sub>2</sub>	Н	Ph	CF <sub>3</sub>
A379	CH₃SO₂N(CH₃)	н	Ph	CF <sub>3</sub>
A380	(CH₃)₂N	н	Ph	CF <sub>3</sub>
A381	(CH₃)₂NSO₂	н	Ph	CF <sub>3</sub>
A382	CICH <sub>2</sub>	н	Ph	CF₃
A383	CH₃SCH₂	н	Ph	CF <sub>3</sub>
A384	CH₃SOCH₂	н	Ph	CF <sub>3</sub>
A385	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	н	Ph	CF <sub>3</sub>

Compd.	R 79	R 80	R <sub>81</sub>	R <sub>82</sub>
no.				
A386	н	н	Ph	CF₃CF₂
A387	CH₃	н	Ph	CF₃CF₂
A388	CH₃CH₂	н	Ph	ĈF₃CF₂
A389	cyclopropyl	н	Ph	CF <sub>3</sub> CF <sub>2</sub>
A390	(CH₃)₃C	н	Ph	CF <sub>3</sub> CF <sub>2</sub>
A391	(CH₃)₂CH	н	Ph	CF₃CF₂
A392	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	н	Ph	CF <sub>3</sub> CF <sub>2</sub>
A393	CH₃OCH₂	н	Ph	CF₃CF₂
A394	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	н	Ph	CF <sub>3</sub> CF <sub>2</sub>
A395	Ph	н	Ph	CF <sub>3</sub> CF <sub>2</sub>
A396	PhO	н	Ph	CF <sub>3</sub> CF <sub>2</sub>
A397	PhS	H	Ph	CF <sub>3</sub> CF <sub>2</sub>
A398	PhSO	н	Ph	CF <sub>3</sub> CF <sub>2</sub>
A399	PhSO <sub>2</sub>	H	Ph	CF <sub>3</sub> CF <sub>2</sub>
A400	CH₃S	н	Ph	CF <sub>3</sub> CF <sub>2</sub>
A401	CH₃SO	H	Ph	CF <sub>3</sub> CF <sub>2</sub>
A402	CF₃	н	Ph	CF <sub>3</sub> CF <sub>2</sub>
A403	F₂CH	н	· Ph	CF₃CF₂
A404	HCC	н	Ρĥ	CF₃CF₂
A405	CH₃CC	Н	Ph	CF₃CF₂
A406	CH₂=CH	Н	Ph	CF <sub>3</sub> CF <sub>2</sub>
A407	CH₂=CHCH₂	Н	Ph	CF <sub>3</sub> CF <sub>2</sub>
A408	CH₃SO₂N(CH₃)	Н	Ph	CF <sub>3</sub> CF <sub>2</sub>
A409	(CH₃)₂N	н	Ph	CF <sub>3</sub> CF <sub>2</sub>
A410	(CH <sub>3</sub> )₂NSO₂	н	Ph	CF <sub>3</sub> CF <sub>2</sub>
A411	CICH <sub>2</sub>	н	Ph	CF <sub>3</sub> CF <sub>2</sub>
A412	CH₃SCH₂	н	Ph	CF₃CF₂
A413	CH₃SOCH₂	н	Ph	CF₃CF₂
A414	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	Н	Ph	CF <sub>3</sub> CF <sub>2</sub>
A415	Н	н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A416	CH₃	н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A417	·····CH <sub>3</sub> CH <sub>2</sub>	н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>

Compd.	R 79	R 80	R <sub>81</sub>	R <sub>82</sub>
no.				
A418	cyclopropyl	Н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A419	(CH <sub>3</sub> ) <sub>3</sub> C	H ·	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A420	(CH₃)₂CH	н	Ph	CF₃CF₂CF₂
A421	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A422	CH₃OCH₂	н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A423	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	Н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A424	Ph	н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A425	PhO	Н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A426	PhS	н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A427	PhSO	H <sup>.</sup>	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A428	PhSO <sub>2</sub>	Н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A429	· CH₃S	н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A430	CH₃SO	н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A431	CF <sub>3</sub>	Н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A432	F₂CH	н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A433	HCC	н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A434	CH₃CC	н .	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A435	CH₂=CH	н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A436	CH₂=CHCH₂	н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A437	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A438	(CH₃)₂N	Н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A439	(CH <sub>3</sub> )₂NSO <sub>2</sub>	Н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A440	CICH₂	н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A441	CH₃SCH₂	н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A442	CH₃SOCH₂	н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A443	CH₃SO₂CH₂	Н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A444	Н	H	Ph	CF <sub>2</sub> CI
A445	CH₃	н	Ph	CF <sub>2</sub> CI
A446	CH₃CH₂	н	Ph	CF <sub>2</sub> Cl
A447	cyclopropyl	н	Ph	CF <sub>2</sub> CI
A448	(CH₃)₃C	Н	Ph	CF <sub>2</sub> Cl
A449	(CH₃)₂CH	н	Ph	CF <sub>2</sub> CI

Compd.	R 79	R 80	R <sub>81</sub>	R <sub>82</sub>
no.				
A450	CH₃(CH₂)₂	н	Ph	CF <sub>2</sub> Cl
A451	CH₃OCH₂	Н	Ph	CF <sub>2</sub> CI
A452	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	н	Ph	ĈF₂CI
. A453	Ph	н	Ph	CF₂CI
A454	PhO	н	Ph	CF₂CI
A455	PhS	Н	Ph	CF <sub>2</sub> CI
A456	PhSO	н	Ph	CF₂CI
A457	PhSO <sub>2</sub>	Н	Ph	CF <sub>2</sub> CI
A458	CH₃S	н	Ph	CF₂CI
A459	CH₃SO	н	Ph	CF₂CI
A460	CF <sub>3</sub>	Н	Ph	CF₂CI
A461	F₂CH	н	Ph	CF₂CI
A462	HCC	н	Ph	CF₂CI
A463	CH₃CC	н	Ph	CF <sub>2</sub> Cl
A464	CH₂=CH	Н	Ph	CF₂CI
A465	CH <sub>2</sub> =CHCH <sub>2</sub>	н	Ph	CF <sub>2</sub> Cl
A466	CH₃SO₂N(CH₃)	н	Ph	CF <sub>2</sub> CI
A467	(CH <sub>3</sub> ) <sub>2</sub> N	н	Ph	CF <sub>2</sub> CI
A468	(CH₃)₂NSO₂ .	н	Ph	CF <sub>2</sub> CI
A469	CICH <sub>2</sub>	H	Ph	CF <sub>2</sub> Cl
A470	CH₃SCH₂	н	Ph	CF <sub>2</sub> Cl
A471	CH₃SOCH₂	н	Ph	CF <sub>2</sub> CI
A472	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	Н	Ph	CF <sub>2</sub> CI
A473	. Н	H	Ph	CHF₂
A474	CH₃	н	Ph	CHF <sub>2</sub>
A475	CH₃CH₂	н	Ph	CHF <sub>2</sub>
A476	cyclopropyl	Н	Ph	CHF <sub>2</sub>
A477	(CH₃)₃C	Н	Ph	CHF₂
A478	(CH₃)₂CH	Н	Ph	CHF₂
A479	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	н	Ph	CHF₂
A480	CH₃OCH₂	Н	Ph	CHF₂
A481	···-·CH₃O(CH₂)₂	Н	Ph	CHF <sub>2</sub>

Compd.	R 79	R 80	R <sub>81</sub>	 R <sub>82</sub>
no.				
A482	Ph	H	Ph	CHF₂
A483	PhO	н	Ph	CHF <sub>2</sub>
A484	PhS	н	Ph	ĈHF₂
A485	PhSO	н	Ph	CHF <sub>2</sub>
A486	PhSO <sub>2</sub>	Н	Ph	CHF <sub>2</sub>
A487	CH₃S	н	Ph	CHF <sub>2</sub>
A488	CH₃SO	н	Ph _	CHF <sub>2</sub>
A489	CF <sub>3</sub>	Н	Ph	CHF <sub>2</sub>
A490	F₂CH	н	Ph	CHF <sub>2</sub>
A491	HCC	н	Ph	CHF <sub>2</sub>
A492	CH₃CC	н	Ph	CHF <sub>2</sub>
A493	CH₂=CH	н	Ph .	CHF <sub>2</sub>
A494	CH <sub>2</sub> =CHCH <sub>2</sub>	н	Ph	CHF <sub>2</sub>
A495	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	н	Ph	CHF₂
A496	(CH₃)₂N	н	Ph	CHF <sub>2</sub>
A497	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Н	Ph	CHF <sub>2</sub>
A498	CICH <sub>2</sub>	н	Ph	CHF <sub>2</sub>
A499	CH₃SCH₂	н	Ph	CHF <sub>2</sub>
A500	CH₃SOCH₂	н	Ph	CHF <sub>2</sub>
A501	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	Н	Ph	· CHF <sub>2</sub>
A502	Н	н	Ph	CCI3
A503	CH₃	Н	Ph	CCI <sub>3</sub>
A504	CH₃CH₂	Н	Ph	CCI <sub>3</sub> .
A505	cyclopropyl	Н	Ph	CCl3
A506	(CH₃)₃C	Н	Ph	CCl3
A507 ·	(CH₃)₂CH	н	Ph	CCl <sub>3</sub>
A508	CH₃(CH₂)₂	н	Ph	CCI <sub>3</sub>
A509	CH₃OCH₂	н	Ph	CCl <sub>3</sub>
A510	CH₃O(CH₂)₂	н	Ph	CCl <sub>3</sub>
A511	Ph	H	Ph	CCl <sub>3</sub>
A512	PhO	н	Ph	CCI <sub>3</sub>
A513	PhS	Н	Ph	CCl <sub>3</sub>

Compd.	R 79	R <sub>80</sub>	R <sub>81</sub>	R <sub>82</sub>
no.	•			
A514	PhSO	н	Ph	CCI <sub>3</sub>
A515	PhSO₂	н	Ph	CCl <sub>3</sub>
A516	CH₃S	н	Ph	CCl₃
A517	CH₃SO	н	Ph	CCl <sub>3</sub>
A518	CF₃	H	Ph	CCl3
A519	F₂CH	н	Ph	CCl <sub>3</sub>
A520	HCC	н	Ph	CCl <sub>3</sub>
A521	CH₃CC	н	Ph	CCl <sub>3</sub>
A522	CH₂=CH	Н	Ph	CCl3
A523	CH <sub>2</sub> =CHCH <sub>2</sub>	н	Ph	CCl <sub>3</sub>
A524	CH₃SO₂N(CH₃)	н	Ph	CCl₃
A525	(CH₃)₂N	н	Ph	CCl <sub>3</sub>
A526	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	н	Ph	CCI <sub>3</sub>
A527	CICH₂	н	Ph	CCl <sub>3</sub>
A528	CH₃SCH₂	н	Ph	CCI <sub>3</sub>
A529	CH₃SOCH₂	н	Ph	CCl₃
A530	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	н	Ph	CCl₃
A531	Н	CH₃	Н	CF₃
A532	Н	CH₃CH₂	н	CF₃
A533	H	cyclopropyl	Н	CF₃
A534	н	(CH₃)₃CH	H	CF₃
A535	Н	(CH₃)₂CH	Н	CF₃
A536	н	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	н	CF <sub>3</sub>
A537	Н	CH₃OCH₂	н	CF <sub>3</sub>
A538	Н	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	Н	CF₃
A539	Н	Ph	H	CF <sub>3</sub>
A540	н	PhO	н	CF₃
A541	Н	PhS	Н	CF₃
A542	H	PhSO	Н	CF <sub>3</sub>
A543	Н	PhSO <sub>2</sub>	Н	CF <sub>3</sub>
A544	н	CH₃S	Н	CF <sub>3</sub>
A545	H	CH₃SO	Н	CF₃
				-

Compd.	R 79	R <sub>80</sub>	R <sub>81</sub>	R <sub>82</sub>
no.				
A546	н	CF₃	Н	CF₃
A547	н	F₂CH	Н	CF <sub>3</sub>
A548	н	HCC	н	ĈF₃
A549	н	CH₃CC	н	CF <sub>3</sub>
A550	н	CH₂=CH	Н	CF <sub>3</sub>
A551	н	CH <sub>2</sub> =CHCH <sub>2</sub>	н	CF <sub>3</sub>
A552	H	CH₃SO₂N(CH₃)	Н	CF <sub>3</sub>
A553	н	(CH₃)₂N	н	CF <sub>3</sub>
A554	н	(CH₃)₂NSO₂	H	CF <sub>3</sub>
A555	Н	CH₃SCH₂	н	CF₃
A556	н	CH₃SOCH₂	н	CF <sub>3</sub>
A557	н	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	Н	CF <sub>3</sub>
A558	н	CH <sub>3</sub>	н	CF <sub>3</sub> CF <sub>2</sub>
<b>A5</b> 59	, н	CH₃CH₂	н	CF <sub>3</sub> CF <sub>2</sub>
A560	н	cyclopropyl	Н	CF <sub>3</sub> CF <sub>2</sub>
A561	н	(CH₃)₃C	н	CF <sub>3</sub> CF <sub>2</sub>
A562	, <b>H</b>	(CH₃)₂CH	Н	CF <sub>3</sub> CF <sub>2</sub>
A563	н	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	Н	CF <sub>3</sub> CF <sub>2</sub>
A564	Н	CH₃OCH₂	• н	CF₃CF₂
A565	Н	CH₃O(CH₂)₂	Н	CF <sub>3</sub> CF <sub>2</sub>
A566	Н	Ph	Н	CF <sub>3</sub> CF <sub>2</sub>
A567	н	PhO	Н	CF₃CF₂
A568	Н	PhS	Н	CF <sub>3</sub> CF <sub>2</sub>
A569	н	PhSO	H	CF <sub>3</sub> CF <sub>2</sub>
A570	H	PhSO <sub>2</sub>	Н	CF <sub>3</sub> CF <sub>2</sub>
A571	н	CH₃S	Н	CF <sub>3</sub> CF <sub>2</sub>
A572	н	CH₃SO	н	CF <sub>3</sub> CF <sub>2</sub>
A573	н	CF <sub>3</sub>	Н	CF <sub>3</sub> CF <sub>2</sub>
A574	. н	F₂CH	Н	CF₃CF₂
A575	н	· HCC	Н	CF₃CF₂
A576	н	CH₃CC	Н	CF <sub>3</sub> CF <sub>2</sub>
A577	H	CH <sub>2</sub> =CH	Н	CF <sub>3</sub> CF <sub>2</sub>

Compd.	R 79	R <sub>80</sub>	Raı	R <sub>82</sub>
no.		•		
A578	Н	CH₂=CHCH₂	Н	CF <sub>3</sub> CF <sub>2</sub>
A579	Н	CH₃SO₂N(CH₃)	Н	CF <sub>3</sub> CF <sub>2</sub>
A580	Н	(CH₃)₂N	н	CF <sub>3</sub> CF <sub>2</sub>
A581	• н	(CH₃)₂NSO₂	Н	CF <sub>3</sub> CF <sub>2</sub>
A582	Н	CH₃SCH₂	Н	CF <sub>3</sub> CF <sub>2</sub>
A583	н	CH₃SOCH₂	Н	CF <sub>3</sub> CF <sub>2</sub>
A584	н	CH₃SO₂CH₂	н	CF <sub>3</sub> CF <sub>2</sub>
A585	н .	CH₃	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A586	Н	CH₃CH₂	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A587	н	cyclopropyl	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A588	• н	(CH₃)₃C	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A589	. н	(CH₃)₂CH	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A590	н	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	H	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A591	Н	CH₃OCH₂	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A592	Н	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A593	Н	Ph	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A594	Н	PhO	н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A595	Н .	PhS	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A596	Н	PhSO	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A597	н	PhSO <sub>2</sub>	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A598	н	CH₃S	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A599	Н	CH₃SO	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A600	Н	CF₃	. н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A601	. н	F₂CH	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A602	· H	HCC	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A603	н	CH₃CC	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A604	н	CH₂=CH	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A605	Н	CH <sub>2</sub> =CHCH <sub>2</sub>	H	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A606	Н	CH₃SO₂N(CH₃)	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A607	Н	(CH₃)₂N	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A608	Н	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A609	Н	CH₃SCH₂	Н	CF₃CF₂CF₂

Compd.	R 79	R 80	· R <sub>81</sub>	R <sub>82</sub>
no.		,		
A610	Н	CH₃SOCH₂	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A611	Н	CH₃SO₂CH₂	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A612	Н	CH₃	Н	CF₂CI
A613	Н	CH₃CH₂	Н	CF <sub>2</sub> CI
A614	Н	cyclopropyl	Н	CF <sub>2</sub> CI
A615	Н	(CH₃)₃C	Н	CF <sub>2</sub> CI
A616	н	(CH₃)₂CH	Н	CF <sub>2</sub> CI
A617	Н	CH₃(CH₂)₂	Н	CF <sub>2</sub> CI
A618	Н	CH₃OCH₂	Н	CF <sub>2</sub> Cl
A619	. н	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	н	CF <sub>2</sub> Cl
A620	н	Ph	Н	. CF <sub>2</sub> Cl
A621	н	PhO	H	CF₂CI
A622	Н	PhS	H	CF₂CI
A623	Н	PhSO	Н	CF <sub>2</sub> CI
A624	Ή.	PhSO₂	н	CF <sub>2</sub> CI
A625	Н	CH₃S	Н	CF <sub>2</sub> CI
A626	Н	CH₃SO	Н	CF <sub>2</sub> Cl
A627	Н	CF <sub>3</sub>	н	CF <sub>2</sub> CI
A628	H	F₂CH	Н	CF <sub>2</sub> CI
A629	Н	HCC	Н	CF₂CI
A630	Н	CH₃CC	Н	CF <sub>2</sub> CI
A631	Н	CH₂=CH	н	CF <sub>2</sub> CI
A632	Н	CH₂=CHCH₂	Н	CF <sub>2</sub> CI
A633	Н	CH₃SO₂N(CH₃)	` Н	CF <sub>2</sub> CI
A634	Н	(CH <sub>3</sub> )₂N	Н	CF₂CI
A635	Н	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Н	CF <sub>2</sub> CI
A636	н	CH₃SCH₂	Н	CF <sub>2</sub> CI
A637	н	CH₃SOCH₂	н	CF <sub>2</sub> CI
A638	н	CH₃SO₂CH₂	н	CF <sub>2</sub> CI
A639	Н	CH <sub>3</sub>	н	CHF₂
A640	н	CH₃CH₂	Н	CHF <sub>2</sub>
A641	H	cyclopropyl	н	CHF₂

Compd.	R 79	R 80	R <sub>81</sub>	R <sub>82</sub>
no.				
A642	H	(CH₃)₃C	н	CHF <sub>2</sub>
A643	н	(CH₃)₂CH	н	CHF <sub>2</sub>
A644	н	CH₃(CH₂)₂	н	CHF₂
A645	н	CH₃OCH₂	н	CHF <sub>2</sub>
A646	н	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	Н	CHF <sub>2</sub>
A647	Н	Ph	Н	CHF <sub>2</sub>
A648	н	PhO	н	CHF <sub>2</sub>
A649	н	PhS	Н	CHF <sub>2</sub>
A650	Н	PhSO	н	CHF <sub>2</sub>
A651	Н	PhSO <sub>2</sub>	н.	CHF <sub>2</sub>
A652	н .	CH₃S	н	CHF <sub>2</sub>
A653	н	CH₃SO	н -	CHF <sub>2</sub>
A654	н	CF <sub>3</sub>	н	CHF <sub>2</sub>
A655	Н	F₂CH	' н	CHF <sub>2</sub>
A656	н	HCC	H	CHF <sub>2</sub>
A657	н	CH₃CC	н	CHF <sub>2</sub>
A658	н	CH₂=CH	н	CHF <sub>2</sub>
A659	н .	CH₂=CHCH₂	Н	CHF <sub>2</sub>
A660	H	CH₃SO₂N(CH₃)	н	CHF <sub>2</sub>
A661	H	(CH₃)₂N	Н	CHF <sub>2</sub>
A662	Н	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Н	CHF <sub>2</sub>
A663	Н	CH₃SCH₂	Н	CHF <sub>2</sub>
A664	Н 1	CH₃SOCH₂	н	CHF <sub>2</sub>
A665	н	CH₃SO₂CH₂	Н	CHF <sub>2</sub>
A666	Н	CH₃	⊶ н ்	CCI <sub>3</sub>
A667	н	CH₃CH₂	Н	CCl₃
A668	Н	cyclopropyl	Н	CCl₃
A669	Н	(CH₃)₃C	Н	CCl₃
A670	H	(CH₃)₂CH	Н	CCl₃
A671	Н	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	Н	CCl₃
A672	н	CH₃OCH₂	Н	CCl₃
A673	Н	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	н	CCl <sub>3</sub>

Compd.		R 79	R 80	R <sub>81</sub>	R <sub>82</sub>
no.					
A674		Н	Ph	н	CCl <sub>3</sub>
A675		H	PhO	Н	CCl <sub>3</sub>
A676		Н	PhS	Н	CCl₃
A677		Н	PhSO	Н	CCl₃
A678		Н	PhSO <sub>2</sub>	н	CCI <sub>3</sub>
A679		Н	CH₃S	Н	CCl₃
A680		Н	CH₃SO	H	CCl₃
A681		Н	CF <sub>3</sub>	Н	CCl <sub>3</sub>
A682		Н	F₂CH	Н	CCl₃
A683		Н.	HCC	Н	CCl₃
A684		Н	CH₃CC	ŀН	CCl₃
A685		Н	CH₂=CH	Н	CCl₃
A686		Н	CH <sub>2</sub> =CHCH <sub>2</sub>	Н	CCl₃
A687		Н	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	Н	CCl <sub>3</sub>
A688		Н	(CH₃)₂N	Н	CCl <sub>3</sub>
A689		Н	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Н	CCl <sub>3</sub>
A690		Н	CH₃SCH₂	Н	CCl <sub>3</sub>
A691		Н	CH₃SOCH₂	н	CCl3
A692		Н	CH₃SO₂CH₂	н	CCl <sub>3</sub>
A693		Н	CH₃	CH₃	CF <sub>3</sub>
A694		Н	CH₃CH₂	CH₃	CF <sub>3</sub>
A695		Н	cyclopropyl	CH₃	CF <sub>3</sub>
A696		Н	(CH₃)₃C	CH₃	CF₃
A697		Н	(CH₃)₂CH	CH₃	CF <sub>3</sub>
A698	•	Н	CH₃(CH₂)₂	CH₃	CF₃
A699		Н	CH₃OCH₂	CH₃	CF <sub>3</sub>
A700		Н	· CH₃O(CH₂)₂	CH₃	CF <sub>3</sub>
A701		Н	Ph	CH₃	CF <sub>3</sub>
A702		Н	PhO	СН₃	CF <sub>3</sub>
A703		Н	PhS	CH₃	CF <sub>3</sub>
A704		Н	PhSO	СН₃	CF <sub>3</sub>
A705		Н	PhSO <sub>2</sub>	CH <sub>3</sub>	CF <sub>3</sub>

Compd.	R 79	R <sub>80</sub>	R <sub>81</sub>	R <sub>82</sub>
no.				_
A706	н	CH₃S	СН₃	CF₃
A707	н	CH <sub>3</sub> SO	CH₃	CF₃
A708	. <b>H</b>	CF <sub>3</sub>	CH₃	TCF₃
A709	н	F₂CH	CH₃	CF₃
A710	н	HCC	CH₃	CF₃
A711	н	CH₃CC	CH₃	CF <sub>3</sub>
A712	Н	CH₂=CH	CH <sub>3</sub>	CF <sub>3</sub>
A713	н	CH <sub>2</sub> =CHCH <sub>2</sub>	СН₃	CF <sub>3</sub>
A714	н	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	CH₃	CF <sub>3</sub>
A715	н	(CH₃)₂N	CH₃	CF₃
A716	н	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH₃	CF₃
A717	н	CH₃SCH₂	CH₃	CF₃
A718	н	CH <sub>3</sub> SOCH <sub>2</sub>	CH₃	CF <sub>3</sub>
A719	Н	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	CH₃	CF₃
A720	Н	СН₃	CH₃	CF₃CF₂
A721	н	CH₃CH₂	CH₃	CF₃CF₂
A722	н	cyclopropyl	CH₃	CF₃CF₂
A723	н	(CH₃)₃C	СН₃	CF₃CF₂
A724	н	(CH₃)₂CH	· CH₃	CF <sub>3</sub> CF <sub>2</sub>
A725	н	CH₃(CH₂)₂	. CH₃	CF₃CF₂
A726	Н	CH₃OCH₂	CH₃	CF <sub>3</sub> CF <sub>2</sub>
A727	Н	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	CH₃	CF <sub>3</sub> CF <sub>2</sub>
A728	Н	Ph	CH₃	CF₃CF₂
A729	Н	PhO	CH₃	CF <sub>3</sub> CF <sub>2</sub>
A730	Н	PhS	СН₃	CF₃CF₂
A731	Н	PhSO	CH₃	CF <sub>3</sub> CF <sub>2</sub>
A732	Н	PhSO₂	CH <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub>
A733	Н	CH₃S	CH₃	CF <sub>3</sub> CF <sub>2</sub>
A734	H	CH₃SO	СН₃	CF <sub>3</sub> CF <sub>2</sub>
A735	н	CF₃	СН₃	CF <sub>3</sub> CF <sub>2</sub>
A736	н	F₂CH	CH₃	CF <sub>3</sub> CF <sub>2</sub>
A737	Н	HCC	СН₃	CF <sub>3</sub> CF <sub>2</sub>

Compd.		R 79	R 80	R <sub>81</sub>	R <sub>82</sub>
no.			•		
A738		<b>H</b> :	CH₃CC	CH₃	CF <sub>3</sub> CF <sub>2</sub>
A739		Н	CH₂=CH	CH₃	CF <sub>3</sub> CF <sub>2</sub>
A740		Н	CH₂=CHCH₂	CH <sub>3</sub>	CF₃CF₂
A741		Н	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	CH₃	CF <sub>3</sub> CF <sub>2</sub>
A742		Н	(CH₃)₂N	CH <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub>
A743		Н	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub>
A744		Н	CH₃SCH₂	CH₃	CF <sub>3</sub> CF <sub>2</sub>
A745		Н	CH₃SOCH₂	CH₃	CF <sub>3</sub> CF <sub>2</sub>
A746		Н	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	CH₃	CF <sub>3</sub> CF <sub>2</sub>
A747		Н	CH₃	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A748		Н	CH₃CH₂	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A749		Н	cyclopropyl	CH <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A750		Н	(CH <sub>3</sub> ) <sub>3</sub> C	CH <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A751		H	(CH₃)₂CH	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A752		Н	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A753		Н	CH₃OCH₂	CH <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A754		Н	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	CH <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A755		Н	Ph	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A756		н	PhO	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A757		Н	PhS	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A758		Н	PhSO	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A759		Н	PhSO₂	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A760		Н	· CH₃S	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A761	•	Н	CH₃SO	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A762		Н	CF <sub>3</sub>	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A763		Н	F₂CH	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A764		Н	HCC	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A765		Н	CH₃CC	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A766		Н	CH₂=CH	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A767		Н	CH₂=CHCH₂	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A768		Н	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A769		Н	(CH₃) <sub>2</sub> N	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>

**(**)

Compd.	R 79	R <sub>so</sub>	R <sub>81</sub>	R <sub>82</sub>
no.		•		•
A770	н	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A771	н	CH₃SCH₂	СН₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A772	н	CH <sub>3</sub> SOCH <sub>2</sub>	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A773	Н	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A774	н	CH₃	CH₃	CF <sub>2</sub> Cl
A775	н	CH₃CH₂	CH₃	CF₂CI
A776	н	cyclopropyl	CH₃	CF <sub>2</sub> CI
A777	н	(CH₃)₃C	CH₃	CF <sub>2</sub> CI
A778	· н	(CH₃)₂CH	CH₃	CF <sub>2</sub> Cl
A779	н	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	CH₃	CF <sub>2</sub> Cl
A780	н	CH₃OCH₂	CH₃	CF <sub>2</sub> CI
A781	н	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	CH₃	CF <sub>2</sub> CI
A782	н	Ph	CH₃	CF₂CI
A783	н	PhO	CH₃	CF <sub>2</sub> Cl
A784	н	PhS	CH₃	CF <sub>2</sub> Cl
A785	н	PhSO	CH₃	CF <sub>2</sub> CI
A786	Н	PhSO <sub>2</sub>	СН₃	- CF₂CI
A787	н	CH₃S	СН₃	CF₂CI
A788	н	CH₃SO	СН₃	CF <sub>2</sub> CI
A789	н	CF₃	CH₃	CF <sub>2</sub> CI
A790	H	F <sub>2</sub> CH	CH₃	CF <sub>2</sub> Cl
A791	· <b>H</b>	HCC	СН₃	CF <sub>2</sub> CI
A792	. Н	CH₃CC	СН₃	CF <sub>2</sub> CI
A793	н	CH₂=CH	СН₃	CF <sub>2</sub> Cl
A794	Н .	CH₂=CHCH₂	СНз	CF <sub>2</sub> CI
A795	н	CH₃SO₂N(CH₃)	СН₃	CF₂CI
A796	н	(CH₃)₂N	CH₃	CF₂CI
A797	н	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	СН₃	CF <sub>2</sub> CI
A798	· H	CH₃SCH₂	СН₃	CF₂CI
A799	Н	CH <sub>3</sub> SOCH₂	CH₃	CF₂CI
A800	Н	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	CH₃	CF₂CI
A801	Н	CH₃	СН₃	CHF₂

•				
Compd.	R 79	R 80	R <sub>81</sub>	R <sub>82</sub>
no.		·		
A802	н	CH₃CH₂	CH₃	CHF <sub>2</sub>
A803	н	cyclopropyl	CH <sub>3</sub>	CHF₂
A804	н	(CH₃)₃C	CH <sub>3</sub>	ĈHF₂
A805	. Н	(CH₃)₂CH	CH₃	CHF₂
A806	н	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	CH₃	CHF <sub>2</sub>
A807	Н	CH₃OCH₂	CH₃	CHF <sub>2</sub>
A808	Н	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	СН₃	CHF <sub>2</sub>
A809	н	Ph	CH₃	CHF <sub>2</sub>
A810	H	PhO	СН₃	CHF <sub>2</sub>
A811	. н	PhS	СН₃	CHF <sub>2</sub>
A812	н	PhSO	CH₃	CHF <sub>2</sub>
A813	. н	PhSO <sub>2</sub>	СН₃	CHF <sub>2</sub>
A814	H,	CH₃S	CH₃	CHF <sub>2</sub>
A815	н	CH₃SO	CH₃	CHF <sub>2</sub>
A816	н	CF₃	CH₃	CHF <sub>2</sub>
A817	H	F <sub>2</sub> CH	CH₃	CHF <sub>2</sub>
A818	н	HCC	CH₃	CHF <sub>2</sub>
A819	н	CH₃CC	. CH <sub>3</sub>	CHF <sub>2</sub>
A820	н	. CH₂=CH	CH₃	CHF <sub>2</sub>
A821	н	CH <sub>2</sub> =CHCH <sub>2</sub>	CH₃	CHF <sub>2</sub>
A822	н	CH₃SO₂N(CH₃)	CH₃	CHF₂
A823	н	(CH₃)₂N	CH₃	CHF₂
A824	H	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH <sub>3</sub>	CHF₂
A825	Н	CH₃SCH₂	CH <sub>3</sub>	CHF₂
A826	· H	CH₃SOCH₂	CH <sub>3</sub>	CHF₂
A827	Н	CH₃SO₂CH₂	CH <sub>3</sub>	CHF₂
A828	н	CH₃	CH <sub>3</sub>	CCl₃
A829	Н	CH₃CH₂	CH₃	CCl₃
A830	н	cyclopropyl	CH₃	CCl <sub>3</sub>
A831	H	(CH₃)₃C	CH₃	CCl <sub>3</sub>
A832	н	(CH₃)₂CH	CH₃	CCI <sub>3</sub>
A833	Н	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	CH₃	CCl3

*(* '

Compd.	R 79	R 80	R <sub>81</sub>	R <sub>82</sub>
no.				
A834	Н	CH₃OCH₂	СН₃	CCl <sub>3</sub>
A835	Н	CH₃O(CH₂)₂	СН₃	CCl <sub>3</sub>
A836	• Н	Ph	CH₃	TCCl₃
A837	Н	PhO	СН₃	CCI <sub>3</sub>
A838	н	PhS	СН₃	CCI <sub>3</sub>
A839	Н	PhSO	СН₃	CCI <sub>3</sub>
A840	. <b>H</b>	PhSO₂	CH <sub>3</sub>	CCI <sub>3</sub>
A841	н	CH₃S	СН₃	CCI <sub>3</sub>
A842	H	CH₃SO	CH₃	CCI <sub>3</sub>
A843	н	CF <sub>3</sub>	СН₃	CCI <sub>3</sub>
A844	н	F <sub>2</sub> CH	CH₃	CCl <sub>3</sub>
A845	H	HCC	СН₃	CCl <sub>3</sub>
A846	Н	CH₃CC	СН₃	CCl <sub>3</sub>
A847	Н	CH₂=CH	CH₃	CCl <sub>3</sub>
A848	н	CH <sub>2</sub> =CHCH <sub>2</sub>	СН₃	CCl <sub>3</sub>
A849	н	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	CH₃	CCl <sub>3</sub>
A850	Н	(CH <sub>3</sub> ) <sub>2</sub> N	CH₃	CCl <sub>3</sub>
A851	Н	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH₃	CCl <sub>3</sub>
A852	Н	CH₃SCH₂	CH₃	CCl <sub>3</sub>
A853	Н	CH <sub>3</sub> SOCH₂	CH₃	CCl <sub>3</sub>
A854	Н	CH₃SO₂CH₂	CH₃	CCl <sub>3</sub>
A855	Н	CH₃	Ph	CF <sub>3</sub>
A856	Н	CH₃CH₂	Ph	CF <sub>3</sub>
A857	Н .	(CH₃)₂CH	Ph	CF <sub>3</sub>
A858	Н	(CH₃)₂CH	Ph	CF <sub>3</sub>
A859	. Н	cyclopropyl	Ph	CF <sub>3</sub>
A860	Н	CH₃(CH₂)₂	Ph-	CF <sub>3</sub>
A861	Н	CH₃OCH₂	Ph	CF <sub>3</sub>
A862	H	CH₃O(CH₂)₂	Ph	CF <sub>3</sub>
A863	Н	Ph	Ph	CF <sub>3</sub>
A864	Н	PhO	Ph	CF <sub>3</sub>
A865	Н	PhS	Ph	CF <sub>3</sub>

.

				•
Compd.	R 79	R 80	R <sub>81</sub>	R <sub>82</sub>
no.				
A866	н	PhSO	Ph	CF <sub>3</sub>
A867	H	PhSO₂	Ph	CF <sub>3</sub>
A868	н	CH₃S	Ph	ĈF₃
A869	н	CH₃SO	Ph	CF <sub>3</sub>
A870	н	CF₃	Ph	CF <sub>3</sub>
A871	н	F₂CH	Ph	CF <sub>3</sub>
A872	н	HCC	Ph	CF <sub>3</sub>
A873	н	CH₃CC	Ph	CF <sub>3</sub>
A874	н	CH₂=CH	Ph	CF <sub>3</sub>
A875	н	CH <sub>2</sub> =CHCH <sub>2</sub>	Ph	ĊF₃
A876	, H	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	Ph	CF <sub>3</sub>
A877	н	(CH <sub>3</sub> ) <sub>2</sub> N	Ph	CF <sub>3</sub>
A878	н	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Ph	CF <sub>3</sub>
A879	н	CH₃SCH₂	Ph	CF₃
A880	н	CH₃SOCH₂	Ph	CF <sub>3</sub>
A881	Н	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	Ph	CF <sub>3</sub>
A882	H	CH₃	Ph	CF <sub>3</sub> CF <sub>2</sub>
A883	Н	CH₃CH₂	Ph	CF <sub>3</sub> CF <sub>2</sub>
A884	Н	cyclopropyl	Ph	CF <sub>3</sub> CF <sub>2</sub>
A885	H	(CH₃)₃C	Ph	CF <sub>3</sub> CF <sub>2</sub>
A886	н	(CH₃)₂CH	Ph	CF <sub>3</sub> CF <sub>2</sub>
A887	Н	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	Ph	CF <sub>3</sub> CF <sub>2</sub>
A888	, H	CH₃OCH₂	Ph	CF <sub>3</sub> CF <sub>2</sub>
A889	Н	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	Ph	CF <sub>3</sub> CF <sub>2</sub>
A890	Н	Ph	Ph	CF <sub>3</sub> CF <sub>2</sub>
A891	н	PhO	Ph	CF <sub>3</sub> CF <sub>2</sub>
A892	Н	PhS	Ph	CF <sub>3</sub> CF <sub>2</sub>
A893	н	PhSO	Ph	CF <sub>3</sub> CF <sub>2</sub>
A894	н	PhSO₂	Ph	CF <sub>3</sub> CF <sub>2</sub>
A895	н	CH₃S	Ph	CF <sub>3</sub> CF <sub>2</sub>
A896	н	CH₃SO	· Ph	CF <sub>3</sub> CF <sub>2</sub>
A897	Н	CF <sub>3</sub>	Ph	CF <sub>3</sub> CF <sub>2</sub>

*'* }

Compd.	R 79	R <sub>80</sub>	R <sub>81</sub>	R <sub>82</sub>
no.				-
A898	н	F₂CH	Ph	CF <sub>3</sub> CF <sub>2</sub>
A899	н	HCC	Ph	CF <sub>3</sub> CF <sub>2</sub>
A900	н	CH₃CC	Ph	CF₃CF₂
A901	н	CH₂=CH	Ph	CF <sub>3</sub> CF <sub>2</sub>
A902	н	CH <sub>2</sub> =CHCH <sub>2</sub>	Ph	CF <sub>3</sub> CF <sub>2</sub>
A903	н	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	Ph	CF <sub>3</sub> CF <sub>2</sub>
A904	н	(CH₃)₂N	' Ph	CF <sub>3</sub> CF <sub>2</sub>
A905	н	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Ph	CF <sub>3</sub> CF <sub>2</sub>
A906	н	CH₃SCH₂	Ph	CF <sub>3</sub> CF <sub>2</sub>
A907	н	CH₃SOCH₂	Ph	CF <sub>3</sub> CF <sub>2</sub>
A908	н	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	Ph	CF <sub>3</sub> CF <sub>2</sub>
A909	Н	CH <sub>3</sub>	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A910	н	· CH <sub>3</sub> CH <sub>2</sub>	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A911	H ·	cyclopropyi	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A912	н	(CH <sub>3</sub> ) <sub>3</sub> C	Ph .	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A913	н	(CH₃)₂CH	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A914	Н	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A915	н	CH₃OCH₂	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A916	н	CH₃O(CH₂)₂	Ph	CF₃CF₂CF₂
A917	Н	Ph	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A918	н	PhO	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A919	Н	PhS	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A920	H	PhSO	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A921	Н	PhSO <sub>2</sub>	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A922	Н	CH₃S	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A923	Н	CH₃SO	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A924	н	CF₃	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A925	н	F₂CH	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A926	Н	HCC	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A927	н	CH₃CC	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A928	н	CH₂=CH	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A929	<b>H</b>	CH₂=CHCH₂	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>

Compd.		R 79	R 80	R <sub>81</sub>	R <sub>82</sub>
no.					
A930		Н	CH₃SO₂N(CH₃)	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A931		Н	(CH₃)₂N	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A932		Н	(CH <sub>3</sub> )₂NSO₂	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A933		Н	CH₃SCH₂	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A934		Н	CH₃SOCH₂	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A935		Н	CH₃SO₂CH₂	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>
A936		Н	CH₃	Ph	CF <sub>2</sub> CI
A937		Н	CH₃CH₂	Ph	CF <sub>2</sub> Cl
A938		Н	cyclopropyl	Ph	CF <sub>2</sub> Cl
A939		Н	(CH₃)₃C	Ph	CF <sub>2</sub> CI
A940		Н	(CH₃)₂CH	Ph	CF <sub>2</sub> CI
A941	•	Н	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	Ph	CF₂CI
A942		Н	CH₃OCH₂	Ph	CF₂CI ·
A943		Н	CH₃O(CH₂)₂	Ph	CF₂CI
A944		Н	Ph	Ph	CF₂CI
A945		Н	PhO	Ph	CF <sub>2</sub> Cl
A946		Н	PhS	Ph	CF <sub>2</sub> Cl
A947		Н	PhSO	Ph	CF <sub>2</sub> CI
A948		Н	PhSO <sub>2</sub>	Ph	CF <sub>2</sub> CI
A949		Н	CH₃S	Ph	CF <sub>2</sub> CI
A950		Н	CH₃SO	Ph	CF <sub>2</sub> CI
A951		Н	CF <sub>3</sub>	Ph	CF₂CI
A952		Н	F₂CH	Ph	CF <sub>2</sub> CI
A953		Н	HCC	Ph	CF <sub>2</sub> CI
A954		Н	CH₃CC	Ph	CF <sub>2</sub> CI
A955		Н	CH₂=CH	Ph	CF <sub>2</sub> CI
A956		Н	CH <sub>2</sub> =CHCH <sub>2</sub>	Ph	CF <sub>2</sub> Cl
A957		Н	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	Ph	CF <sub>2</sub> CI
A958		Н	(CH₃)₂N	Ph	CF <sub>2</sub> Cl
A959		Н	(CH₃)₂NSO₂	Ph	CF <sub>2</sub> Cl
A960		Н	CH₃SCH₂	Ph	CF <sub>2</sub> Cl
A961		Н	CH₃SOCH₂	Ph	CF <sub>2</sub> Cl

C mpd.	R 79	R 80	R <sub>81</sub>	R <sub>82</sub>
no.	•			
A962	н	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	Ph	CF₂CI
A963	H	CH₃	Ph	CHF₂
A964	н	CH₃CH₂	Ph	CHF₂
A965	н	(CH₃)₃C	Ph	CHF <sub>2</sub>
A966	н	(CH₃)₂CH	Ph	CHF <sub>2</sub>
A967	н	cyclopropyl	Ph	CHF <sub>2</sub>
A968	н	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	Ph	CHF <sub>2</sub>
A969	Н	CH₃OCH₂	Ph	CHF <sub>2</sub>
A970	н	CH₃O(CH₂)₂	Ph	CHF <sub>2</sub>
A971	н	Ph	Ph	CHF₂
A972	Н	PhO	Ph	CHF <sub>2</sub>
A973	Н	PhS	Ph	CHF <sub>2</sub>
A974	Н	PhSO	Ph	CHF <sub>2</sub>
A975	Н	PhSO <sub>2</sub>	Ph	CHF₂
A976	Н	CH₃S	Ph	CHF₂
A977	н	CH₃SO	Ph	CHF₂
A978	н	CF <sub>3</sub>	Ph	CHF <sub>2</sub>
A979	н	F <sub>2</sub> CH	Ph	CHF <sub>2</sub>
A980	н .	HCC	Ph	CHF₂
A981	н ,	CH₃CC	Ph	CHF₂
A982	Н	CH <sub>2</sub> =CH	Ph	CHF₂
A983	н	CH <sub>2</sub> =CHCH <sub>2</sub>	Ph	CHF₂
A984	н	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	Ph	CHF₂
A985	н	(CH₃) <sub>2</sub> N	Ph	CHF₂
A986	н	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Ph	CHF₂
A987	н	CH₃SCH₂	Ph	· CHF₂
A988	н	CH₃SOCH₂	Ph	CHF₂
A989	Н	CH₃SO₂CH₂	Ph	CHF <sub>2</sub>
A990	н	CH₃	Ph	CCl3
A991	н	CH₃CH₂	Ph	CCl <sub>3</sub>
A992	н	(CH₃)₃C	Ph	CCI <sub>3</sub>
A993	Н	(CH₃)₂CH	Ph	CCl3

Compd.	R 79	R 80	R <sub>81</sub>	R <sub>82</sub>
no.				
A994	н	cyclopropyl	Ph	CCI <sub>3</sub>
A995	н	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	Ph	CCI <sub>3</sub>
A996	Н	CH₃OCH₂	Ph	ĈCl₃
A997	н	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	Ph	CCI <sub>3</sub>
A998	Н	Ph	Ph	CCI <sub>3</sub>
A999	Н	PhO	Ph	CCI <sub>3</sub>
A1000	н	PhS	Ph	CCI <sub>3</sub>
A1001	н	PhSO	Ph	CCI <sub>3</sub>
A1002	н	PhSO₂	Ph	CCI <sub>3</sub>
A1003	H	CH₃S	Ph	CCl <sub>3</sub>
A1004	Н	CH₃SO	Ph	CCI <sub>3</sub>
A1005	н	CF <sub>3</sub>	Ph	CCl <sub>3</sub>
A1006	н .	F₂CH	Ph	CCl <sub>3</sub>
A1007	. <b>H</b>	HCC	Ph	CCl <sub>3</sub>
A1008	н	CH₃CC	Ph	CCl <sub>3</sub>
A1009	н	CH <sub>2</sub> =CH	Ph	CCl <sub>3</sub>
A1010	н _	CH₂=CHCH₂	Ph	CCl <sub>3</sub>
A1011	Н	CH₃SO₂N(CH₃)	Ph	CCl <sub>3</sub>
A1012	н	(CH₃)₂N	Ph	CCl3
A1013	Н , ,	(CH₃)₂NSO₂	Ph	CCl <sub>3</sub>
A1014	н	CH₃SCH₂	Ph	CCI <sub>3</sub>
A1015	н	CH₃SOCH₂	Ph	CCl <sub>3</sub>
A1016	` н	CH₃SO₂CH₂	Ph	CCl <sub>3</sub>
A1017	F	н	Н	CF <sub>3</sub>
A1018	. CI	Н	Н	CF <sub>3</sub>
A1019	Br	Н	н	CF <sub>3</sub>
A1020	CN .	Н	Н	CF <sub>3</sub>
A1021	CH₃SO₂O	Н	Н	CF <sub>3</sub>
A1022	CH₃O	Н	ļΗ	CF <sub>3</sub>
A1023	CH₂CH₃O	Н	Н	CF <sub>3</sub>
A1024	CH₂CH=CH₂O	Н	н	CF <sub>3</sub>
A1025	HCCCH₂O	Н	Н	CF₃

•				
Compd.	R 79	R 80	R <sub>81</sub>	R <sub>82</sub>
no.				
A1026	S-benzyl	Н	н	CF₃
A1027	SO <sub>2</sub> -benzył	н	Н	CF <sub>3</sub>
A1028	CICH₂	Н	н	CF <sub>3</sub>
A1029	BrCH₂	н	Н	CF <sub>3</sub>
A1030	FCH₂	н	H.	CF₃
A1031	CHF <sub>2</sub> CH <sub>2</sub>	н	н	CF₃
A1032	CF₃CH₂	н	Н	CF₃
A1033	triazolylmethyl	Н	н	CF₃
A1034	CHCl <sub>2</sub> CH <sub>2</sub>	н	Н	CF₃
A1035	CICH=CH	н	Н	CF₃
A1036	Cl₂C=CH	н	н	CF₃
A1037	CF <sub>3</sub> CH=CH	Н	Н	CF <sub>3</sub>
A1038	CICC	н	Н	CF₃
A1039	Ph	Н	. н	CF <sub>3</sub>
A1040	СН₃	СН₃	Н	CF₃
A1041	CH₃	ОН	Н	CF₃
A1042	CH₃	F	Н	CF₃
A1043	CH₃	CI	Н	CF₃
A1044	F	CH₃	Н	. CF₃
A1045	CI	CH₃	• н	CF₃
A1046	Н	F	Н	CF₃
A1047	н	CI	Н	CF <sub>3</sub>
A1048	. Н	Br	Н	CF <sub>3</sub>
A1049	Н	ОН	н.	CF₃
A1050	Ĥ	OCH <sub>3</sub>	Н	CF₃
A1051	Н	OCHF <sub>2</sub>	Н	CF₃
A1052	н	OSO <sub>2</sub> CH <sub>3</sub>	н	CF₃
A1053	Н	OSO <sub>2</sub> CF <sub>3</sub>	Н	CF <sub>3</sub>
A1054	Н	CICH <sub>2</sub>	Н	CF <sub>3</sub>
A1055	Н	BrCH₂	н	CF₃
A1056	н	FCH₂	н	CF <sub>3</sub>
A1057	Н	CHF₂CH₂	Н	CF₃

Compd.	R 79 R 80		R <sub>81</sub>	R <sub>82</sub>
no.		<i>,</i>		
A1058	Н	CF₃CH₂	Н	CF₃
A1059	н	triazolylmethyl	Н	CF₃
A1060	Н	CHCl₂CH₂	Н	ĈF₃
A1061	. Н	CICH=CH	Н	CF <sub>3</sub>
A1062	н	Cl <sub>2</sub> C=CH	Н	CF <sub>3</sub>
A1063	н	CF₃CH=CH	Н	CF₃
A1064	Н	CICC	н	CF₃
A1065	н	CH₃C(O)	Н	CF₃
A1066	н	phenyl	H	CF₃
A1067	н	SO <sub>2</sub> CH <sub>3</sub>	н	CF <sub>3</sub>
A1068	н	SO₂CF₃	H	CF <sub>3</sub>
A1069	H .	CN	Н	CF <sub>3</sub>
A1070	Н	NO <sub>2</sub>	Н	CF₃
A1071	CH₃	н	F	CF <sub>3</sub>
A1072	CH <sub>3</sub>	H	CI	CF <sub>3</sub>
A1073	CH₃	н	Br	CF <sub>3</sub>
A1074	CH <sub>3</sub>	н	CN	CF <sub>3</sub>
A1075	CH₃	н	CH₃O	CF <sub>3</sub>
A1076	CH₃	· H	CH₃S	CF <sub>3</sub>
A1077	CH₃	Н	CH₃SO	CF <sub>3</sub>
A1078	CH₃	Н	CH <sub>3</sub> SO <sub>2</sub>	CF₃

In the following Table 6 Q is Q<sub>3</sub>

and Q<sub>3</sub> represents the following radicals B:

## Table 6: Radicals B:

Radical	R <sub>44</sub>	R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	R <sub>40</sub>	w
B1	н	н	Н	Н	ОН	CH₂
B2	CH₃	н	н	Н	ОН	CH₂
В3	CH₃CH₂	Н	Н	Н	ОН	CH₂
B4	CH₃CH₂CH₂	Н	Н	Н	ОН	CH₂
B5	(CH₃)₂CH	н	H	Н	ОН	CH <sub>2</sub>
B6	(CH <sub>3</sub> ) <sub>3</sub> C	Н	н	Н	ОН	CH <sub>2</sub>
B7	CH₃S	Н	н	Н	ОН	CH₂
B8	CH₃SO	Н	Н.	Н	ОН	CH₂
<b>B</b> 9	CH₃SO₂	Н	Н	Н	OH:	CH₂
B10	Ph	н	Н	Н	ОН	CH₂
B11	CH₃O	Н	н	Н	ОН	CH₂
B12	CH <sub>3</sub> CO <sub>2</sub>	Н	Н	Н	ОН	CH₂
B13	CH₃CH₂CO₂	Н	Н	Н	ОН	CH₂
B14	CH₂=CHCH₂	Н	н	Н	ОН	CH₂
B15	HCCCH₂	Н	Н	Н	ОН	CH₂
B16	CF₃	Н	Н	Н	ОН	CH₂
B17	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Н	Н	H	OH .	CH₂
B18	(CH₃)₂N	Н	Н	Н	ОН	CH <sub>2</sub>
B19	PhO	Н	H,	Н	ОН	CH <sub>2</sub>
B20	PhS	Н	Н	H	ОН	CH₂
B21	PhSO	źΗ	н	Н	ОН	CH <sub>2</sub>
B22	PhSO₂	Н	Н	H	ОН	CH₂
B23	CN	Н	Н	Н	ОН	CH₂
B24	. CH₃	CH <sub>3.</sub>	Н	Н	OH	CH₂
B25	CH₃CH₂	CH₃	Н	Н	ОН	CH <sub>2</sub>
B26	CH₃CH₂CH₂	CH₃	H	Н	ОН	CH₂
B27	(CH₃)₂CH	CH₃	Н	H	ОН	CH₂
B28	(CH₃)₃C	CH₃	Н	Н	ОН	CH₂ .
B29	CH₃S	CH₃	Н	Н	ОН	CH <sub>2</sub>
B30	CH₃SO	CH₃	Н	Н	ОН	CH₂
B31	CH₃SO₂	CH <sub>3</sub>	Н	Н	ОН	CH <sub>2</sub>
B32	Ph	CH₃	Н	Н	ОН	CH₂

 $\langle () \rangle$ 

Radical	R <sub>44</sub>	R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	R <sub>40</sub>	W
B33	CH₃O	CH <sub>3</sub>	H	Н	ОН	CH₂
B34	CH <sub>3</sub> CO <sub>2</sub>	CH₃	• <b>H</b>	Н	ОН	CH <sub>2</sub>
B35	CH <sub>3</sub> CH <sub>2</sub> CO <sub>2</sub>	CH₃	Н	Н	ОН	CH <sub>2</sub>
B36	CH <sub>2</sub> =CHCH <sub>2</sub>	CH₃	Н	Н	ОН	CH₂ ¯
B37	HCCCH₂	CH₃	Н	Н	ОН	CH <sub>2</sub>
B38	CF <sub>3</sub>	CH₃	Н	H	ОН	CH <sub>2</sub>
B39	(CH <sub>3</sub> )₂NSO₂	CH₃	H	Н	ОН	CH <sub>2</sub>
B40	(CH₃)₂N	CH₃	Н	Н	ОН	CH <sub>2</sub>
B41	PhO	CH₃	Н	Н	ОН	CH₂
B42	PhS	CH₃	H	Н	ОН	CH₂
B43	PhSO	CH₃	Н	Н	ОН	CH₂
B44	PhSO₂	СН₃	Н	Н	ОН	CH₂
B45	CN	CH₃	Н	Н	ОН	· CH <sub>2</sub>
B46	CH₃	Н.	CH₃	Н	ОН	CH₂
B47	CH₃CH₂	Н	CH₃	Н	ОН	CH₂
B48	CH₃CH₂CH₂	Н	CH₃	Н	ОН	CH <sub>2</sub>
B49	(CH₃)₂CH	Н	CH₃	Н	ОН	CH <sub>2</sub>
B50	(CH <sub>3</sub> ) <sub>3</sub> C	Н	CH₃	Н	ОН	CH₂
B51	CH₃S	Н	CH₃	Н	ОН	CH <sub>2</sub>
B52	CH₃SO	Н	CH₃	Н	OH	CH₂
B53	CH₃SO₂	Н	CH₃	Н	OH.	. CH₂
B54	Ph	н	CH₃	Н	ОН	CH₂ ·
B55	CH₃O	Н	CH₃	Н	ОН	CH₂
B56	CH <sub>3</sub> CO₂	н	CH₃	H	ОН	CH₂
B57	CH₃CH₂CO₂	н	CH₃	Н	ОН	. CH₂
B58	CH₂=CHCH₂	н	CH₃	H	ОН	CH <sub>2</sub>
B59	HCCCH₂	Н	CH₃	H	OH	CH₂
B60	CF <sub>3</sub>	Н	CH₃	Н	ОН	CH₂
B61 ·	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Н	CH₃	H	ОН	CH <sub>2</sub>
B62	· (CH <sub>3</sub> ) <sub>2</sub> N	Н	CH₃	Н	ОН	CH₂
B63	PhO	Н	CH₃	Н	ОН	CH <sub>2</sub>
B64	PhS	Н	CH <sub>3</sub>	Η.	ОН	CH₂
B65	PhSO	н	CH <sub>3</sub>	Н	ОН	CH₂

Radical	R <sub>44</sub>	R <sub>37</sub>	R <sub>38</sub> R <sub>39</sub> R <sub>40</sub>	w
B66	PhSO₂	н	СН₃ Н ОН	CH₂
B67	CN	Н	СН₃ Н ОН	CH₂
B68	CH₃	CH <sub>3</sub>	СН₃ Н ОН	CH <sub>2</sub>
B69	CH₃CH₂	CH₃	CH₃ H OH	CH <sub>2</sub>
B70	CH₃CH₂CH₂	CH <sub>3</sub>	СН₃ Н ОН	CH <sub>2</sub>
B71	(CH₃)₂CH	CH₃	СН₃ Н ОН	CH <sub>2</sub>
B72	(CH₃)₃C	CH₃	СН₃ Н ОН	CH₂
B73	CH₃S	СН₃	СН₃ Н ОН	CH <sub>2</sub>
B74	CH₃SO	CH₃	СН₃ Н ОН	CH <sub>2</sub>
B75	CH₃SO₂	CH₃	СН₃ Н ОН	CH₂
B76	Ph	CH₃	СН₃ Н ОН	CH <sub>2</sub>
B77	CH₃O	CH₃	СН₃ Н ОН	CH₂
B78	CH₃CO₂	CH₃	СН₃ Н ОН	CH <sub>2</sub>
B79	CH₃CH₂CO₂	CH₃	СН₃ Н ОН	CH₂
B80	CH <sub>2</sub> =CHCH <sub>2</sub>	CH₃	CH₃ H OH	CH <sub>2</sub>
B81	HCCCH₂	CH₃	СН₃ Н ОН	CH <sub>2</sub>
B82	CF₃	CH₃	СН₃ Н ОН	CH₂
B83	(CH <sub>3</sub> )₂NSO₂	CH <sub>3</sub>	СН₃ Н ОН	CH <sub>2</sub>
B84	(CH₃)₂N	CH <sub>3</sub>	ĊН₃ Н ОН	CH₂
B85	PhO	CH <sub>3</sub>	СН₃ Н ОН	CH₂
B86	PhS	CH₃	СН₃ Н ОН	CH₂
B87	PhSO	CH <sub>3</sub>	СН₃ Н ОН	CH₂
B88	PhSO <sub>2</sub>	CH₃	CH₃ H OH	CH₂
B89	CN	CH₃	CH₃ H OH	CH₂
B90	CH₃	CH₃	CH <sub>3</sub> CH <sub>3</sub> OH	CH₂
B91	CH₃CH₂	CH₃	CH₃ CH₃ OH	CH <sub>2</sub>
B92	CH₃CH₂CH₂	CH <sub>3</sub>	CH₃ CH₃ OH	CH <sub>2</sub>
B93	(CH₃)₂CH	CH <sub>3</sub>	CH₃ CH₃ OH	CH₂
B94	(CH₃)₃C	CH <sub>3</sub>	CH₃ CH₃ OH	CH₂
B95	CH₃S -	CH <sub>3</sub>	CH₃ CH₃ OH	CH <sub>2</sub>
B96	CH₃SO	CH₃	CH₃ CH₃ OH	CH₂
B97	CH₃SO₂	CH₃	CH₃ CH₃ OH	CH₂
B98	Ph	CH₃	CH₃ CH₃ OH	CH₂
				-

Radical	R <sub>44</sub>	R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	R <sub>40</sub>	W
B99	CH₃O	CH₃	CH <sub>3</sub>	CH <sub>3</sub>	ОН	CH₂
B100	CH₃CO₂	CH <sub>3</sub>	CH₃	CH₃	ОН	CH <sub>2</sub>
B101		CH <sub>3</sub>	CH₃	CH₃	ОН	CH₂
B102	CH <sub>2</sub> =CHCH <sub>2</sub>	CH <sub>3</sub>	CH <sub>3</sub>	СН₃	ОН	CH <sub>2</sub>
B103	HCCCH₂	CH <sub>3</sub>	CH₃	CH <sub>3</sub>	ОН	CH₂
B104	CF <sub>3</sub>	CH₃	CH₃	CH <sub>3</sub>	ОН	CH <sub>2</sub>
B105	$(CH_3)_2NSO_2$	CH₃	CH₃	CH₃	ОН	CH₂
B106	(CH₃)₂N	CH₃	CH₃	CH <sub>3</sub>	ОН	CH <sub>2</sub>
B107	PhO	CH₃	CH <sub>3</sub>	CH <sub>3</sub>	ОН	CH <sub>2</sub>
B108	PhS	CH₃	CH₃	CH <sub>3</sub>	ОН	CH <sub>2</sub>
B109	PhSO	CH₃	CH₃	CH₃	ОН	CH <sub>2</sub>
B110	PhSO <sub>2</sub>	CH₃	CH <sub>3</sub>	CH <sub>3</sub>	ОН	CH₂
B111	CN	CH₃	СН₃	CH₃	ОН	CH₂
B112	CH₃CH₂	CH₃CH₂	Н	Н	ОН	CH <sub>2</sub>
B113	CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub>	CH₃CH₂	Н	Н	ОН	CH₂
B114	(CH₃)₂CH	CH₃CH₂	Н	Н	ОН	CH₂
B115	(CH <sub>3</sub> ) <sub>3</sub> C	CH₃CH₂	H	Н	ОН	CH₂
B116	CH₃S	CH₃CH₂	Н	Н	ОН	CH <sub>2</sub>
B117	CH₃SO	CH₃CH₂	Н	Н	ОН	CH₂
B118	CH₃SO₂	CH₃CH₂	Н	Н	ОН	CH₂
B119	Ph	CH₃CH₂	Н	Н	ОН	CH <sub>2</sub>
B120	CH₃O	CH₃CH₂	Н	Н	ОН	CH₂
B121	CH₃CO₂	CH₃CH₂	Н	Н	ОН	CH₂
B122	CH₃CH₂CO₂	CH₃CH₂	Н	Н	ОН	CH₂
B123	CH₂=CHCH₂	CH₃CH₂	<b>H</b> .	Н	ОН	CH₂
B124	HCCCH₂	CH₃CH₂	Н	Н	ОН	CH₂
B125	CF <sub>3</sub>	CH₃CH₂	Н	н	ОН	CH₂
B126	(CH₃)₂NSO₂	ĊH₃CH₂	Н	H	ОН	CH₂
B127	(CH₃)₂N	CH₃CH₂	Н	Н	ОН	CH₂
B128	PhO	CH₃CH₂	Н	Н	ОН	CH₂
B129	PhS	CH <sub>3</sub> CH <sub>2</sub>	Н	Н	ОН	CH <sub>2</sub>
B130	PhSO	CH₃CH₂	Н	Н	ОН	CH₂
B131	PhSO₂	CH₃CH₂	Н	Н	ОН	CH₂

Radical	R <sub>44</sub>	R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	R <sub>40</sub>	W
B132	CN	CH₃CH₂	Н	Н	ОН	CH₂
B133	Н	Н	Н	Н	ОН	CHCH₃
B134	СН₃	Н	Н	Н	ОН	CHCH₃
B135	CH₃CH₂	H	Н	Н	ОН	CHCH₃
B136	CH₃CH₂CH₂	Н	Н	H.	ОН	CHCH₃
B137	(CH₃)₂CH	Н	Н	Н	OH	СНСН₃
B138	(CH₃)₃C	н	Н	Н	ОН	CHCH₃
B139	CH₃S	Н	Н	Н	ОН	CHCH <sub>3</sub>
B140	CH₃SO	Н	Н	Н	ОН	CHCH <sub>3</sub>
B141	CH <sub>3</sub> SO <sub>2</sub>	Н	H	Н	ОН	CHCH <sub>3</sub>
B142	Ph	H.	H	Н	ОН	CHCH <sub>3</sub>
B143	CH₃O	H	Н	Н	ОН	CHCH <sub>3</sub>
B144	CH₃CO₂	н	Н	Н	ОН	CHCH <sub>3</sub>
B145	CH <sub>3</sub> CH <sub>2</sub> CO <sub>2</sub>	н	н	Н	ОН	CHCH₃
B146	CH <sub>2</sub> =CHCH <sub>2</sub>	н	Н	н	ОН	CHCH <sub>3</sub>
B147	HCCCH₂	Н	Н	Н	ОН	CHCH₃
B148	CF <sub>3</sub>	Н	Н	Н	ОН	CHCH₃
B149	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Н	Н	Н	ОН	CHCH₃
B150	(CH₃)₂N	Н	Н	. <b>H</b>	ОН	CHCH <sub>3</sub>
B151	. PhO	н	Н	Н	ОН	СНСН₃
B152	PhS	Н	Ħ	Н	ОН	CHCH₃
B153	PhSO	Н	Н	Н	ОН	CHCH₃
B154	PhSO₂	Н	Н	Н	ОН	CHCH₃
B155	CN	Н	Н	Н	ОН	CHCH₃
B156	CH₃	CH <sub>3</sub>	Н	Н	ОН	CHCH₃
B157	CH₃CH₂	CH₃	Н	Н	ОН	CHCH <sub>3</sub>
B158	CH₃CH₂CH₂	CH₃	H	Н	ОН	CHCH₃
B159	(CH₃)₂CH	CH₃	Н	Н	OH.	CHCH₃
B160	(CH₃)₃C	CH₃	н	Н	ОН	CHCH₃
B161	CH₃S	CH₃ "	Н	H	ОН	CHCH₃
B162	CH₃SO	CH₃	Н	Н	ОН	CHCH₃
B163	CH₃SO₂	CH₃	Н	Н	ОН	CHCH₃
B164	<b>.</b> Ph	CH₃	н	Н	ОН	CHCH <sub>2</sub>

()

Radical	R <sub>44</sub>	R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	R <sub>40</sub>	W
B165	CH₃O	CH₃	н	Н	ОН	СНСН₃
B166	CH₃CO₂	CH₃	н	Н	ОН	CHCH₃
B167	CH₃CH₂CO₂	CH₃	Н	Н	ОН	СНСН₃
B168	CH₂=CHCH₂	CH₃	Н	Н	ОН	снсн₃
B169	HCCCH₂	CH₃	н	Н	ОН	СНСН₃
B170	CF₃	СН₃	Н	Н	ОН	СНСН₃
B171	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH₃	Н	Н	ОН	CHCH <sub>3</sub>
B172	(CH₃)₂N	CH₃	Н	Н	ОН	СНСН₃
B173	PhO	CH₃	Н	Н	ОН	CHCH₃
B174	PhS	CH₃	Н	Н	ОН	CHCH₃
B175	PhSO	CH <sub>3</sub>	Н	Н	ОН	CHCH₃
B176	PhSO₂	CH₃	. Н	Н	ОН	CHCH₃
B177	CN	CH₃	Н	Н	ОН	CHCH3
B178	CH₃	Н	СН₃	Н	ОН	CHCH₃
B179	CH₃CH₂	Н	СН₃	H	ОН	CHCH₃
B180	CH₃CH₂CH₂	Н	CH₃	Н	ОН	CHCH₃
B181	(CH₃)₂CH	Ħ .	CH₃	Н	ОН	CHCH₃
B182	(CH₃)₃C	Н	СНз	Н	ОН	CHCH₃
B183	CH₃S	Н	CH <sub>3</sub>	Н	ОН	CHCH3
B184	CH₃SO	Н	CH₃	Н	ОН	CHCH₃
B185	CH₃SO <sub>2</sub>	Н	CH <sub>3</sub>	Н	ОН	CHCH₃
B186	Ph	Н	CH₃	Н	ОН	CHCH₃
B187	CH₃O	Н	CH₃	Н	ОН	CHCH₃
B188	CH <sub>3</sub> CO <sub>2</sub>	Н	CH <sub>3</sub>	Н	OH	CHCH₃
B189	CH₃CH₂CO₂	н	CH <sub>3</sub>	Н	OH	CHCH <sup>3</sup>
B190	CH₂=CHCH₂	Н	CH₃	H	OH	CHCH₃
B191	HCCCH₂	н	CH₃	Н	ОН	CHCH₃
B192	CF <sub>3</sub>	Н	CH₃	Н	ОН	CHCH₃
B193	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Н	CH <sub>3</sub>	Н	ОН	CHCH₃
B194	(CH₃)₂N	н	CH <sub>3</sub>	H <sub>.</sub>	OH	CHCH₃
B195	PhO	Н	CH₃	Н	ОН	CHCH₃
B196	PhS	Н	CH <sub>3</sub>	Н	ОН	CHCH3
B197	PhSO	Н	CH₃	H	ОН	CHCH₃

Radical	R <sub>44</sub>	R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	R <sub>40</sub>	W
B198	PhSO <sub>2</sub>	Н	СН₃	Н	ОН	CHCH₃
B199	CN	• н	СН₃	Н	ОН	CHCH₃
B200	CH <sub>3</sub>	CH₃	CH₃	Н	ОН	CHCH₃
B201	CH₃CH₂	CH₃	СН₃	H	ОН	CHCH₃
B202	CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub>	СН₃	CH₃	Н	ОН	СНСН₃
B203	(CH₃)₂CH	СН₃	CH₃	Н	ОН	CHCH₃
B204	(CH <sub>3</sub> ) <sub>3</sub> C	CH₃	СН₃	Н	ОН	СНСН₃
B205	CH₃S	CH₃	CH₃	Н	ОН	CHCH₃
B206	CH₃SO	CH <sub>3</sub>	СН₃	Н	ОН	СНСН₃
B207	CH₃SO₂	CH₃	СН₃	H	ОН	CHCH₃.
B208	Ph	CH₃	CH₃	Н	ОН	СНСН₃
B209	CH₃O	СН₃	CH₃	Н	ОН	CHCH₃
B210	CH₃CO₂	CH₃	СН₃	Н.	ОН	CHCH₃
B211	CH₃CH₂CO₂	СН₃	CH₃	Н	ОН	СНСН₃
B212	CH <sub>2</sub> =CHCH <sub>2</sub>	, CH₃	CH₃	Н	ОН	CHCH₃
B213	HCCCH₂	СН₃	CH₃	Н	ОН	CHCH₃
B214	CF <sub>3</sub>	СН₃	CH₃	Н	ОН	СНСН₃
B215	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH₃	CH₃	Н	ОН	СНСН₃
B216	(CH₃)₂N	CH₃	CH <sub>3</sub>	Н	ОН	СНСН₃
B217	PhO	CH <sub>3</sub>	CH <sub>3</sub>	Н	ОН	СНСН₃
B218	PhS	CH <sub>3</sub>	CH₃	Н	ОН	СӉСН₃
B219	PhSO	CH₃	CH₃	Н	ОН	СНСН₃
B220	PhSO₂	CH₃	CH₃	Н	ОН	CHCH₃
B221	CN	CH₃	CH₃	Н	OH	CHCH₃
B222	CH₃	CH₃	CH₃	СНз	ОН	CHCH₃
B223	CH₃CH₂	CH₃	CH₃	CH <sub>3</sub>	ОН	CHCH₃
B224	CH₃CH₂CH₂	СН₃	CH₃	CH₃	ОН	CHCH₃
B225 .	(CH₃)₂CH	СН₃	СН₃	CH <sub>3</sub>	ОН	CHCH₃
B226	(CH <sub>3</sub> ) <sub>3</sub> C	CH₃	CH₃	СН₃	ОН	CHCH₃
B227	CH₃S	CH₃	CH₃	CH₃	ОН	CHCH₃
B228	CH₃SO	СН₃	CH₃	CH₃	ОН	СНСН₃
B229	CH₃SO₂	CH₃	CH₃	CH₃	ОН	CHCH₃
B230	:. <b>Ph</b>	CH₃	CH₃		OH	CHCH₃

( )

Radical	R <sub>44</sub>	R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	R <sub>40</sub>	W
B231	CH₃O	CH₃	CH₃	CH₃	ОН	CHCH₃
B232	CH₃CO₂	CH₃	CH <sub>3</sub>	CH <sub>3</sub>	ОН	CHCH₃
B233	CH <sub>3</sub> CH <sub>2</sub> CO <sub>2</sub>	CH <sub>3</sub>	CH₃	СН₃	ОН	CHCH₃
B234	CH₂=CHCH₂	CH₃	CH₃	СН₃	ОН	СНСН₃҈
B235	HCCCH₂	CH₃	CH₃	СН₃	ОН	CHCH₃
B236	CF <sub>3</sub>	CH₃	CH <sub>3</sub>	CH <sub>3</sub>	ОН	CHCH₃
B237	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH₃	CH <sub>3</sub>	CH <sub>3</sub>	ОН	CHCH₃
B238	(CH₃)₂N	CH₃	CH₃	CH₃	ОН	СНСН₃
B239	PhO <sub>_</sub>	СН₃	CH₃	CH <sub>3</sub>	ОН	CHCH₃
B240	PhS	CH₃	CH <sub>3</sub>	СН₃	ОН	CHCH <sub>3</sub>
B241	PhSO	CH₃	CH₃	СН₃	ОН	CHCH₃
B242	PhSO <sub>2</sub>	CH₃	CH₃	CH <sub>3</sub>	ОН	CHCH <sub>3</sub>
B243	CN ·	CH₃	CH₃	CH₃	ОН	CHCH <sub>3</sub>
B244	CH₃CH₂	CH₃CH₂	Н	H	ОН	CHCH₃
B245	CH₃CH₂CH₂	CH₃CH₂	Н	Н	ОН	CHCH₃
B246	(CH₃)₂CH	CH₃CH₂	Н	н	ОН	CHCH₃
B247	(CH <sub>3</sub> ) <sub>3</sub> C	CH₃CH₂	Н	Н	ОН	CHCH <sub>3</sub>
B248	CH₃S	CH₃CH₂	Н	Н	ОН	CHCH₃
B249	CH₃SO	CH₃CH₂	Н	Н	ОН	CHCH₃
B250	CH <sub>3</sub> SO <sub>2</sub>	CH₃CH₂	Н	Н	ОН	CHCH₃
B251	Ph	CH₃CH₂	Н	Н	ОН	CHCH₃
B252	CH₃O	CH₃CH₂	H	Н	ОН	CHCH₃
B253	CH <sub>3</sub> CO <sub>2</sub>	CH₃CH₂	Н	Н	ОН	CHCH₃
B254	CH <sub>3</sub> CH <sub>2</sub> CO <sub>2</sub>	CH₃CH₂	Н	H	ОН	CHCH₃
B255	CH <sub>2</sub> =CHCH <sub>2</sub>	CH₃CH₂	Н	Н	ОН	CHCH₃
B256	HCCCH₂	CH₃CH₂	Н	Н	ОН	CHCH₃
B257	CF₃	CH₃CH₂	Н	Н	ОН	CHCH₃
B258	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH₃CH₂	Н	H '	ОН	CHCH <sub>3</sub>
B259	(CH₃)₂N	CH₃CH₂	Н	Н	ОН	СНСН₃
B260	PhO	CH₃CH₂	Н	Н	ОН	CHCH₃
B261	PhS	CH₃CH₂	Н	н	ОН	CHCH₃
B262	PhSO	CH₃CH₂	н	Н	ОН	CHCH₃
B263	PhSO <sub>2</sub>	CH₃CH₂	Н	Н	ОН	CHCH₃

Radical	R <sub>44</sub>	R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	R <sub>40</sub>	w
B264	CN	CH₃CH₂	Н	Н	ОН	CHCH₃
B265	н	н	Н	Н	ОН	C=O
B266	CH₃	Н	Н	Н	ОН	C=O
B267	CH₃CH₂	н	Н	Н	ОН	C=O
B268	CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub>	н	Н	Н	ОН	C=O
B269	(CH₃)₂CH	н	Н	Н	ОН	C=O
B270	(CH₃)₃C	Н	Н	Н	ОН	C=O
B271	CH₃S	Н	Н	Н	ОН	C=O
B272	CH₃SO	Н	Н	Н	ОН	C=O
B273	CH <sub>3</sub> SO <sub>2</sub>	H	Н	Н	ОН	C=O
B274	Ph	Н	Н	Н	ОН	C=O
B275	CH₃O.	H	н	Н	ОН	C=O
B276	CH₃CO₂	Н	Н	H	ОН	C=O
B277	CH₃CH₂CO₂	Н	Н	Н	ОН	C=O
B278	CH <sub>2</sub> =CHCH <sub>2</sub>	н	Н	Н	ОН	C=O
B279	HCCCH₂	, н	н	Н	ОН	C=O
B280	CF <sub>3</sub>	н	Н	Н	ОН	C=O
B281	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Н	Н	Н	ОН	C=O
B282	(CH <sub>3</sub> ) <sub>2</sub> N	Н	Н	Н	ОН	C=O
B283	PhO	н	Н	Н	ОН	C=O
B284	PhS	н	Н	Н	OH	C≑O
B285	PhSO	Н	Н	Н	ОН	C=O
B286	PhSO <sub>2</sub>	Н	H,	Н	ОН	C=O
B287	CN	H	Н	Н	ОН	C=O
B288	CH₃	CH <sub>3</sub>	Н	Н	OH	C=O
B289	CH₃CH₂	CH <sub>3</sub>	Н	H	ОН	C=O
B290	CH₃CH₂CH₂	CH₃	Н	Н	ОН	C=O
B291	(CH₃)₂CH	СН₃	Н	Н	ОН	C=O
B292	(CH₃)₃C	СН₃	Н	Н	ОН	C=O
B293	CH₃S	СН₃	Н	Ή	ОН	C=O
B294	CH₃SO	CH₃	Н	Н	OH `	C=O
B295	CH₃SO₂	CH₃	н	Н	ОН	C=O
B296	Ph	CH <sub>3</sub>	Н	н	ОН	C=O

Radical	R <sub>44</sub>	R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	R <sub>40</sub>	W
B297	CH₃O	CH₃	Н	Н	ОН	C=O
B298	CH₃CO₂	CH <sub>3</sub>	Н	Н	ОН	C=O
B299	CH <sub>3</sub> CH <sub>2</sub> CO <sub>2</sub>	CH <sub>3</sub>	H	Н	ОН	C=O
B300	CH <sub>2</sub> =CHCH <sub>2</sub>	CH₃	Н	Н	ОН	C=O ¯
B301	HCCCH₂	CH <sub>3</sub>	Н	Н	ОН	C=O
B302	CF <sub>3</sub>	CH₃	Н	Н	ОН	C=O
B303	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH₃	Н	Н	ОН	C=O
B304	(CH₃)₂N	CH₃	Н	Н	ОН	C=O
B305	PhO	CH <sub>3</sub>	Н	Н	ОН	C=O
B306	PhS	CH₃	Н	Н	ОН	C=O
B307	PhSO	CH <sub>3</sub>	Н	Н	ОН	C=O
B308	PhSO₂	CH₃	Н	Н	ОН	C=O
B309	CN	CH₃	Н	H·	ОН	C=O
B310	CH₃	Н	CH₃	Н	ОН	C=O
B311	CH₃CH₂	Н	CH₃	H	ОН	C=O
B312	CH₃CH₂CH₂	Н	CH <sub>3</sub>	Н	ОН	C=O
B313	(CH₃)₂CH	Н	CH <sub>3</sub>	Н	ОН	C=O
B314	(ÇH₃)₃C	Н	CH <sub>3</sub>	Н	ОН	C=O
B315	CH₃S	Н	CH <sub>3</sub>	Н	ОН	C=O
B316	CH₃SO	. н	CH₃	Н	OH	C=O
B317	CH₃SO₂	H	CH₃	Н	ОН	C=O
B318	Ph ·	Н	CH₃	Н	ОН	C=O
B319	CH₃O	Н	CH <sub>3</sub>	Н	ОН	C=O
B320	CH₃CO₂	Н	CH₃	Н	ОН	C=O
B321	CH <sub>3</sub> CH <sub>2</sub> CO <sub>2</sub>	Н	CH₃	H	ОН	C=O
B322	CH₂=CHCH₂	Н	CH₃	Н	ОН	C=O
B323	HCCCH₂	Н	CH₃	Н	ОН	C=O
B324	CF₃	Н	CH <sub>3</sub>	Н	ОН	C=O
B325	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Н	CH <sub>3</sub>	Н	ОН	C=O
B326	(CH₃)₂N	Н	СН₃	Н	ОН	C=O
B327	PhO	Н	CH <sub>3</sub>	Н	ОН	C=O
B328	PhS	Н	CH₃	Н	ОН	C=O
B329	PhSO	Н	CH₃	Н	ОН	C=O

Radical	R <sub>44</sub>	R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	R <sub>40</sub>	· <b>W</b>
B330	PhSO₂	Н	CH₃	Н	ОН	C=O
B331	CN	н	CH₃	Н	ОН	C=O
B332	CH₃	СН₃	CH <sub>3</sub>	Н	OH	.C=O
B333	CH₃CH₂	CH₃	CH₃	Н	ОН	C=0
B334	CH₃CH₂CH₂	CH₃	CH₃	Н	ОН	C=O
B335	(CH₃)₂CH	CH₃	CH <sub>3</sub>	Н	ОН	C=O
B336	(CH₃)₃C	CH₃	CH₃	Н	ОН	C=O
B337	CH₃S	CH₃	CH <sub>3</sub>	Н	ОН	C=O
B338	CH₃SO	CH <sub>3</sub>	CH₃	Н	ОН	C=O
B339	CH <sub>3</sub> SO <sub>2</sub>	CH₃	CH <sub>3</sub>	Н	OH	C=O
B340	Ph	СНз	СН₃	Η.	ОН	C=O
B341	CH₃O	CH₃	CH <sub>3</sub>	Н	ОН	C=O
B342	CH₃CO₂	CH₃	CH₃	Ĥ	ОН	. C=O
B343	CH₃CH₂CO₂	CH₃	СН₃	Н	ОН	C=O
B344	CH <sub>2</sub> =CHCH <sub>2</sub>	CH₃	CH₃	Н	ОН	C=0
B345	HCCCH₂	CH₃	CH <sub>3</sub>	Н	ОН	C=O
B346	CF₃	CH <sub>3</sub>	CH <sub>3</sub>	Н	OH	C=O
B347	(CH₃)₂NSO₂	CH <sub>3</sub>	CH₃	Н	OH	C=O
B348	(CH₃)₂N	CH₃	CH <sub>3</sub>	Н	ОН	C=O
B349	PhO	CH₃	CH₃	Н	OH	C=0
B350	PhS	CH₃	CH <sub>3</sub>	Н	ОН	C=0
B351	PhSO	CH₃	CH <sub>3</sub>	Н	ОН	C=0
B352	PhSO₂	CH₃	CH₃	Н	ОН	C=0
B353	CN	CH₃	CH₃	Н	ОН	C=O
B354	СН₃	CH₃	CH₃	СН₃	ОН	C=O
B355	CH₃CH₂	CH <sub>3</sub>	CH₃ (	CH₃	ОН	. C=O
B356	CH₃CH₂CH₂	CH₃	CH <sub>3</sub>	CH₃	ОН	C=O
B357	(CH₃)₂CH	СН₃	CH <sub>3</sub>	СН₃	ОН	C=O
B358	(CH₃)₃C	СН₃	CH <sub>3</sub>	CH₃	ОН	· C=O
B359	CH₃S	CH₃	СН <sub>3</sub>	СН₃	ОН	C=O
B360	CH₃SO	CH₃	CH₃ (	CH₃	ОН	C=O
B361	CH₃SO₂	CH₃	CH₃ (	CH₃	ОН	C=0
B362	<b>..P</b> .h	СН₃	CH <sub>3</sub> (	CH <sub>2</sub>	ОН	C=0

Radical	R <sub>44</sub>	R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	R <sub>40</sub>	W
B363	CH₃O	CH <sub>3</sub>	CH₃	CH <sub>3</sub>	ОН	C≕O
B364	CH <sub>3</sub> CO <sub>2</sub>	CH₃	CH₃	CH <sub>3</sub>	ОН	C≕O
B365	CH <sub>3</sub> CH <sub>2</sub> CO <sub>2</sub>	CH <sub>3</sub>	CH₃	CH <sub>3</sub>	ОН	C=O
B366	CH <sub>2</sub> =CHCH <sub>2</sub>	CH₃	CH₃	CH <sub>3</sub>	ОН	C=O ~
B367	HCCCH₂	CH₃	CH₃	CH₃	ОН	C=O
B368	CF <sub>3</sub>	CH₃	CH₃	CH₃	OH	C≃O
B369	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH₃	CH₃	CH <sub>3</sub>	ОН	C=O
B370	(CH <sub>3</sub> )₂N	CH₃	СН₃	CH <sub>3</sub>	ОН	C≃O
B371	PhO	СӉ₃	CH₃	CH₃	ОН	C=O
B372	PhS	CH₃	CH <sub>3</sub>	CH <sub>3</sub>	ОН	C=O
B373	PhSO	CH₃	CH₃	CH <sub>3</sub>	ОН	C=O
B374	PhSO <sub>2</sub>	CH₃	CH <sub>3</sub>	CH <sub>3</sub>	ОН	C=O
B375	CN	CH₃	CH₃	СН₃	ОН	C=O
B376	CH₃CH₂	CH₃CH₂	Н	Н	ОН	C=O
B377	CH₃CH₂CH₂	CH₃CH₂	н	Н	ОН	C=O
B378	(CH₃)₂CH	CH₃CH₂	Н	Н	ОН	C=O
B379	(CH <sub>3</sub> ) <sub>3</sub> C	CH₃CH₂	Н	Н	ОН	C=O
B380	CH₃S	CH₃CH₂	Н	Н	ОН	C=O
B381	CH₃SO	CH₃CH₂	Н	Н	ОН	C≃O
B382	CH₃SO₂	CH₃CH₂	Н	Н	ОН	C=O
B383	Ph	CH₃CH₂	Н	Н	ОН	C=O
B384	CH₃O	CH₃CH₂	Н	Н	ОН	C=O ·
B385	CH₃CO₂	CH₃CH₂	Н	Н	OH	· C=O
B386	CH₃CH₂CO₂	CH₃CH₂	Н	Н	ОН	C=O
B387	CH₂=CHCH₂	CH₃CH₂	Н	Н	OH	C=O
B388	HCCCH₂	CH₃CH₂	Н	Н	ОН	C=O
B389	. CF <sub>3</sub>	CH₃CH₂	Н	н	ОН	C=O
B390	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH₃CH₂	Н	Н	ОН	C=O
B391	(CH₃)₂N	CH₃CH₂	Н	Н	ОН	C=O
B392	PhO	CH₃CH₂	Н	Н	ОН	C=O
B393	PhS	CH₃CH₂	Н	Н	ОН	C=O
B394	PhSO	CH₃CH₂	Н	Н	ОН	C≔O
B395	PhSO <sub>2</sub>	CH₃CH₂	Н	Н	ОН	C=O

Radical	R <sub>44</sub>	R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	R <sub>40</sub>	w
B396	CN	CH₃CH₂	н	Н	ОН	C=O
B397	н	н	Н	Н	ОН	N-CH₃
B398	CH <sub>3</sub>	н	Н	Н	ОН	N-CH₃
B399	CH₃CH₂	Н	Н	Н	ОН	N-CH <sub>3</sub>
B400	CH₃CH₂CH₂	Н	Н	Н	ОН	N-CH₃
B401	(CH₃)₂CH	н	Н	Н	ОН	N-CH₃
B402	(CH₃)₃C	н .	Н	Н	ОН	N-CH₃
B403	CH₃S	н	Н	Н	ОН	N-CH₃
B404	CH₃SO	Н	н	Н	ОН	N-CH₃
B405	CH₃SO <sub>2</sub>	Н	н .	Н	ОĤ	N-CH₃
B406	Ph	н	Н	Н	ОН	N-CH <sub>3</sub>
B407	CH₃O	н	Н	Н	ОН	N-CH₃
B408	CH₃CO₂	H	Н	٠н	ОН	N-CH <sub>3</sub>
B409	CH <sub>3</sub> CH <sub>2</sub> CO <sub>2</sub>	н	Н	Н	ОН	N-CH <sub>3</sub>
B410	CH <sub>2</sub> =CHCH <sub>2</sub>	Н	Н	Н	ОН	N-CH₃
B411	HCCCH₂	Н	Н	Н	ОН	N-CH₃
B412	CF <sub>3</sub>	н	Н	Н	ОН	N-CH₃
B413	(CH <sub>3</sub> )₂NSO₂	н	Н	Н	ОН	N-CH₃
B414	(CH₃)₂N	Н	Н	Н	ОН	N-CH₃
B415	PhO	Н	Н	Н	ОН	N-CH₃
B416	PhS	Н	Н	Н	ОН	N-CH₃
B417	PhSO	Н	Н	Н	ОН	N-CH₃
B418	PhSO <sub>2</sub>	Н	Н	H	ОН	N-CH₃
B419	CN	Н	Н	Н	ОН	N-CH₃
B420	СН₃	СН₃	Н	Н	ОН	N-CH₃
B421	CH₃CH₂	່ CH₃	Н	Н	ОН	N-CH₃
B422	CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub>	CH₃	Н	Ĥ	ОН	N-CH₃
B423	(CH₃)₂CH	CH₃	Н	Н	ЮН	N-CH₃
B424	(CH₃)₃C	CH₃	Н	н	ОН	N-CH₃
B425	CH₃S	СН₃	H	H	ОН	N-CH₃
B426	CH₃SO	СН₃	Н	Н	ОН	N-CH₃
B427	CH₃SO₂	СН₃	Н	Н	ОН	N-CH₃
B428	<u>.</u> Ph	СН₃	Н	Н	ОН	N-CH₃
						•

Radical	R <sub>44</sub>	R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	$R_{40}$	W
B429	CH₃O	CH₃	Н	Н	ОН	N-CH <sub>3</sub>
B430	CH₃CO₂	CH₃	Н	Н	ОН	N-CH <sub>3</sub>
B431	CH₃CH₂CO₂	CH₃	Н	Н	ОН	N-CH <sub>3</sub>
B432	CH <sub>2</sub> =CHCH <sub>2</sub>	CH₃	Н	Н	ОН	N-CH₃
B433	HCCCH₂	CH₃	Н	Н	ОН	N-CH <sub>3</sub>
B434	CF <sub>3</sub>	СН₃	Н	Н	ОН	N-CH <sub>3</sub>
B435	$(CH_3)_2NSO_2$	CH₃	: <b>H</b>	Н	ОН	N-CH₃
B436	(CH₃)₂N	CH <sub>3</sub>	Н	Н	ОН	N-CH₃
B437	PhO	CH₃	Н	Н	ОН	N-CH₃
B438	PhS	CH₃	Н	Н	ОН	N-CH₃
B439	PhSO	CH <sub>3</sub>	Н	H	ОН	N-CH₃
B440	PhSO <sub>2</sub>	СН₃	Н	Н	ОН	N-CH₃
B441	CN	. CH₃	Н	Н	ОН	N-CH₃
B442	CH <sub>3</sub>	Н	СН₃	Н	ОН	N-CH₃
B443	CH₃CH₂	н	CH₃	Н	ОН	N-CH₃
B444	CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub>	Н	CH <sub>3</sub>	Н	ОН	N-CH₃
B445	(CH₃)₂CH	Н	CH₃	Н	ОН	N-CH₃
B446	(CH₃)₃C	Н	CH₃	Н	ОН	N-CH₃
B447	CH₃S	Н	CH₃	Н	ОН	N-CH₃
B448	CH₃SO	Н	CH₃	Н	ОН	N-CH₃
B449	CH₃SO₂	н	CH <sub>3</sub>	Н	ОН	N-CH <sub>3</sub>
B450	Ph	H ·	CH₃	Н	ОН	N-CH₃
B451	CH₃O	Н	CH₃	Н	OH	N-CH₃
B452	CH₃CO₂	н	CH₃	Н	ОН	N-CH₃
B453	CH₃CH₂CO₂	н	CH₃	Н	ОН	N-CH <sub>3</sub>
B454	CH <sub>2</sub> =CHCH <sub>2</sub>	H	CH₃	Н	ОН	N-CH₃
B455	HCCCH₂	Н	CH₃	Н	ОН	N-CH₃
B456	CF <sub>3</sub>	Н	СН₃	Н	ОН	N-CH₃
B457	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	н	СН₃	Н	ОН	N-CH₃
B458	(CH₃)₂N	Н	CH₃	Н	ОН	N-CH₃
B459	PhO	Н	СН₃	Н	ОН	N-CH₃
B460	PhS	н	CH₃	Н	ОН	N-CH₃
B461	PhSO	Н	CH <sub>3</sub>	Н	ОН	N-CH₃

Radical	R <sub>44</sub>	R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	R <sub>40</sub>	w
B462	PhSO₂	н	CH₃	Н	ОН	N-CH₃
B463	CN	Н	CH₃	Н	ОН	N-CH₃
B464	CH <sub>3</sub>	CH₃	CH₃	Н	ОН	N-CH <sub>3</sub>
B465	CH₃CH₂	CH₃	CH₃	Н	ОН	N-CH <sub>3</sub>
B466	CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub>	СН₃	CH₃	Н	ОН	N-CH <sub>3</sub>
B467	(CH₃)₂CH	CH₃	CH₃	Н	ОН	N-CH₃
B468	(CH₃)₃C	CH₃	CH₃	Н	ОН	N-CH₃
B469	CH₃S	СН₃	CH₃	Н	ОН	N-CH <sub>3</sub>
B470	CH₃SO	СН₃	CH₃	Н	ОН	N-CH <sub>3</sub>
B471	CH₃SO₂	СН₃	CH₃	Н	OH	N-CH <sub>3</sub>
B472	Ph	СН₃	CH₃	Н	ОН	N-CH₃
B473	CH <sub>3</sub> O	СН₃	CH₃	Н	ОН	N-CH₃
B474	CH <sub>3</sub> CO <sub>2</sub>	СН₃	CH₃	Н	ОН	N-CH₃
B475	CH₃CH₂CO₂	СН₃	CH₃	Н	ОН	N-CH₃
B476	CH₂=CHCH₂	CH₃	CH <sub>3</sub>	Н	ОН	N-CH₃
B477	HCCCH₂	CH <sub>3</sub>	CH₃	Н	ОН	N-CH₃
B478	CF₃	CH₃	CH₃	Н	ОН	N-CH <sub>3</sub>
B479	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH₃	CH₃	Н	ОН	N-CH₃
B480	(CH <sub>3</sub> )₂N	СН₃	CH₃	Н	ОН	N-CH <sub>3</sub>
B481	PhO	СН₃	CH <sub>3</sub>	Н	ОН	N-CH₃
B482	PhS	CH₃	CH₃	H	ОН	N-CH₃
B483	PhSO	CH₃	CH₃	Н	ОН	N-CH₃
B484	PhSO <sub>2</sub>	CH₃	СН₃	Н	ОН	N-CH₃
B485	CN	CH <sub>3</sub>	CH₃	Н	ОН	N-CH₃
B486	CH <sub>3</sub>	CH₃	CH₃	СН₃	ОН	N-CH₃
B487	CH₃CH₂	CH₃	CH₃ (	CH <sub>3</sub>	ОН	N-CH₃
B488	CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub>	CH₃	CH <sub>3</sub>	CH₃	ОН	N-CH₃
B489	(CH₃)₂CH	CH₃	CH <sub>3</sub> (	СН₃	ОН	N-CH₃
B490	(CH₃)₃C	CH₃	CH₃ (	CH₃	ОН	N-CH <sub>3</sub>
B491	CH₃S	⁻CH₃	CH <sub>3</sub> (	CH₃	OH .	N-CH <sub>3</sub>
B492	CH₃SO	CH₃	CH₃ (	CH₃	ОН	N-CH₃
B493	CH <sub>3</sub> SO <sub>2</sub>	СН₃	CH <sub>3</sub> (	CH <sub>3</sub>	ОН	N-CH₃
B494	<u>P</u> h	СН₃	CH₃ (	CH₃	ОН	N-CH <sub>3</sub>

Radical	R <sub>44</sub>	R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	R <sub>40</sub>	w
B495	CH₃O	CH₃	CH <sub>3</sub>	СН₃	ОН	N-CH₃
B496	CH₃CO₂	CH₃	CH₃	CH₃	ОН	N-CH₃
B497	CH₃CH₂CO₂	СН₃	СН₃	СН₃	ОН	N-CH <sub>3</sub>
B498	CH <sub>2</sub> =CHCH <sub>2</sub>	СН₃	CH₃	CH₃	ОН	N-CH₃
B499	HCCCH₂	CH₃	СН₃	CH <sub>3</sub>	ОН	N-CH₃
B500	CF <sub>3</sub>	CH₃	CH <sub>3</sub>	CH <sub>3</sub>	ОН	N-CH₃
B501	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH₃	CH <sub>3</sub>	CH <sub>3</sub>	ОН	N-CH₃
B502	(CH₃)₂N	CH₃	CH₃	СН₃	ОН	N-CH₃
B503	PhO	CH₃	CH <sub>3</sub>	CH₃	ОН	N-CH₃
B504	PhS	CH₃	CH₃	CH <sub>3</sub>	ОН	N-CH₃
B505	PhSO	СН₃	CH₃	СН₃	ОН	N-CH₃
B506	PhSO₂	CH₃	CH <sub>3</sub>	CH <sub>3</sub>	ОН	N-CH₃
B507	CN	CH₃	CH₃	CH <sub>3</sub>	ОН	N-CH₃
B508	CH₃CH₂	CH₃CH₂	Н	Н	ОН	N-CH₃
B509	CH₃CH₂CH₂	CH₃CH₂	Н	Н	ОН	N-CH₃
B510	(CH₃)₂CH	CH₃CH₂	Н	Н	ОН	N-CH₃
B511	(CH₃)₃C	CH₃CH₂	Н	Н	ОН	N-CH₃
B512	CH₃S	CH₃CH₂	Н	Н	ОН	N-CH₃
B513	CH₃SO	CH₃CH₂	Н	Н	ОН	N-CH₃
B514	CH <sub>3</sub> SO₂	CH₃CH₂	H ·	Н	ОН	N-CH₃
B515	Ph	CH₃CH₂	Н	Н	ОН	N-CH₃
B516	CH₃O	CH₃CH₂	Н	٠н	ОН	N-CH₃
B517	CH <sub>3</sub> CO <sub>2</sub>	CH₃CH₂	H	Н	ОН	N-CH₃
B518	CH <sub>3</sub> CH <sub>2</sub> CO <sub>2</sub>	CH₃CH₂	Н	Н	ОН	N-CH₃
B519	CH₂=CHCH₂	CH₃CH₂	Н	Н	ОН	N-CH₃
B520	HCCCH₂	CH₃CH₂	Н	Н	ОН	N-CH₃
B521	CF₃	CH₃CH₂	Н	Н.	ОН	N-CH₃
B522	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH₃CH₂	Н	Н	ОН	N-CH₃
B523	(CH₃)₂N	CH₃CH₂	н	Н	ОН	N-CH₃
B524	PhO	CH₃CH₂	Н	Н	ОН	N-CH <sub>3</sub>
B525	PhS	CH₃CH₂	н	Н	ОН	N-CH₃
B526	PhSO	CH₃CH₂	н	Н	ОН	N-CH₃
B527	PhSO <sub>2</sub>	CH <sub>2</sub> CH <sub>2</sub>	н	н	ОН	N-CH <sub>2</sub>

	•					
Radical	R <sub>44</sub>	R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	R <sub>40</sub>	w
B528	CN	CH₃CH₂	Ή	Н	ОН	N-CH₃
B529	н	Н	Н	Н	ОН	. 0
B530	CH₃	н	Н	Н	ОН	0
B531	CH₃CH₂	Н	Н	Н	ОН	. 0
B532	CH₃CH₂CH₂	н	Н	Н	ОН	0
B533	(CH₃)₂CH	Н	Н	Н	ОН	0
B534	(CH <sub>3</sub> ) <sub>3</sub> C	·H	Н	Н	ОН	0
B535	CH₃S	Н	Н	Н	ОН	0
B536	CH₃SO	Н	Н	Н	ОН	0
B537	CH <sub>3</sub> SO₂	· Ho	. н	Н	ОН	. 0
B538	Ph.	н	Н	Н	ОН	0
B539	CH₃O	Н	Н	Н	ОН	0
B540	CH₃CO₂	Н	Н	Н	ОН	0
B541	CH₃CH₂CO₂	Н	Н	Н	ОН	0
B542	CH <sub>2</sub> =CHCH <sub>2</sub>	н	Н	Н	ОН	0
B543	HCCCH₂	Н	Н	Н	ОН	· o
B544	CF <sub>3</sub>	Н	Н	Н	ОН	. 0
B545	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Н	Н	Н	ОН	0
B546	(CH₃)₂N	Н	Н	Н	ОН	0
B547	PhO	Н	Н	Н	ОН	0
B548	PhS	н	Н	Н	ОН	0
B549	. PhSO	н	Н	Н	ОН	0
B550	PhSO <sub>2</sub>	Н	Н	Н	ОН	0
B551	CN	н	Н	Н	ОН	. 0
B552	CH₃	CH₃	н	Н	ОН	0
B553	CH₃CH₂	CH₃	Н	H	ОН	0
B554	CH₃CH₂CH₂	CH₃	н	Н	ОН	0
B555	(CH₃)₂CH	CH₃	Н	Н	ОН	0
B556	(CH₃)₃C	CH₃	Н	Н	ОН	0
B557	CH₃S	CH₃	Ħ	н	ОН	0
B558	CH₃SO	CH₃	H	Н	OH.	0
B559 <sub>.</sub>	CH <sub>3</sub> SO <sub>2</sub>	СН₃	н	Н	ОН	0
B560	<b>.Ph</b>	СН₃	Н	Н	ОН	0
						-

Radical	R <sub>44</sub> .	R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	R <sub>40</sub>	w
B561	CH₃O	∵.₃, CH₃	н	H	OH	. 0
B562	ÇH₃CO₂	CH₃	н	Н	ОН	0
B563	CH <sub>3</sub> CH <sub>2</sub> CO <sub>2</sub>	CH₃	н	Н	ОН	0
B564	CH <sub>2</sub> =CHCH <sub>2</sub>	CH₃	н	Н	ОН	0 *
B565	HCCCH <sub>2</sub>	CH₃	Н	Н	ОН	0
B566	CF <sub>3</sub>	CH₃	H	Н	ОН	0
B567	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH₃	Н	Н	ОН	0
B568	(CH <sub>3</sub> )₂N	CH₃	н	Н	ОН	0
B569	PhO	CH₃	Н	Н	ОН	0
B570	PhS	CH₃	Н	Н	ОН	0
B571	PhSO	CH <sub>3</sub>	Н	н	ОН	0
B572	PhSO <sub>2</sub>	CH₃	Н	Н	ОН	0
B573 -	CN	СН₃	Н	н	ОН	0
B574	CH₃	н	CH₃	н	ОН	0
B575	CH <sub>3</sub> CH <sub>2</sub>	н	CH₃	Н	ОН	0
B576	CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub>	н	CH₃	Н	ОН	0
B577	(CH₃)₂CH	н	CH₃	н	ОН	0
B578	(CH₃)₃C	н	СН₃	Ή.	ОН	0
B579	CH₃S	Н	СН₃	Н	ОН	0
B580	CH₃SO	Н	CH₃	Н	ОН	0
B581	CH₃SO₂	Н	CH₃	Н	ОН	0.
B582	Ph	Н	CH <sub>3</sub>	Н	ОН	0
B583	CH₃O	Н	СН₃	Н	ОН	0
B584	CH₃CO₂	Н	СН₃	Н	ОН	0
B585	CH₃CH₂CO₂	н	CH₃	Н	ОН	0
B586	CH₂=CHCH₂	Н	СН₃	Н	ОН	. 0
B587	HCCCH₂	Н	CH₃	Н	ОН	. 0
B588	CF₃	н	CH₃	Н	ОН	0
B589	(CH₃)₂NSO₂	Н	CH <sub>3</sub>	Н	ОН	0
B590	(CH₃)₂N	Н	CH <sub>3</sub>	Н	ОН	0
B591	PhO .	н	CH <sub>3</sub>	Н	ОН	0
B592	PhS .	Н	СН₃	Н	ОН	0
B593	PhSO	н	СН₃	Н	ОН	0

Radical	R <sub>44</sub>	R <sub>37</sub>	R <sub>38</sub> R	39 R <sub>40</sub>	w
B594	PhSO <sub>2</sub>	H	CH₃ ⊦		0
B595	CN	н	CH₃ F	н он	0
B596	CH₃	CH₃	CH₃ F	I OH	0
B597	CH₃CH₂	CH₃	CH₃ F	<b>І</b> ОН	0 -
B598	CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub>	СН₃	CH₃ H	і он	0
B599	(CH <sub>3</sub> )₂CH	CH₃	СН₃ Н	ОН	0
B600	(CH <sub>3</sub> ) <sub>3</sub> C	СН₃	СН₃ Н	ОН	0
B601	CH₃S	СН₃	СН₃ Н	ОН	0
B602	CH₃SO	CH₃	СН₃ Н	ОН	0
B603	CH <sub>3</sub> SO <sub>2</sub>	CH₃	СН₃ Н	OH	0
B604	Ph	CH₃	СН₃ Н	ОН	. 0
B605	CH₃O	CH₃.	CH₃ H	ОН	0
B606	CH <sub>3</sub> CO <sub>2</sub>	СН₃	СН₃ Н	ОН	0
B607	CH <sub>3</sub> CH <sub>2</sub> CO <sub>2</sub>	СН₃	СН₃ Н	ОН	. 0
B608	CH <sub>2</sub> =CHCH <sub>2</sub>	СН₃	СН₃ Н	ОН	0
B609	HCCCH₂	CH₃	СН₃ Н	ОН	0
B610	CF₃	CH₃	СН₃ Н	ОН	O .
B611	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	. CH <sub>3</sub>	СН₃ Н	OH	. 0
B612	(CH₃)₂N	СН₃	СН₃ Н	ОН	0
B613	PhO	CH₃	СН₃ Н	ОН	0
B614	PhS	CH₃	СН₃ Н	ОН	0
B615	PhSO	CH₃	СН₃ Н	ОН	Ο.
B616	PhSO <sub>2</sub>	CH₃	СН₃ Н	ОН	. О
B617	CN	CH₃	СН₃ Н	ОН	0
B618	CH₃	CH₃	CH₃ CH	₃ ОН	0
B619 ·	CH₃CH₂	CH₃	CH₃ CH	з ОН	<b>O</b> .
B620	CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub>	СН₃	CH₃ CH	3 OH	, <b>O</b>
B621	(CH₃)₂CH	CH₃	CH₃ CH	з ОН	0
B622	(CH <sub>3</sub> ) <sub>3</sub> C.	СН₃	CH₃ CH	3 OH	0
B623	CH₃S	CH₃	CH₃ CH	oH	O
B624	CH₃SO	CH₃	CH₃ CH₃	о ОН	0
B625	CH <sub>3</sub> SO₂	СН₃	CH₃ CH₅	OH	0
B626	Ph	CH₃	CH₃ CH₃	ОН	O

Radical	R44	R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	R40	W
B627	CH₃O	CH₃	CH <sub>3</sub>	CH <sub>3</sub>	ОН	0
B628	CH₃CO₂	CH₃	CH₃	CH <sub>3</sub>	ОН	0
B629	CH <sub>3</sub> CH <sub>2</sub> CO <sub>2</sub>	CH <sub>3</sub> .	CH₃	CH₃	ОН	0
B630	CH <sub>2</sub> =CHCH <sub>2</sub>	CH₃	CH₃	CH₃	ОН	0
B631	HCCCH₂	CH₃	CH₃	CH₃	ОН	0
B632	CF <sub>3</sub>	CH₃	СН₃	CH₃	ОН	0
B633	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH₃	CH₃	CH₃	ОН	0
B634	(CH₃)₂N	CH <sub>3</sub>	CH₃	CH₃	ОН	0
B635	PhO	CH <sub>3</sub>	CH₃	CH <sub>3</sub>	ОН	0
B636	PhS	CH <sub>3</sub>	CH₃	CH <sub>3</sub>	ОН	0
B637	PhSO	CH <sub>3</sub>	CH₃	CH₃	ОН	0
B638	PhSO <sub>2</sub>	CH₃	CH <sub>3</sub>	CH <sub>3</sub>	ОН	0
B639	CN	CH₃	СН₃	СН3	ОН	0
B640	CH₃CH₂	CH₃CH₂	Н	Н	ОН	0
B641	CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub>	CH₃CH₂	Н	Н	ОН	0
B642	(CH₃)₂CH	CH₃CH₂	Н	Н	ОН	0
B643	(CH₃)₃C	CH₃CH₂	Н	Н	ОН	0
B644	CH₃S	CH <sub>3</sub> CH <sub>2</sub>	Н	Н	ОН	0
B645	CH₃SO	CH₃CH₂	Н	Н	ОН	0
B646	CH₃SO₂	CH₃CH₂	Н	H	ОН	, <b>o</b>
B647	Ph	CH₃CH₂	Н	Н	ОН	0
B648	CH₃O	CH₃CH₂	Н	Н	ОН	0
B649	CH₃CO₂	CH₃CH₂	Н	Н	ОН	0
B650	CH₃CH₂CO₂	CH₃CH₂	Н	Н	OH	0
B651	CH <sub>2</sub> =CHCH <sub>2</sub>	CH₃CH₂	Н	Н	ОН	.0
B652	HCCCH₂	CH₃CH₂	Н	Н	ОН	0
B653	CF₃	CH₃CH₂	Н	Н	OH	0
B654	(CH₃)₂NSO₂	CH₃CH₂	Н	Н	ОН	Ο.
B655	(CH₃)₂N	CH₃CH₂	Н	Н	ОН	0
B656	PhO	CH₃CH₂	Н	Н	ОН	0
B657	PhS	CH₃CH₂	Н	Н	ОН	0
B658	PhSO	CH₃CH₂	Н	Н	ОН	0
B659	PhSO <sub>2</sub>	CH₃CH₂	H	Н	ОН	.0

Radical	R <sub>44</sub>	D	р	<b>D</b>	-	347
B660	CN	R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	R <sub>40</sub>	W
B661		CH₃CH₂	Н	Н	OH	0
	Н	Н	Н	Н	OH	S
B662	CH₃	H	Н	Н	ОН	S
B663	CH₃CH₂	H	Н	Н	ОН	S
B664	CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub>	Н	Н	Н	ОН	S
B665	(CH₃)₂CH	Н	Н	Н	ОН	S
B666	(CH₃)₃C	Н	Н	H	ОН	· S
B667	CH₃S	Н	Н	H	OH	S
B668	CH₃SO	Н	H ·	Н	ОН	S
B669	CH <sub>3</sub> SO <sub>2</sub>	Н	Н	· H	OH	S
B670	Ph	Н	Н	H	ОН	S.
B671	CH₃O	н	· H	Н	OH	s
B672	CH₃CO <sub>2</sub>	Н	Н	Н	ОН	S
B673	CH₃CH₂CO₂	Н	H	H	OH	s
B674	CH <sub>2</sub> =CHCH <sub>2</sub>	• н	Н	Н	ОН	S
B675	HCCCH₂	Н	Н	Н	ОН	S
B676	CF₃	Н	Н	Н	ОН	S
B677	(CH <sub>3</sub> )₂NSO₂	. Н	Н	Н	ОН	S
B678	(CH₃)₂N	H	Н	Н	ОН	S
B679	PhO	Н	Н	Н	ОН	S
B680	PhS	Н	Ĥ	н	ОН	s
B681	PhSO	Н	Н	Н	ОН	s
B682	PhSO₂	Н	Н	Н	ОН	s
B683	CN	H	Н	Н	ОН	S
B684	СН₃	CH₃	Н	·H	ОН	s
B685	CH₃CH₂	CH₃	Н	Н	ОН	s
B686	CH₃CH₂CH₂	CH₃	Н	Н	ОН	S
B687	(CH₃)₂CH	CH₃	Н	н	ОН	s
B688	(CH₃)₃C	СН₃	н	Н	ОН	s
B689	CH₃S	CH₃	Н	Ĥ	ОН	S
B690	CH₃SO	CH₃	Н	Н	ОН	S
B691	CH₃SO₂	CH₃	Н	Н	ОН	S
B692		CH₃	Н	Н	ОН	S
		<del>-</del>	- •	- •	<b></b>	•

Radical	R <sub>44</sub>	' R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	R <sub>40</sub>	W
B693	CH₃O	CH₃	Н	H	ОН	s
B694	CH₃CO₂	CH₃	Н	Н	ОН	s
B695	CH₃CH₂CO₂	CH₃	Н	Н	ОН	S
B696	CH <sub>2</sub> =CHCH <sub>2</sub>	CH₃	Н	Н	ОН	S
B697	HCCCH₂	CH₃	Н	Н	ОН	S
B698	CF <sub>3</sub>	CH₃	Н	Н	ОН	S
B699	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH₃	Н	Н	ОН	S
B700	(CH₃)₂N	СН₃	Н	Н	ОН	S
B701	PhO	СН₃	Н	Н	ОН	S
B702	PhS	СН₃	Н	Н	ОН	S
B703	PhSO	СН₃	н	Н	ОН	S
B704	PhSO <sub>2</sub>	СН₃	Н	Н	ОН	s
B705	CN .	СН₃	Н	Н	ОН	· s
B706	CH₃	Н	СН₃	Н	ОН	s
B707	CH₃CH₂	н	CH₃	Н	ОН	s
B708	CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub>	н	СН₃	Н	ОН	s
B709	(CH₃)₂CH	Н	CH <sub>3</sub>	Н	ОН	s
B710	(CH <sub>3</sub> ) <sub>3</sub> C	Н	CH <sub>3</sub>	Н	ОН	s
B711	CH₃S	Н	CH₃	Н	ОН	S
B712	CH₃SO	Н	CH₃	Н	ОН	s
B713	CH₃SO₂	н	CH <sub>3</sub>	Н	ОН	S
B714	Ph	Н	CH₃	Н	ОН	s
B715	CH₃O	н	CH₃	Н	ОН	s
B716	CH₃CO₂	н	CH <sub>3</sub>	Н	ОН	s
B717	CH <sub>3</sub> CH <sub>2</sub> CO <sub>2</sub>	Н	CH₃	н	ОН	S
B718	CH <sub>2</sub> =CHCH <sub>2</sub>	Н	CH₃	Н	ОН	S
B719	HCCCH₂	н	CH₃	Н	ОН	S
B720	CF₃	Н	CH₃	Н	ОН	S
B721	(CH <sub>3</sub> )₂NSO₂	Н	CH₃	Н	ОН	S
B722	(CH₃)₂N	н	CH₃	Н	ОН	S
B723	PhO	н	CH₃	Н	ОН	S
B724	PhS	н	CH₃	Н	ОН	S
B725	PhSO	Н	СН₃	Н	ОН	s

()

Radical	R <sub>44</sub>	R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	R <sub>40</sub>	W
B726	PhSO <sub>2</sub>	Н	CH₃	Н	OH	S
B727	CN	Н	CH₃	Н	OH	S
B728	CH₃	CH₃	CH₃	Н	ОН	S
B729	CH₃CH₂	СН₃	CH₃	Н	ОН	s
B730	CH₃CH₂CH₂	CH <sub>3</sub>	CH₃	Н	ОН	S
B731	(CH₃)₂CH	СН₃	CH₃	Н	ОН	s
B732	(CH₃)₃C	CH₃	CH <sub>3</sub>	Н	ОН	S
B733	CH₃S	СН₃	CH₃	Н	ОН	S
B734	CH₃SO	СН₃	СН₃	Н	ОН	S
B735	CH <sub>3</sub> SO <sub>2</sub>	СН₃	CH₃	Н	OH	S
B736	Ph	CH₃	CH₃	Н	ОН	s
B737	CH₃O	CH₃	CH <sub>3</sub>	Н	ОН	s
B738	CH <sub>3</sub> CO <sub>2</sub>	СН₃	CH₃	Ή	ОН	s
B739	CH <sub>3</sub> CH <sub>2</sub> CO <sub>2</sub>	CH₃	CH₃	Н	ОН	S
B740	CH₂=CHCH₂	CH <sub>3</sub>	СН₃	Н	ОН	·s
B741	HCCCH₂	CH₃	CH <sub>3</sub>	Н	ОН	S
B742	CF <sub>3</sub>	CH <sub>3</sub>	CH₃	Н	ОН	S
B743	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH₃	CH₃	Н	ОН	S
B744	(CH <sub>3</sub> )₂N	СН₃	CH₃	Н	ОН	S
B745	PhO	CH₃	CH₃	Н	ОН	S
B746	PhS	CH₃	CH₃	Н	ОН	S
B747	PhSO	CH₃	CH₃	Н	ОН	S
B748	PhSO <sub>2</sub>	CH₃	CH₃	Н	ОН	S
B749	CN	CH₃	CH <sub>3</sub>	Н	ОН	S
B750	CH₃	CH <sub>3</sub>	CH₃ (	CH₃	ОН	S
B751 .	CH₃CH₂	CH₃	CH <sub>3</sub> C	CH₃	ОН	S
B752	CH₃CH₂CH₂	CH₃	CH₃ C	CH₃	ОН	S
B753	(CH₃)₂CH	CH₃	CH₃ C	CH <sub>3</sub>	ОН	S
B754	(CH₃)₃C	CH₃	CH <sub>3</sub> . C	CH <sub>3</sub>	ОН	s
B755	CH₃S	CH₃	CH₃ C	<b>H</b> 3	OH	S
B756	CH₃SO	CH <sub>3</sub>	CH₃ C	ЭН₃	ОН	s
B757	CH₃SO₂	СН₃	CH₃ C	Ж₃	ОН	s
B758	Ph	CH₃	CH₃ C	H <sub>3</sub>	ОН	s

Radical	R <sub>44</sub>	R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	R <sub>40</sub>	w
B759	CH₃O	CH₃	СН₃	CH <sub>3</sub>	ОН	S
B760	CH <sub>3</sub> CO <sub>2</sub>	CH₃	CH₃	CH₃	ОН	s
B761	CH <sub>3</sub> CH <sub>2</sub> CO <sub>2</sub>	CH <sub>3</sub>	СН₃	CH₃	ОН	S
B762	CH <sub>2</sub> =CHCH <sub>2</sub>	CH₃	CH₃	CH <sub>3</sub>	ОН	s f
B763	HCCCH <sub>2</sub>	CH₃	СН₃	СН3	ОН	S
B764	CF₃	СН₃	CH₃	CH₃	ÓН	S
B765	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH₃	CH₃	CH₃	ОН	S
B766	(CH₃)₂N	CH₃	СН₃	СН₃	OH	S
B767	PhO	CH₃	CH <sub>3</sub>	СН₃	ОН	S
B768	PhS	CH₃	CH₃	CH₃	ОН	S
B769	PhSO	CH₃	CH₃	CH <sub>3</sub>	ОН	S
B770	PhSO <sub>2</sub>	CH₃ <sub>.</sub>	CH <sub>3</sub>	CH <sub>3</sub>	ОН	S
B771	CN	CH₃	CH₃	CH₃	ОН	S
B772	CH₃CH₂	CH₃CH₂	Н	Н	ОН	S
B773	CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub>	CH₃CH₂	Н	Н	ОН	S
B774	(CH₃)₂CH	CH₃CH₂	Н	H	ОН	S
B775	(CH₃)₃C	CH₃CH₂	Н	Н	ОН	S
B776	CH₃S	CH₃CH₂	Н	Н	ОН	S
B777	CH₃SO	CH₃CH₂	Н	Н	ОН	S
B778	CH₃SO₂	CH₃CH₂	Н	Н	ОН	S
B779	Ph	CH₃CH₂	Н	Н	ОН	S
B780	CH₃O	CH₃CH₂	Н	Н	ОН	S
B781	CH₃CO₂	CH₃CH₂	Н	Н	OH	S
B782	CH₃CH₂CO₂	CH₃CH₂	Н	Н	ОН	S
B783	CH <sub>2</sub> =CHCH <sub>2</sub>	CH₃CH₂	Н	Н	ОН	S
B784	HCCCH₂	CH₃CH₂	Н	Н	OH	S
B785	CF₃	CH₃CH₂	Н	Н	ОН	S
B786	(CH₃)₂NSO₂	CH₃CH₂	Н	Н	ОН	S
B787	(CH₃)₂N	CH₃CH₂	Н	Н	ОН	s
B788	PhO	CH₃CH₂	Н	Н	ОН	S
B789	PhS	CH₃CH₂	Н	Н	ОН	S
B790	PhSO	CH₃CH₂	Н	Н	ОН	S
B791	PhSO₂	CH₃CH₂	Н	н	ОН	s

Radical	R <sub>44</sub>	R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	R <sub>40</sub>	W
B792	CN	CH <sub>3</sub> CH <sub>2</sub>	н	Н	OH	S
B793	Н	н	Н	Н	ОН	SO <sub>2</sub>
B794	CH₃	Н	Н	Н	ОН	SO <sub>2</sub>
B795	CH₃CH₂	Н	Н	Н	OH	SO <sub>2</sub>
B796	CH₃CH₂CH₂	Н	Н	Н	ОН	SO <sub>2</sub>
B797 <sup>†</sup>	(CH₃)₂CH	H,	Н	Н	OH	SO <sub>2</sub>
B798	(CH <sub>3</sub> ) <sub>3</sub> C	Н	Н	Н	OH	SO <sub>2</sub>
B799	CH₃S	н	Н	Н	ОН	SO <sub>2</sub>
B800	CH₃SO	н	Н	Н	ОН	SO <sub>2</sub>
B801	CH₃SO₂	. н	Н	Н	OH	SO <sub>2</sub>
B802	Ph	Н	Н	Н	ОН	SO <sub>2</sub>
B803	CH₃O	Н	Н	Н	ОН	SO <sub>2</sub>
B804	CH₃CO₂	н	Ή.	Η.	ОН	SO <sub>2</sub>
B805	CH <sub>3</sub> CH <sub>2</sub> CO <sub>2</sub>	н	Н	Н	ОН	SO <sub>2</sub>
B806	CH <sub>2</sub> =CHCH <sub>2</sub>	н	Н	Н	ОН	SO <sub>2</sub>
B807	HCCCH₂	H	Н	Н	ОН	SO <sub>2</sub>
B808	CF₃	н	Н	Н	ОН	SO <sub>2</sub>
B809	(CH₃)₂NSO₂	·H	Н	Н	ОН	SO <sub>2</sub>
B810	(CH₃)₂N	Н	Н	H	ОН	SO <sub>2</sub>
B811	PhO	Н	Н	Н	OH	SO <sub>2</sub>
B812	PhS	Н	H	Н	ОН	SO <sub>2</sub>
B813	PhSO	H	Н	Н	ОН	SO <sub>2</sub>
B814	PhSO <sub>2</sub>	H	н	Н	ОН	SO <sub>2</sub>
B815	CN	H	Н	H	OH	SO <sub>2</sub>
B816	CH₃	CH <sub>3</sub>	Н	Н	ОН	SO₂
B817	CH₃CH₂	CH₃ ·	Н	Н	OH	SO <sub>2</sub>
B818	CH₃CH₂CH₂	CH₃	Н	Н	OH	SO <sub>2</sub>
B819	(CH₃)₂CH	CH₃	Н	Н	ОН	SO <sub>2</sub>
B820	(CH₃)₃C	CH <sub>3</sub>	Н	Н	ОН	SO <sub>2</sub>
B821	CH₃S	CH₃	'H'	Ħ	OH.	SO <sub>2</sub>
B822	CH₃SO	CH₃	Н	Н	ОН	SO <sub>2</sub>
B823	CH <sub>3</sub> SO <sub>2</sub>	CH₃	Н	Н	ОН	SO <sub>2</sub>
B824	Ph	СН₃	Н	Н	ОН.	SO <sub>2</sub>
						-

Radical	R <sub>44</sub>	R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	R <sub>40</sub>	W
B825	CH₃O	CH₃	Н	Н	ОН	SO <sub>2</sub>
B826	CH₃CO₂	CH₃	Н	Н	ОН	SO <sub>2</sub>
B827	CH <sub>3</sub> CH <sub>2</sub> CO <sub>2</sub>	CH₃	Н	Н	ОН	SO <sub>2</sub>
B828	CH <sub>2</sub> =CHCH <sub>2</sub>	CH₃	Н	Н	ОН	SO <sub>2</sub> <sup>1</sup>
B829	HCCCH₂	CH₃	н	Н	OH	SO <sub>2</sub>
B830	CF <sub>3</sub>	CH₃	Н	Н	ОН	SO <sub>2</sub>
B831	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH₃	Н	Н	ОН	SO <sub>2</sub>
B832	(CH₃)₂N	CH₃	Н	Н	ОН	SO <sub>2</sub>
B833	PhO	CH₃	Н	Н	ОН	SO <sub>2</sub>
B834	PhS	CH₃	Н	Н	ОН	SO <sub>2</sub>
B835	PhSO	CH₃	Н	Н	ОН	SO <sub>2</sub>
B836	PhSO <sub>2</sub>	CH₃	Н	Н	OH	SO <sub>2</sub>
B837	CN	CH₃	Н	Н	ОН	SO <sub>2</sub>
B838	CH₃	Н	СН₃	Н	ОН	SO <sub>2</sub>
B839	CH₃CH₂	Н	CH₃	Н	ОН	SO <sub>2</sub>
B840	CH₃CH₂CH₂	Н	CH₃	H	ОН	SO <sub>2</sub>
B841	(CH₃)₂CH	Н	CH₃	Н	ОН	SO <sub>2</sub>
B842	(CH₃)₃C	Н	CH₃	Н	ОН	SO <sub>2</sub>
B843	CH₃S	н	CH₃	Н	ОН	SO <sub>2</sub>
B844	CH₃SO	Н	CH₃	Н	ОН	SO <sub>2</sub>
B845 ·	CH₃SO₂	Н	CH <sub>3</sub>	Н	ОН	SO <sub>2</sub>
B846	Ph	Н	CH <sub>3</sub>	Н	ОН	SO <sub>2</sub>
B847	CH₃O	Н	CH₃	Н	ОН	SO <sub>2</sub>
B848	CH₃CO₂	Н	CH₃	Н	OH	SO₂
B849	CH3CH2CO2	Н	CH₃	Н	ОН	SO <sub>2</sub> .
B850	CH₂=CHCH₂	Н	CH₃	Н	ОН	SO <sub>2</sub>
B851	HCCCH₂	Н	CH₃	Н	ОН	SO <sub>2</sub>
B852	CF <sub>3</sub>	Н	CH <sub>3</sub>	Н	ОН	SO <sub>2</sub>
B853	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Н	CH <sub>3</sub>	Н	ОН	SO <sub>2</sub>
B854	(CH <sub>3</sub> ) <sub>2</sub> N	Н	CH <sub>3</sub>	Н	ОН	SO <sub>2</sub>
B855	PhO	Н	CH₃	Н	ОН	SO <sub>2</sub>
B856	PhS	Н	СН₃	Н	ОН	SO <sub>2</sub>
B857	PhSO	Н	СН₃	<b>H</b> .	ОН	SO <sub>2</sub>

Dadisəl	5	_	_	_	_	
Radical	R <sub>44</sub>	R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	$R_{40}$	W
B858	PhSO₂	Н	CH₃	Н	ОН	SO <sub>2</sub>
B859	CN	Н	CH₃	Н	OH	SO <sub>2</sub>
B860	CH₃	CH₃	CH₃	Н	ОН	SO <sub>2</sub>
B861	CH₃CH₂	CH <sub>3</sub>	CH <sub>3</sub>	Н	ОН	SO <sub>2</sub>
B862	CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub>	CH₃	CH <sub>3</sub>	Н	ОН	SO <sub>2</sub>
B863	(CH₃)₂CH	CH <sub>3</sub>	CH <sub>3</sub>	Н	OH	SO <sub>2</sub>
B864	(CH₃)₃C	CH <sub>3</sub>	CH <sub>3</sub>	Н	ОН	SO <sub>2</sub>
B865	CH₃S	CH₃	CH₃	H	ОН	SO <sub>2</sub>
B866	CH₃SO	CH₃	CH₃	Н	ОН	SO <sub>2</sub>
B867	CH <sub>3</sub> SO <sub>2</sub>	СН₃	СН₃	H	OH	SO₂
B868	· Ph	CH₃	CH₃	Н	ОН	SO <sub>2</sub>
B869	CH <sub>3</sub> O	CH₃	СН₃	Н	ОН	SO <sub>2</sub>
B870	CH <sub>3</sub> CO <sub>2</sub>	CH₃	CH₃	Н	ОН	SO <sub>2</sub>
B871	CH <sub>3</sub> CH <sub>2</sub> CO <sub>2</sub>	СН₃	CH₃	Н	ОН	SO <sub>2</sub>
B872	CH <sub>2</sub> =CHCH <sub>2</sub>	СН₃	CH₃	Н	ОН	SO <sub>2</sub>
B873	HCCCH₂	СН₃	CH <sub>3</sub>	Н	ОН	SO <sub>2</sub>
B874	CF₃	CH₃	CH₃	Н	ОН	SO <sub>2</sub>
B875	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH <sub>3</sub>	CH₃	н	ОН	SO <sub>2</sub>
B876	(CH₃)₂N	CH <sub>3</sub>	CH₃	Н	ОН	SO <sub>2</sub>
B877	PhO	CH <sub>3</sub>	СН₃	Н	OH	SO <sub>2</sub>
B878	PhS	CH₃	СН₃	Н	ОН	SO <sub>2</sub>
B879	PhSO	CH₃	CH₃	Н	ОН	SO₂
B880	PhSO₂	CH₃	CH₃	Н	ОН	SO <sub>2</sub>
B881	CN	CH₃	CH₃	Н	ОН	SO₂
B882	CH₃	CH₃	CH <sub>3</sub> (	CH3	ОН	SO <sub>2</sub>
B883	CH₃CH₂	CH₃	CH <sub>3</sub> (	CH₃	ОН	SO <sub>2</sub>
B884	CH₃CH₂CH₂	CH₃	CH₃ (	CH₃	ОН	SO <sub>2</sub>
B885	(CH₃)₂CH	CH₃	CH₃ (	CH₃	ОН	SO <sub>2</sub>
B886	(CH <sub>3</sub> ) <sub>3</sub> C	CH₃	CH₃ (	CH₃	ОН	SO <sub>2</sub>
B887	CH₃S	CH₃	CH₃ C	CH <sub>3</sub>	ОН	SO <sub>2</sub>
B888	CH₃SO	CH₃	CH₃ C		ОН	SO <sub>2</sub>
B889	CH₃SO₂	СН₃	CH₃ C	-	ОН	SO₂
B890	<b>.P</b> h	CH₃	CH <sub>3</sub> C	_	ОН	SO <sub>2</sub>
			_	-		

Radical	R <sub>44</sub>	R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	R <sub>40</sub>	W
B891	CH₃O	CH <sub>3</sub>	CH <sub>3</sub>	CH <sub>3</sub>	ОН	SO <sub>2</sub>
B892	CH₃CO₂	CH <sub>3</sub>	CH <sub>3</sub>	CH <sub>3</sub>	ОН	SO <sub>2</sub>
B893	CH <sub>3</sub> CH <sub>2</sub> CO <sub>2</sub>	CH <sub>3</sub>	CH₃	CH₃	ОН	SO <sub>2</sub>
B894	CH <sub>2</sub> =CHCH <sub>2</sub>	CH₃	CH <sub>3</sub>	CH₃	ОН	SO <sub>2</sub>
B895	HCCCH₂	CH <sub>3</sub>	CH₃	CH <sub>3</sub>	ОН	SO <sub>2</sub>
B896	CF <sub>3</sub>	CH₃	CH <sub>3</sub>	CH <sub>3</sub>	ОН	SO <sub>2</sub>
B897	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	СН₃	CH₃	СН₃	ОН	SO <sub>2</sub>
B898	(CH <sub>3</sub> )₂N	СН₃	CH <sub>3</sub>	CH <sub>3</sub>	ОН	SO <sub>2</sub>
B899	PhO	СН₃	CH₃	CH₃	ОН	SO <sub>2</sub>
B900	PhS	СН₃	CH <sub>3</sub>	СН₃	ОН	SO <sub>2</sub>
B901	PhSO	СН₃	CH₃	СН₃	ОН	SO <sub>2</sub>
B902	PhSO <sub>2</sub>	CH₃	CH <sub>3</sub>	СН₃	ОН	SO₂
B903	CN	CH₃	CH₃	CH <sub>3</sub>	ОН	SO <sub>2</sub>
B904	CH₃CH₂	CH₃CH₂	Н	Н	ОН	SO <sub>2</sub>
B905	CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub>	CH₃CH₂	Н	Н	ОН	SO₂
B906	(CH₃)₂CH	CH₃CH₂	Н	Н	ОН	SO <sub>2</sub>
B907	(CH <sub>3</sub> ) <sub>3</sub> C	CH₃CH₂	Н	Н	ОН	SO <sub>2</sub>
B908	CH₃S	CH₃CH₂	Н	H.	ОН	SO₂
B909	CH₃SO	CH₃CH₂	Н	Н	ОН	SO <sub>2</sub>
B910	CH₃SO₂	CH₃CH₂	Н	.H	ОН	SO <sub>2</sub>
B911	Ph	CH₃CH₂	Н	<b>H</b> 1	ОН	SO <sub>2</sub>
B912	CH₃O	CH₃CH₂	. <b>H</b>	Н	ОН	SO <sub>2</sub>
B913	CH <sub>3</sub> CO₂	CH₃CH₂	Н	Н	ОН	SO <sub>2</sub>
B914	CH₃CH₂CO₂	CH₃CH₂	Н	Н	ОН	SO <sub>2</sub>
B915	CH <sub>2</sub> =CHCH <sub>2</sub>	CH₃CH₂	Н	Н	ОН	SO <sub>2</sub>
B916	HCCCH₂	CH₃CH₂	Н	Н	ОН	· SO <sub>2</sub>
B917	CF₃	CH₃CH₂	Н	Н	ОН	SO <sub>2</sub>
B918	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH₃CH₂	Н	Н	ОН	SO <sub>2</sub>
B919	(CH₃)₂N	CH₃CH₂	Н	Н	ОН	SO <sub>2</sub>
B920	PhO	CH₃CH₂	Н	Н	ОН	SO <sub>2</sub>
B921	PhS	CH₃CH₂	Н	Н	ОН	SO <sub>2</sub>
B922	PhSO	CH₃CH₂	Н	H	ОН	SO <sub>2</sub>
B923	PhSO₂	CH₃CH₂	Н	Н	ОН	SO <sub>2</sub>

Radical	$R_{44}$	R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	R <sub>40</sub>	w
B924	CN	CH₃CH₂	Н	Н	OH	SO <sub>2</sub>
B925	н	Н	Н	Н	ОН	CH(CO₂CH₂CH₃)
B926	CH₃	H	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B927	CH₃CH₂	Н	Н	Н	ОН	CH(CO₂CĤ₂CH₃)
B928	CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub>	H	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B929	(CH₃)₂CH	Н	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B930	(CH₃)₃C	н	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B931	CH₃S	н	н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B932	CH₃SO	Н	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B933	CH₃SO₂	Н	Η.	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B934	Ph	Н	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B935	CH₃O	Н	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B936	CH₃CO₂	н	Н	٠н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B937	CH₃CH₂CO₂	н	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B938	CH₂=CHCH₂	н	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B939	HCCCH₂	H	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B940	CF₃	н	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B941	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	н	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B942	(CH₃)₂N	Н	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B943	PhO	Н	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B944	PhS	H	Н	H	OH	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B945	PhSO	Н	H	Н	OH:	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B946	PhSO <sub>2</sub>	Н	Н	Н	ЮĤ	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B947	CN	н	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B948	CH <sub>3</sub>	CH <sub>3</sub>	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B949	CH₃CH₂	CH <sub>3</sub>	н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B950	CH₃CH₂CH₂	.CH₃	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B951	(CH₃)₂CH	CH₃	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B952	(CH₃)₃C	CH₃	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B953	- CH₃S	CH₃	н ·	Н	OH:	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B954	CH₃SO	CH₃	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B955	CH₃SO₂	CH₃	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B956	<u>P</u> h	CH₃	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
						,

Radical	R44	R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	Ř <sub>40</sub>	W
B957	CH₃O	CH <sub>3</sub>	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B958	CH <sub>3</sub> CO <sub>2</sub>	CH₃	Н	. <b>H</b>	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B959	CH₃CH₂CO₂	CH₃	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B960	CH <sub>2</sub> =CHCH <sub>2</sub>	CH <sub>3</sub>	Н	Н	ОН	CH(CO₂CH₂CH₃)
B961	HCCCH₂	CH <sub>3</sub>	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B962	· CF <sub>3</sub>	CH₃	Н	н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B963	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH₃	Н	н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B964	(CH₃)₂N	CH₃	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B965	PhO	CH₃	. н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B966	PhS	CH₃ .	н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B967	PhSO	СН₃	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B968	PhSO <sub>2</sub>	СН₃	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B969	CN	СН₃	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B970	CH₃	н	СН₃	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B971	CH₃CH₂	н	CH₃	н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B972	CH₃CH₂CH₂	н	CH₃	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B973	(CH₃)₂CH	Н	CH₃	н	ОН	CH(CO₂CH₂CH₃)
B974	(CH₃)₃C	н	СН₃	Н	ОН	CH(CO₂CH₂CH₃)
B975	CH₃S	Н	CH₃	Н	ОН	CH(CO₂CH₂CH₃)
B976	CH₃SO	Н	CH <sub>3</sub>	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B977	CH <sub>3</sub> SO <sub>2</sub>	Н	CH <sub>3</sub>	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B978	Ph	. н	CH₃	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B979	CH₃O	Н	CH <sub>3</sub>	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B980	CH <sub>3</sub> CO <sub>2</sub>	Н	CH <sub>3</sub>	H	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B981	CH₃CH₂CO₂	Н	CH <sub>3</sub>	Ħ	OH	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B982	CH <sub>2</sub> =CHCH <sub>2</sub>	Н	CH <sub>3</sub>	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B983	HCCCH₂	Н	CH₃	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B984	CF₃	Н	CH₃	H	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B985	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Н	CH₃	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B986	(CH <sub>3</sub> ) <sub>2</sub> N	Н	CH₃	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B987	PhO	н	CH <sub>3</sub>	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B988	PhS	н	CH <sub>3</sub>	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B989	PhSO	Н	СН₃	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )

Radical	R <sub>44</sub>	R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	R <sub>40</sub>	W
B990	PhSO₂	н	CH₃	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B991	CN	Н	CH₃	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B992	CH₃	CH <sub>3</sub>	CH₃	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B993	CH₃CH₂	CH <sub>3</sub>	CH₃	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B994	CH₃CH₂CH₂	CH₃	CH₃	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B995	(CH₃)₂CH	CH <sub>3</sub>	СН₃	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B996	(CH₃)₃C	CH₃	CH <sub>3</sub>	Н	OH	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B997	CH₃S	CH <sub>3</sub>	CH₃	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B998	CH₃SO	CH₃	CH₃	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B999	CH₃SO₂	CH <sub>3</sub>	CH₃	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1000	Ph	CH₃	CH₃	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1001	CH₃O	СН₃	CH₃	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1002	CH <sub>3</sub> CO <sub>2</sub>	СН₃	CH₃	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1003	CH₃CH₂CO₂	CH₃	CH₃	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1004	CH₂=CHCH₂	СН₃	CH₃	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1005	HCCCH₂	CH₃	CH₃	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1006	CF <sub>3</sub>	CH₃	CH₃	Ή	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1007	(CH <sub>3</sub> )₂NSO <sub>2</sub>	CH <sub>3</sub>	CH₃	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1008	(CH₃)₂N	CH₃	CH₃	Н	OH	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1009	PhO	CH₃	CH₃	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1010	PhS	CH₃	CH <sub>3</sub>	H	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1011	PhSO	CH <sub>3</sub>	CH₃	H	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1012	PhSO <sub>2</sub>	CH₃	CH₃	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1013	CN	CH₃	CH₃	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1014	CH₃	CH₃	CH <sub>3</sub>	CH3	OH	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1015	CH₃CH₂	СН₃	CH₃	CH₃	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1016	CH₃CH₂CH₂	CH <sub>3</sub>	CH₃	CH <sub>3</sub>	ОН	CH(CO₂CH₂CH₃)
B1017	(CH₃)₂CH	CH <sub>3</sub>	CH₃	CH <sub>3</sub>	OH	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1018	(CH₃)₃C	CH <sub>3</sub>	CH₃	CH <sub>3</sub>	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1019	CH <sub>3</sub> S	<sup>™</sup> CH <sub>3</sub>	CH₃	CH <sub>3</sub>	OH.	CH(CO₂CH₂CH₃)
B1020	CH₃SO	CH₃	СН₃	CH <sub>3</sub>	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1021	CH₃SO₂	CH₃	CH <sub>3</sub>	СНз	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1022	Ph	СН₃	CH₃	CH₃	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )

Radical	R <sub>44</sub>	R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	R <sub>40</sub>	W
B1023	CH₃O	CH₃	CH₃	CH₃	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1024	CH₃CO₂	CH₃	CH₃	CH₃	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1025	CH <sub>3</sub> CH <sub>2</sub> CO <sub>2</sub>	CH <sub>3</sub>	CH₃	CH <sub>3</sub>	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1026	CH₂=CHCH₂	CH₃	CH₃	CH <sub>3</sub>	ОН	CH(CO₂CH₂CH₃)
B1027	HCCCH₂	CH₃	CH₃	СН₃	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1028	CF <sub>3</sub>	CH₃	CH <sub>3</sub>	CH <sub>3</sub>	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1029	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH₃	CH₃	CH <sub>3</sub>	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1030	(CH₃)₂N	CH₃	CH₃	CH <sub>3</sub>	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1031	PhO	CH <sub>3</sub>	CH₃	CH <sub>3</sub>	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1032	PhS	CH₃	CH <sub>3</sub>	CH <sub>3</sub>	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1033	PhSO	CH₃	CH₃	СН₃	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1034	PhSO <sub>2</sub>	CH₃	CH <sub>3</sub>	CH <sub>3</sub>	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1035	CN	CH <sub>3</sub>	CH₃	CH <sub>3</sub>	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1036	CH₃CH₂	CH₃CH₂	Н	H	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1037	CH₃CH₂CH₂	CH₃CH₂	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1038	(CH₃)₂CH	CH₃CH₂	Н	H	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1039	(CH₃)₃C	CH₃CH₂	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1040	CH₃S	CH₃CH₂	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1041	CH₃SO	CH₃CH₂	H	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1042	CH₃SO₂	CH₃CH₂	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1043 .	Ph	CH₃CH₂	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1044	CH₃O	CH₃CH₂	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1045	CH₃CO₂	CH₃CH₂	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1046	CH₃CH₂CO₂	CH₃CH₂	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1047	CH₂=CHCH₂	CH₃CH₂	Н	,H	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1048	HCCCH₂	CH₃CH₂	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1049	CF₃	CH₃CH₂	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1050	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH₃CH₂	Н	Н	OH	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1051	(CH₃)₂N	CH₃CH₂	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1052	PhO	CH₃CH₂	Н	Н	OH	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1053	PhS	CH₃CH₂	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1054	PhSO	CH₃CH₂	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1055	PhSO₂	CH₃CH₂	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )

Radical	R <sub>44</sub>	R <sub>37</sub>	R <sub>38</sub>	R <sub>39</sub>	R <sub>40</sub>	· w
B1056	CN	CH₃CH₂	Н	Н	ОН	CH(CO <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1057	CH <sub>3</sub> OCO	н	Н	Н	ОН	CHPh
B1058	Н	н	Н	н	ОН	CHPh
B1059	Н	Н	Н	Н	ОН	CH(CH₂ĈĤ₃)
B1060	Н	Н	Н	Н	ОН	CH(CH <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> )
B1061	Н	Н	Н	Н	ОН	CH(CH(CH <sub>3</sub> ) <sub>2</sub> )
B1062	Н	Н	Н	н	ОН	CH(C(CH <sub>3</sub> ) <sub>3</sub> )
B1063	Н	н	Н	Η.	ОН	C(CH <sub>3</sub> ) <sub>2</sub>
B1064	Н	н	Н	Н	ОН	CH(CF <sub>3</sub> )
B1065	CH₃OCO	H	Н	H	ОН	C(CH <sub>3</sub> )(CF <sub>3</sub> )
B1066	н	H.	Н	Н	ОН	C(CH <sub>3</sub> )(CF <sub>3</sub> )
B1067	CH₃OCO	CH₃O	Н	Н	ОН	CH <sub>2</sub>
B1068	7 H	CH₃O	Н	Н	ОН	CH <sub>2</sub>
B1069	CH₃O	CH₃OCO	Н	CH₃	OH.	CH <sub>2</sub>
B1070	CH₃O	н .	CH₃	Н	ОН	CH <sub>2</sub>
B1071	CI	Н	Н	Н	ОН	CH₂
B1072	F	Н	Н	Н	ОН	CH₂
B1073	н	H	Н	Н	ОН	CH(OCH₃)₂
B1074	Н	Н	H	Н	OH	CH <sub>2</sub> OSO <sub>2</sub> CH <sub>3</sub>
B1075	CH₃	CH <sub>3</sub>	CH <sub>3</sub>	CH <sub>3</sub>	ОН	S(O)
B1076	CICH <sub>2</sub> CH <sub>2</sub>	Н	Н	Н	OH	CH₂
B1077	HO(CH <sub>2</sub> ) <sub>2</sub>	Н	Н	Н	ОН	CH₂
B1078	MsO(CH <sub>2</sub> ) <sub>2</sub>	Н	Н	Н	ОН	CH <sub>2</sub>
B1079	HOCH(CH₃)CH₂	Н	Н	Н	ОН	CH₂
B1080	MsOCH(CH <sub>3</sub> )CH <sub>2</sub>	Н	Н	Н	ОН	CH₂
B1081	(CH₃)₂CH	н	СН3	CH <sub>3</sub>	ОН	CH₂
B1082	HCCCH₂	Н	СН₃	CH₃	ОН	CH₂
B1083	H <sub>2</sub> C=CCH <sub>2</sub>	Н	CH <sub>3</sub>	CH₃	ОН	CH₂

In the following Table 7 Q is  $Q_{\theta}$ 

and Q<sub>6</sub> represents the following radicals C:

Table 7: Radicals C:

Radical	R <sub>84</sub>	R <sub>85</sub>	R <sub>86</sub>	R <sub>83</sub>	p	W
C1	н	н	H	ОН	1	CH₂
. <b>C2</b>	CH₃	Η.	Н	ОН	1	CH₂
СЗ	CH₃CH₂	Н	ļН	ОН	1	CH₂
C4	CH₃CH₂CH₂	н	Н	ОН	1	CH₂
C5	(CH₃)₂CH	Н	Н	ОН	1	CH <sub>2</sub>
C6	(CH₃)₃C	H	Н	ОН	1	CH₂
C7	CH₃S	н	Н	ОН	1	CH₂
C8	CH₃SO	н .	Н	ОН	1	CH₂
C9	CH <sub>3</sub> SO <sub>2</sub>	н	Н	ОН	1	CH₂
C10	Ph	Н	Н	ОН	1	CH <sub>2</sub>
C11	CH₃O	H	Н	ОН	1	CH₂
C12	CH₃OCO2	н	н	ОН	1	CH₂
C13	CH₃CH₂OCO₂	Н	Н	ОН	1	CH₂
C14	CH <sub>2</sub> =CHCH <sub>2</sub>	Н	Н	ОН	1	CH₂
C15	HCCCH₂	Н	Н	ОН	1	CH₂
C16	CF₃	н	H.	ОН	1	CH₂
C17	(CH₃)₂NSO₂	Н	Н	ОН	1	CH₂
C18	(CH₃)₂N	н	Н	ОН	1	CH <sub>2</sub>
C19	PhO	н	H	ОН	1	CH <sub>2</sub>
C20	PhS	н	Н	ОН	1	CH₂
C21	PhSO	н	н	ОН	1	CH₂
C22	PhSO <sub>2</sub>	н	н.		1	CH

Radical	R <sub>84</sub>	R <sub>85</sub>	R <sub>86</sub>	R <sub>83</sub>	р	W
C23	CN	Н	Н	ОН	1	CH <sub>2</sub>
C24	CH₃	СН₃	H.	ОН	1	CH₂
C25	CH₃CH₂	СН₃	Н	ОН	1	CH₂
C26	CH₃CH₂CH₂	СН₃	Н	ОН	1	CH₂
C27	(CH₃)₂CH	СН₃	Н	ОН	1	CH₂
C28	(CH <sub>3</sub> ) <sub>3</sub> C	CH₃	Н	ОН	1	CH₂
C29	CH₃S	СН₃	Н	ОН	1	CH₂
C30	CH₃SO	СН₃	Н	ОН	1	CH₂
C31	CH₃SO₂	СН₃	Н	ОН	1	CH₂
C32	Ph	СН₃	Н	ОН	1.	CH₂
C33	CH <sub>3</sub> O	CH₃	Н	ОН	1	CH₂
C34	CH <sub>3</sub> OCO <sub>2</sub>	СН₃	Н	ОН	1	CH₂
C35	CH <sub>3</sub> CH <sub>2</sub> OCO <sub>2</sub>	СН₃	Н	ОН	1	CH₂
C36	CH <sub>2</sub> =CHCH <sub>2</sub>	СН₃	Н	ОН	1	CH₂
C37	HCCCH₂	СН₃	Н	ОН	1	CH₂
C38	CF <sub>3</sub>	CH₃	Н	ОН	1	CH₂
C39	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	СН₃	Н	ОН	1	CH₂
C40	(CH₃)₂N	СН₃	Н	ОН	1	CH <sub>2</sub>
C41	PhO	CH₃	Н	ОН	1	.CH <sub>2</sub>
C42	PhS	CH₃	Н	ОН	1	CH₂
C43	PhSO	CH₃	Н	ОН	1	CH₂
C44	PhSO₂	CH₃	· <b>H</b>	ОН	1	CH₂
C45	CN	CH₃	Н	ОН	1	CH₂
C46	н	Н	Н	OH 4	4	CH₂
C47 •	CH₃	Н	Н	OH 4	4	CH₂
C48	CH₃CH₂	н	Н	OH 4	4 ·	CH₂
C49	CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub>	н	Н	OH 4	4	CH₂
C50	(CH₃)₂CH	н	Н	OH 4	4	CH₂
C51	(CH <sub>3</sub> ) <sub>3</sub> C	н	Н	OH 4	4	CH₂
C52	CH₃S	H	H	ÓH 4	4	CH₂
C53	CH₃SO	Н	Н	OH 4	1	CH₂ .
C54	CH₃SO₂	Н	Н	OH 4	1	CH₂
C55	Ph	н	Н	OH 4	1	CH₂

Radical	R <sub>84</sub>	R <sub>85</sub>	R <sub>86</sub>	Res	р	W
C56	CH₃O	н	Н	ОН	4	CH₂
C57	CH₃OCO₂	н	Н	ОН	4	CH₂
C58	CH <sub>3</sub> CH <sub>2</sub> OCO <sub>2</sub>	Н	Н	ОН	4	CH₂
C59	CH <sub>2</sub> =CHCH <sub>2</sub>	н	Н	ОН	4	CH₂
C60	HCCCH₂	Н	Н	ОН	4	CH₂
C61	CF₃	н	Н	ОН	4	CH₂
C62	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Н	Н	ОН	4	CH₂
C63	(CH₃)₂N	H	Н	ОН	4	CH₂
C64	PhO-	н	Н	ОН	4	CH₂
C65	PhS	Н	Н	ОН	4	CH₂
C66	PhSO	н	Н	ОН	4	CH₂
<b>C67</b> .	PhSO <sub>2</sub>	н	Н	ОН	4	CH₂
C68	CN	н	Н	ОН	4	CH₂
C69	CH₃	CH <sub>3</sub>	Н	ОН	4	CH₂
C70	CH₃CH₂	CH₃	Н	ОН	4	CH₂
C71	CH₃CH₂CH₂	CH₃	Н	ОН	4	CH₂
C72	(CH₃)₂CH	CH₃	Н	ОН	4	CH₂
C73	(CH <sub>3</sub> ) <sub>3</sub> C	CH <sub>3</sub>	Н	ОН	4	CH₂
C74	CH₃S	CH <sub>3</sub>	Н	ОН	4	CH₂
C75	CH₃SO	CH <sub>3</sub>	Н	ОН	4	CH₂
C76	CH₃SO₂	CH₃	Н	OH	4	CH₂
C77	Ph	CH₃	Н	ОН	4	CH₂
C78	CH₃O	CH₃	Н	ОН	4	CH₂
C79	CH <sub>3</sub> OCO <sub>2</sub>	CH <sub>3</sub>	Н	ОН	4	CH₂
C80	CH <sub>3</sub> CH <sub>2</sub> OCO <sub>2</sub>	CH <sub>3</sub>	Н	ОН	4	CH₂
C81	CH₂=CHCH₂	CH <sub>3</sub>	Н	ОН	·4	CH₂
C82	HCCCH₂	CH₃	Н	ОН	4	CH₂
C83	CF₃	CH₃	Н	ОН	4	CH₂
C84	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH₃	Н	ОН	4	CH₂
C85	(CH₃)₂N	CH₃	Н	ОН	4	CH₂
C86	PhO	CH₃	Н	ОН	4	CH₂
C87	PhS	CH₃	Н	ОН	4	CH₂
C88	PhSO	CH₃	Н	ОН	4	CH₂

Radical	R <sub>84</sub>	R <sub>85</sub>	R <sub>86</sub>	R <sub>83</sub>	р	w
C89	PhSO₂	СН₃	Н	ОН	4	CH₂
C90	CN	CH₃	Н	ОН	4	CH₂
C91	н	н	Н	ОН	3	CH₂
C92	CH₃	Н	Н	ОН	3	CH₂
C93	CH₃CH₂	Н	Н	ОН	3	CH₂
C94	CH₃CH₂CH₂	Н	Н	ОН	3	CH₂
C95	(CH₃)₂CH	Н	н	ОН	3	CH₂
C96	(CH₃)₃C	н	Н	ОН	3	CH₂
C97	CH₃S	н	Н	ОН	3	CH <sub>2</sub>
C98	CH₃SO	Н	Н	ОН	3	CH₂
C99	CH <sub>3</sub> SO₂	н	Н	ОН	3	CH <sub>2</sub>
C100	Ph	Н	Н	ОН	3	CH <sub>2</sub>
C101	CH₃O	н	Н	OH	3	CH <sub>2</sub>
C102	CH <sub>3</sub> OCO <sub>2</sub>	Н	Н	ОН	3	CH <sub>2</sub>
C103	CH₃CH₂OCO₂	Н	Н	ОН	3	CH₂
C104	CH <sub>2</sub> =CHCH <sub>2</sub>	Н	Н	ОН	3	CH₂
C105	HCCCH₂	Н	H	ОН	3	CH₂
C106	CF <sub>3</sub>	Н	Н	OH	3	CH <sub>2</sub>
C107	(CH₃)₂NSO₂	. Н	Н	ОН	3 .	CH <sub>2</sub>
C108	(CH₃)₂N	Н	Н	OH	3	CH <sub>2</sub>
C109	PhO	Н	Н	ОН	3	CH <sub>2</sub>
C110	PhS	Н	Н	OH :	3	CH₂
C111	PhSO	Н	Н	OH :	3	CH <sub>2</sub>
C112	PhSO₂	Н	Н	OH :	3	CH₂
C113	CN	Н	Н	OH :	3	CH <sub>2</sub>
C114	СН₃	CH₃	Н	OH :	3	CH <sub>2</sub>
C115	CH₃CH₂	CH₃	Н	OH :	3	CH <sub>2</sub>
C116	CH₃CH₂CH₂	CH₃	Н	OH :	3	CH <sub>2</sub>
C117	(CH₃)₂CH	CH₃	H	OH :	3	CH <sub>2</sub>
C118	(CH₃)₃C	CH₃	'H'	OH 3	3	CH <sub>2</sub>
C119	CH₃S	CH₃	Ĥ	он з	3	CH₂
C120	CH₃SO	CH₃	Н	OH 3	3	CH <sub>2</sub>
C121	CH <sub>3</sub> SO₂	CH₃	Н	OH 3	3	CH <sub>2</sub>

Radical	R <sub>84</sub>	R <sub>85</sub>	R <sub>86</sub>	R <sub>83</sub>	р	w
C122	Ph	CH₃	Н	OH	3	CH₂
C123	CH₃O	CH₃	Н	ОН	3	CH <sub>2</sub>
C124	CH₃OCO₂	CH₃	Н	ОН	3	CH₂
C125	CH <sub>3</sub> CH <sub>2</sub> OCO <sub>2</sub>	CH₃	Н	ОН	3	CH₂
C126	CH <sub>2</sub> =CHCH <sub>2</sub>	CH₃	Н	ОН	3	CH₂
C127	HCCCH <sub>2</sub>	CH₃	Н	ОН	3	CH₂
C128	CF <sub>3</sub>	CH₃	Н	ОН	3	CH₂
C129	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH₃	н	ОН	3	CH₂
C130	(CH <sub>3</sub> ) <sub>2</sub> N	CH₃	н	ОН	3	CH₂
C131	PhO	CH₃	Н	ОН	3	CH <sub>2</sub>
C132	PhS	CH₃	Н	ОН	3	CH₂
C133	PhSO	CH₃	Н	ОН	3	CH₂
C134	PhSO <sub>2</sub>	CH₃	H.	ОН	3	CH₂
C135	CN	CH₃	Н.	ОН	3	CH₂
C136	CH₃CH₂	CH₃CH₂	H	ОН	1	CH₂
C137	H	H	Н	ОН	1	CH(CH₃)
C138	CH₃	Н	Н	ОН	1	CH(CH₃)
C139	CH₃	CH <sub>3</sub>	Н	ОН	1	CH(CH <sub>3</sub> )
C140	CH₂CH₃	Н	Н	ОН	1	CH(CH <sub>3</sub> )
C141	CH₂CH₃	СН₃	н	ОН	1	CH(CH <sub>3</sub> )
C142	CH₃CH₂	CH <sub>3</sub> CH <sub>2</sub>	Н	ОН	1	CH(CH₃)
C143	н	Н	CH₃	ОН	1	CH₂
C144	CH₃ .	CH₃	CH₃	ОН	1	CH₂
C145	CH₃CH₂	CH₃CH₂	CH₃	ОН	1	CH₂
C146	, Н	Н	н	ОН	2	CH₂
C147	СН₃	СН₃	H.	ОН	2	CH₂
C148	CH₃CH₂	CH₃CH₂	н	ОН	2	CH₂
C149	Н	Н	н	ОН	5	CH₂
C150	CH₃	СН₃	Н	ОН	5	CH₂
C151	CH₃CH₂	CH₃CH₂	Н	ОН	5	CH₂

In the following Table 8 Q is Q<sub>8</sub>

and Q<sub>8</sub> represents the following radicals D:

Table 8: Radicals D:

Radical	R <sub>88</sub>	R <sub>89</sub>	R <sub>90</sub>	R <sub>91</sub>	R <sub>87</sub>	O
D1	н	н	н	Н	ОН	2
D2	СН₃	н	н	Н	ОН	2
D3	CH₃CH₂	Н	H	Н	OH.	2
D4	CH₃CH₂CH₂	н	Н	H.	ОН	2
D5	(CH₃)₂CH	Н	н	Н	ОН	2
D6	(CH₃)₃C	н	Н	Н	ОН	2
D7	CH₃S	н	Н	H	ОН	2
D8	CH₃SO	Н	Н	Н	ОН	2
D9	CH <sub>3</sub> SO <sub>2</sub>	Н	Н	Н	ОН	2
D10	Ph	Н	Н	Н	ОН	2
D11	CH₃O	н	Н	Н	ОН	2
D12	CH <sub>2</sub> =CHCH <sub>2</sub>	н	Н	Н	ОН	2
D13	HCCCH₂	Н	Н	Н	ОН	2
D14	CF <sub>3</sub>	Н	Н	Н	ОН	2
D15	PhO	Н	Н	Н	ОН	2
D16	PhS	н	н	Н	ОН	2
D17	PhSO	Н	Н	Н	ОН	2
· D18	PhSO <sub>2</sub>	Н	Н	Н	ОН	2
D19	CH₃	СН₃	Н	Н	ОН	2
D20	CH₃CH₂	CH₃	Ĥ	Н	ОН	2
D21	CH₃CH₂CH₂	СН₃	Н	Н	ОН	2
D22	(CH₃)₂CH	CH₃	Н	Н	ОН	2
D23	(CH <sub>2</sub> ) <sub>2</sub> C	CH <sub>2</sub>	н	н	ОН	2

Radical	R <sub>88</sub>	Res	R <sub>90</sub>	R <sub>91</sub>	R <sub>87</sub>	0
D24	CH₃S	CH₃	H	Н	ОН	2
D25	CH₃SO	CH₃	H	Н	ОН	2
D26	CH₃SO₂	CH₃	Н	Н	ОН	2
D27	Ρh	CH₃	Н	Н	ОН	2
D28	CH₃O	CH₃	Н	Н	ОН	2
D29	CH <sub>2</sub> =CHCH <sub>2</sub>	CH₃	H	Н	ОН	2
D30	HCCCH₂	CH₃	Н	Н	ОН	2
D31	CF₃	CH₃	н	Н	ОН	2
D32	PhO	CH₃	Н	Н	ОĤ	2
D33	PhS	CH₃	H	Н	ОН	2
D34	PhSO	CH₃	Н	Н	ОН	2
D35	PhSO <sub>2</sub>	CH₃	Н	н	ОН	2
D36	н	Н	Н	Н	ОН	3
D37	CH₃	н	Н	Н	ОН	3
D38	CH₃CH₂	н	Н	Н	ОН	3
D39	CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub>	Н	Н	Н	ОН	3
D40	(CH₃)₂CH	Н	Н	Н	ОН	3
D41	(CH <sub>3</sub> ) <sub>3</sub> C	Н	H	Н	ОН	3
D42	CH₃S	Н	Н	Н	ОН	3
D43	CH₃SO	н	- <b>H</b>	Н	OH	3
D44	CH₃SO₂	Н	Н	Н	ОН	3
D45	Ph	Н	Н	Н	ОН	3
D46	CH³O.	Н	Н	H	ОН	3
D47	CH <sub>2</sub> =CHCH <sub>2</sub>	Н	Н	Н	ОН	3
D48	HCCCH₂	н	Н	Н	ОН	3
D49	CF <sub>3</sub>	Н	Н	Н	ОН	3
D50	PhO	н	Н	Н	ОН	3
D51	PhS	н	Н	Н	ОН	3
D52	PhSO	н	Н	Н	ОН	3
D53	PhSO <sub>2</sub>	н	Н	Н	ОН	3
D54	CH <sub>3</sub>	CH₃	н	Н	ОН	3
D55	CH₃CH₂	CH₃	Н	Н	ОН	3
D56	CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub>	СН₃	Н	Н	ОН	3

	•				
R <sub>88</sub>	Ras	R <sub>90</sub>	R <sub>91</sub>	R <sub>87</sub>	0
(CH₃)₂CH	СН₃	Н	Н	ОН	3
(CH₃)₃C	CH₃	Н	Н	ОН	3
CH₃S	СН₃	H	Н	ОН	3
CH₃SO	CH₃	Н	Н	ОН	3
CH₃SO₂	СН₃	Н	Н	ОН	3
Ph	СН₃	Н	Н	ОН	3
CH₃O	CH₃	Н	Н	ОН	3
CH <sub>2</sub> =CHCH <sub>2</sub>	CH₃	Н	Н	ОН	3
HCCCH₂	CH₃	Н	Н	ОН	3
CF₃	CH <sub>3</sub>	Н	Н	ОН	3
PhO	CH₃	Н	Н	ОН	3
PhS	СН₃	Н	Н	ОН	3
PhSO	CH₃	Н	Н	ОН	3
PhSO <sub>2</sub>	СН₃	Н	Н	ОН	3
н	Н	Н	Н	ОН	4
CH₃	н	Н	Н	ОН	4
CH₃CH₂	Н	Н	Н	ОН	4
CH₃CH₂CH₂	H	Н	Н	ОН	4
(CH₃)₂CH	Н	Н	Н	ОН	4
(CH₃)₃C	Н	Н	Н	ОН	·4
CH₃S	H	Н	Н	ОН	4
CH₃SO	н	Н	Н	ОН	4
CH₃SO₂	Н	Н	Н	ОН	4
Ph	н	н	Н	ОН	4
CH <sub>3</sub> O	н	Н	Н	ОН	4
CH <sub>2</sub> =CHCH <sub>2</sub>	Н	Н	Н	ОН	4
HCCCH₂	Ħ	Н	Н	ОН	4
CF₃	н	Н	Н	ОН	4
PhO:	Н	н	Н	ОН	4
PhS	H	Ĥ	Ή	ОН	4
PhSO	Н	Н	Н	ОН	4
PhSO <sub>2</sub>	н	Н	Н	ОН	4
CH <sub>3</sub>	CH₃	Н	Н	ОН	4
	(CH <sub>3</sub> ) <sub>2</sub> CH (CH <sub>3</sub> ) <sub>3</sub> C CH <sub>3</sub> SO CH <sub>3</sub> SO <sub>2</sub> Ph CH <sub>3</sub> O CH <sub>2</sub> =CHCH <sub>2</sub> HCCCH <sub>2</sub> CF <sub>3</sub> PhO PhS PhSO PhSO <sub>2</sub> H CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> CH <sub>3</sub> SO CH <sub>2</sub> CHCH <sub>2</sub> Ph CH <sub>3</sub> O CH <sub>2</sub> =CHCH <sub>2</sub> Fh CH <sub>3</sub> O CH <sub>2</sub> SO CH <sub>3</sub> SO	(CH <sub>3</sub> ) <sub>2</sub> CH CH <sub>3</sub> (CH <sub>3</sub> ) <sub>3</sub> C CH <sub>3</sub> CH <sub>3</sub> S CH <sub>3</sub> CH <sub>3</sub> SO CH <sub>3</sub> CH <sub>3</sub> SO <sub>2</sub> CH <sub>3</sub> Ph CH <sub>3</sub> CH <sub>3</sub> O CH <sub>3</sub> CH <sub>2</sub> =CHCH <sub>2</sub> CH <sub>3</sub> HCCCH <sub>2</sub> CH <sub>3</sub> PhO CH <sub>3</sub> PhSO CH <sub>3</sub> PhSO CH <sub>3</sub> PhSO <sub>2</sub> CH <sub>3</sub> H H CH <sub>3</sub> H CH <sub>3</sub> CH <sub>2</sub> H CH <sub>3</sub> CH <sub>2</sub> H CH <sub>3</sub> CH <sub>2</sub> H CH <sub>3</sub> SO H CH <sub>3</sub> CH <sub>2</sub> H CH <sub>3</sub> SO	(CH₃)₂CH CH₃ H (CH₃)₃C CH₃ H CH₃S CH₃ H CH₃SO CH₃ H CH₃SO₂ CH₃ H Ph CH₃ H CH₃O CH₃ H CH₂=CHCH₂ CH₃ H PhO CH₃ H PhS CH₃ H PhS CH₃ H PhSO₂ CH₃ H CH₃CH₂ CH₃ H CH₃CH₂ CH₃ H CH₃ H PhSO CH₃ H PhSO CH₃ H CH₃ CH₃ H CH₃CH₂ CH H CCH₃S CH CH₃ CH₃ CH₃ CH₃ CH	(CH <sub>3</sub> ) <sub>2</sub> CH	(CH <sub>3</sub> ) <sub>2</sub> CH

Radical	R <sub>88</sub>	R <sub>89</sub>	R <sub>90</sub>	R <sub>91</sub>	R <sub>87</sub>	0
D90	CH₃CH₂	CH₃	Н	Н	ОН	4
D91	CH₃CH₂CH₂	CH₃	Н	Н	ОН	4
D92	(CH₃)₂CH	CH₃	Н	Н	ОН	4
D93	(CH₃)₃C	CH₃	Н	Н	ОН	4
D94	CH₃S	CH₃	Н	Н	ОН	4
D95	CH₃SO	CH₃	Н	Н	ОН	4
D96	CH₃SO₂	CH₃	Н	Н	ОН	4
D97	Ph	CH₃	Н	Н	ОН	4
D98	CH₃O	CH₃	Н	Н	ОН	4
D99	CH <sub>2</sub> =CHCH <sub>2</sub>	CH₃	Н	Н	ОН	4
D100	HCCCH₂	CH₃	Н	Н	ОН	4
D101	CF₃	CH₃	Н	Н	ОН	4
D102	PhO	CH₃	Н	Н	ОН	4
D103	PhS	CH₃	Н	Н	ОН	4
D104	PhSO	CH₃	Н	Н	ОН	4
D105	PhSO <sub>2</sub>	CH <sub>3</sub>	Н	Н	ОН	4
D106	н	Н	Н	CH <sub>3</sub>	ОН	4
D107	н	Н	Н	CH₃	ОН	3
D108	н	Н "	Н	Н	ОН	1
D109	СН₃	Н	Н	H	ОН	1
D110	CH₃OCO	CH₃	Н	H	ОН	1
D111	CH₃CH₂OCO	CH₃	Н	Н	ОН	1
D112	CH₃O	CH₃	Н	Н	ОН	1
D113	CH₃S	CH₃	H	Н	OH	1
D114	CH₃SO	CH₃	Н	Н	ОН	1
D115	CH₃SO₂	CH₃	Н	Н	ОН	1
D116	CH₃CH₂	Н	Н	Н	ОН	1
D117	CH <sub>3</sub> OCO	CH₃CH₂	Н	Н	ОН	1
D118	CH₃CH₂OCO	CH3CH5	H	Н	ОН	1
D119	CH₃O	CH₃CH₂	Н	Н	ОН	1
· D120	CH <sub>3</sub> S	CH₃CH₂	Н	Н	ОН	1
D121	CH₃SO	CH₃CH₂	Н	H	ОН	1
D122	CH₃SO₂	CH₃CH₂	Н	Н	ОН	1

Radical	R <sub>88</sub>	R <sub>89</sub>	R <sub>90</sub>	R <sub>91</sub>	R <sub>87</sub>	0
D123	CH₃CH₂S	CH₃	Н	Ή	ОН	1
D124	CH₃CH₂SO	CH₃	Н	H	ОН	1
D125	CH₃CH₂SO₂	CH <sub>3</sub>	Н	Н	ОН	1
D126	CH₃CH₂S	CH₃CH₂	Н	Н	ОН	1
D127	CH₃CH₂SO	CH₃CH₂	Н	Н	ОН	1
D128	CH <sub>3</sub> CH <sub>2</sub> SO <sub>2</sub>	CH₃CH₂	Н	Н	ОН	1
D129	н	Н	СН₃	Η.	ОН	1
D130	CH₃	Н	CH <sub>3</sub>	Н	ОН	1
D131	CH₃OCO	CH <sub>3</sub>	CH <sub>3</sub>	Н	ОН	1
D132	CH₃CH₂OCO	CH <sub>3</sub>	CH₃	H	ОН	1
D133	CH₃O	CH₃	СНз	Н	ОН	1
D134	CH₃S	CH₃ <sup>′</sup>	CH <sub>3</sub>	н	ОН	1
D135	CH₃SO	СН₃	СНз	Н	ОН	1
D136	CH <sub>3</sub> SO <sub>2</sub>	СН₃	СН₃	Н	ОН	1
D137	H	н	Н	CH <sub>3</sub>	ОН	1
D138	CH₃	н	Н	СН₃	ОН	.1
D139	н	Н	CH <sub>3</sub>	СН₃	ОН	1
D140	CH₃CH₂OCO	CH₃	. Н	H	ОН	.4

Table 9: Compounds of formula If:

Compd. no.	R <sub>92</sub>	R <sub>93</sub>	R <sub>94</sub>	R <sub>95</sub>	Q <sub>3</sub>
<b>A</b> 1	Ĥ ·	Н	н	CF <sub>3</sub>	B24
A2	CH₃	н	Н	CF₃	B24
<b>A3</b>	CH₃CH₂	Н	Н	CF <sub>3</sub>	B24

Compd.	R <sub>92</sub>	R <sub>93</sub>	R <sub>94</sub>	R <sub>95</sub>	$Q_3$
no.					
A4	(CH₃)₂CH	Н	Н	CF₃	B24
<b>A5</b>	(CH₃)₃C	Н	Н	CF₃	B24
A6	cyclopropyl	Н	н	ĈF₃	B24
A7	CH₃(CH₂)₂	Н	н	CF <sub>3</sub>	B24
<b>A8</b>	CH <sub>3</sub> OCH <sub>2</sub>	Н	Н	CF <sub>3</sub>	B24
A9	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	Н	Н	CF <sub>3</sub>	B24
A10	Ph	Н	H	CF <sub>3</sub>	B24
A11	PhO	Н	Н	CF₃	B24
A12	PhS	Н	Н	CF <sub>3</sub>	B24
A13	PhSO	Н	H	CF₃	B24
A14	PhSO <sub>2</sub>	н	н	CF <sub>3</sub>	B24
A15	CH₃S	Н	H	CF <sub>3</sub>	B24
A16	CH₃SO	Н	н	CF <sub>3</sub>	B24
A17	CF <sub>3</sub>	н	н	CF₃	B24
A18	F₂CH	Н	Н	CF <sub>3</sub>	B24
A19	HCC	Н	. н	CF₃	B24
A20	CH₃CC	Н	н	CF <sub>3</sub>	B24
A21	CH₂=CH	Н	Н	CF <sub>3</sub>	B24
A22	CH <sub>2</sub> =CHCH <sub>2</sub>	· H	Н	CF <sub>3</sub>	B24
. <b>A23</b> .	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	,H	Н	CF <sub>3</sub>	B24
A24	(CH₃)₂N	Н	Н	CF₃	B24
A25	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Н	H	CF <sub>3</sub>	B24
A26	CICH₂	H	Н	CF₃	B24
A27	CH₃SCH₂	H	Н	CF <sub>3</sub>	B24
A28	CH₃SOCH₂	Н	н .	CF₃	B24
A29	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	н	Н	CF₃	B24
A30	[1,2,4]-triazol-1-yl-methyl	Н	Н	CF₃	B24
A31	CH <sub>3</sub>	CF <sub>3</sub>	Н	CH₃	B24
A32	CH₃	СН₃	Н	CF <sub>3</sub>	B24
A33	Н	н	Н	CF <sub>3</sub> CF <sub>2</sub>	B24
A34	CH₃	H	Н	CF <sub>3</sub> CF <sub>2</sub>	B24
A35	CH₃CH₂	H	Н	CF <sub>3</sub> CF <sub>2</sub>	B24

Compd	. R <sub>92</sub>	R <sub>93</sub>	R <sub>94</sub>	R <sub>95</sub>	$Q_3$
no.					-
A36 .	cyclopropyl	Н	Н	CF <sub>3</sub> CF <sub>2</sub>	B24
A37	(CH₃)₃C	н	н	CF <sub>3</sub> CF <sub>2</sub>	B24
A38	(CH₃)₂CH	н	Н	CF <sub>3</sub> CF <sub>2</sub>	B24
A39	CH₃(CH₂)₂	н	н	CF <sub>3</sub> CF <sub>2</sub>	B24
A40	CH₃OCH₂	н	н	CF <sub>3</sub> CF <sub>2</sub>	B24
A41	CH₃O(CH₂)₂	н	Н	CF <sub>3</sub> CF <sub>2</sub>	B24
A42	Ph	н	н	CF <sub>3</sub> CF <sub>2</sub>	B24
A43	PhO	H	н	CF <sub>3</sub> CF <sub>2</sub>	B24
A44	PhS	· <b>H</b> · ·	H	CF <sub>3</sub> CF <sub>2</sub>	B24
A45	PhSO	н	. н.	CF <sub>3</sub> CF <sub>2</sub>	B24
A46	PhSO <sub>2</sub>	н	H	CF₃CF₂	B24
A47	CH₃S	H	Н	CF <sub>3</sub> CF <sub>2</sub>	B24
A48	CH₃SO	. н	H.	CF <sub>3</sub> CF <sub>2</sub>	B24
A49	CF₃	н	Н	CF₃CF₂	B24
A50	F₂CH	н	Н	CF <sub>3</sub> CF <sub>2</sub>	B24
A51	HCC	` н	Н	CF <sub>3</sub> CF <sub>2</sub>	B24
A52	CH₃CC	, <b>H</b>	Н	CF <sub>3</sub> CF <sub>2</sub>	B24
A53	CH₂=CH	H	. <b>H</b> .	CF <sub>3</sub> CF <sub>2</sub>	B24
A54	CH <sub>2</sub> =CHCH <sub>2</sub>	н	Н	CF <sub>3</sub> CF <sub>2</sub>	B24
A55	CH₃SO₂N(CH₃)	н	Н	CF <sub>3</sub> CF <sub>2</sub>	B24
A56	(CH₃)₂N	Н	Н	CF <sub>3</sub> CF <sub>2</sub>	B24
A57	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	н	H	CF₃CF₂	B24
A58	CICH <sub>2</sub>	н	Н	CF <sub>3</sub> CF <sub>2</sub>	B24
A59	CH <sub>3</sub> SCH <sub>2</sub>	н	Н.	CF₃CF₂	B24
A60	CH <sub>3</sub> SOCH <sub>2</sub>	Н	Н	CF <sub>3</sub> CF <sub>2</sub>	B24
A61	CH₃SO₂CH₂	Н	Н	CF₃CF₂	B24
A62	[1,2,4]-triazol-1-yl-methyl	Н	Н	CF <sub>3</sub> CF <sub>2</sub>	B24
A63	Н	H	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A64	CH₃	H	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A65	CH₃CH₂	н	н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A66	cyclopropyl	н	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A67	(CH₃)₃C	н	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24

Compd.	R <sub>92</sub>	R <sub>93</sub>	R <sub>94</sub>	R <sub>95</sub>	Q <sub>3</sub>
no.					
A68	· (CH₃)₂CH	н	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A69	CH₃(CH₂)₂	н	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A70	CH₃OCH₂	н	н	CF3CF2CF2	B24
A71	CH₃O(CH₂)₂	Н	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A72	Ph	Н	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A73	PhO	н	н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A74	PhS	Н	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A75	PhSO	н	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A76	PhSO <sub>2</sub>	H	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A77	CH₃S	Н	н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A78.	CH₃SO	н	н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A79	CF <sub>3</sub>	Н	· H	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A80	F₂CH	Н	н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A81	HCC	н	H	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A82	CH3CC	н	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A83	CH <sub>2</sub> =CH	Н	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A84	CH <sub>2</sub> =CHCH <sub>2</sub>	Н	н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A85	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	н	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A86	(CH <sub>3</sub> ) <sub>2</sub> N	Н	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A87	(CH <sub>3</sub> )₂NSO₂	Н	н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A88	. CICH₂	H	Η .	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A89	CH₃SCH₂	Н	н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A90	CH₃SOCH₂	H	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A91	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	Н	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A92	[1,2,4]-triazol-1-yl-methyl	Н	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A93	н	Н	Н	· CF <sub>2</sub> CI	B24
A94	CH₃	Н	Н	CF <sub>2</sub> CI	B24
A95	CH₃CH₂	н	Н	CF <sub>2</sub> CI	B24
A96	cyclopropyl	Н	Н	CF <sub>2</sub> CI	B24
A97	(CH₃)₃C	Н	Н	CF <sub>2</sub> CI	B24
A98	(CH <sub>3</sub> )₂CH	Н	Н	CF <sub>2</sub> CI	B24
A99	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	Н	Н	CF <sub>2</sub> CI	B24

Compd	. R <sub>92</sub>	D			_
no.	• • • • • • • • • • • • • • • • • • • •	R <sub>93</sub>	R <sub>94</sub>	R <sub>95</sub>	Q <sub>3</sub>
A100	CH₃OCH₂	Н		05.0	<b>-</b>
A101	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>		н	CF₂CI	B24
A102	Ph	H	Н	CF₂CI	B24
A103	PhO	H	Н	ĈF₂CI	B24
A104	PhS	Н	H	CF <sub>2</sub> Cl	B24
A104		H 	Н	CF <sub>2</sub> CI	B24
	PhSO	H	Н	CF <sub>2</sub> CI	B24
A106	PhSO <sub>2</sub>	н ,	Н	CF <sub>2</sub> CI	B24
A107	CH₃S	н	Н	CF <sub>2</sub> CI	B24
A108	CH₃SO	Н	H	CF <sub>2</sub> CI	B24
A109	CF₃	Н	. н	CF <sub>2</sub> CI	B24
A110	F₂CH	Н	. Н	CF <sub>2</sub> CI	B24
A111	, HCC	Н	H	CF <sub>2</sub> CI	B24
A112	CH₃CC	Н	H	CF <sub>2</sub> CI	B24
A113	CH <sub>2</sub> =CH	н	Н	CF <sub>2</sub> CI	B24
A114	CH <sub>2</sub> =CHCH <sub>2</sub>	Н	Н	CF <sub>2</sub> Cl	B24
A115	CH₃SO₂N(CH₃)	н	Н	CF <sub>2</sub> Cl	B24
A116	(CH₃)₂N	н	Н	CF <sub>2</sub> CI	B24
A117	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Н	Н	CF <sub>2</sub> CI	B24
A118	CICH <sub>2</sub>	Н	H	CF <sub>2</sub> CI	B24
A119	CH₃SCH₂	н	H	CF <sub>2</sub> CI	B24
A120	CH₃SOCH₂	H	Н	CF <sub>2</sub> CI	B24
A121	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	Н	Н	CF <sub>2</sub> Cl	B24
A122	[1,2,4]-triazol-1-yl-methyl	н	Н	CF <sub>2</sub> CI	B24
A123	Н	Н	. н	CHF <sub>2</sub>	B24
A124	CH₃	Н	н	CHF <sub>2</sub>	B24
A125	CH₃CH₂	н	Н	CHF <sub>2</sub>	B24
A126	cyclopropyi	н	Н	CHF₂	B24
A127	(CH <sub>3</sub> ) <sub>3</sub> C	н	н	CHF₂	B24
A128	(CH₃)₂CH	Н	H	CHF <sub>2</sub>	B24
A129	CH₃(CH₂)₂	н	Н	CHF <sub>2</sub>	B24
A130	CH₃OCH₂	н	Н	CHF <sub>2</sub>	B24
A131	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	н	н	CHF <sub>2</sub>	B24

Compd.	$R_{92}$	R <sub>93</sub>	R <sub>94</sub>	R <sub>95</sub>	$Q_3$
no.	· •			•	
A132	Ph	н	Н	CHF <sub>2</sub>	B24
A133	PhO	н	Ĥ	CHF₂	B24
A134	PhS	н	н	CHF₂	B24
A135	PhSO	н	Н	CHF <sub>2</sub>	B24
A136	PhSO <sub>2</sub>	н	Н	CHF <sub>2</sub>	B24
A137	CH₃S	н	Н	CHF <sub>2</sub>	B24
A138	CH₃SO	н	Н	CHF₂	B24
A139	CF₃	н	Н	CHF₂	B24
A140	F₂CH	н	Н	CHF₂	B24
A141	HCC	н	н	CHF <sub>2</sub>	B24
A142	CH₃CC	Н	Н	CHF₂	B24
A143	CH₂=CH	н '	Н	CHF₂	B24
A144	CH <sub>2</sub> =CHCH <sub>2</sub>	н	H	CHF₂	B24
A145	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	н	н	CHF₂	B24
A146	(CH <sub>3</sub> )₂N	Н	Н	CHF₂	B24
A147	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	н	н	CHF₂	B24
A148	CICH₂	Н	Н	CHF₂	B24
A149	CH₃SCH₂	н	н ·	CHF₂	B24
A150	CH₃SOCH₂	н	н	CHF <sub>2</sub>	B24
A151	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	Н	Н	CHF₂	B24
A152	[1,2,4]-triazol-1-yl-methyl	H.	Н	CHF <sub>2</sub>	B24
A153	Н	Н .	· <b>H</b>	CCl <sub>3</sub>	B24
A154	CH₃	н	Н	CCl <sub>3</sub>	B24
A155	CH₃CH₂	н	Н	CCl <sub>3</sub>	B24
A156	cyclopropyl	н	Н	CCI <sub>3</sub>	B24
A157	(CH <sub>3</sub> ) <sub>3</sub> C	Н	Н	CCI <sub>3</sub>	B24
A158	(CH₃)₂CH	н `	н	CCI <sub>3</sub>	B24
A159	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	н	н	CCl <sub>3</sub>	B24
A160	CH <sub>3</sub> OCH <sub>2</sub>	Н	Н	CCl <sub>3</sub>	B24
A161	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	н	н	CCl <sub>3</sub>	B24
A162	Ph	Н	Н	CCl <sub>3</sub>	B24
A163	PhO	Н	н	CCl <sub>3</sub>	B24

Compd.	R <sub>92</sub>	R <sub>93</sub>	R <sub>94</sub>	R <sub>95</sub>	$Q_3$
no.					
A164	PhS	н	н	CCI <sub>3</sub>	B24
A165	PhSO	Н	Н	CCl <sub>3</sub>	B24
A166	PhSO <sub>2</sub>	Н	Н	_CCl³	B24
A167	CH₃S	Н	Н	CCl <sub>3</sub>	B24
A168	CH₃SO	н	H	CCl3	B24
A169	CF <sub>3</sub>	Н	Н	CCl <sub>3</sub>	B24
A170	F₂CH	н	Н	CCl <sub>3</sub>	B24
A171.	HCC	Н	Н	CCl3	B24
A172	CH₃CC	Н	, <b>H</b>	CCl <sub>3</sub>	B24
A173	CH₂=CH	Н.	н	CCI <sub>3</sub>	B24
A174	CH₂=CHCH₂	Н	. н	CCI <sub>3</sub>	B24
A175	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	H	H	CCl <sub>3</sub>	B24
A176	(CH₃)₂N	' Н	Н	CCI <sub>3</sub>	B24
A177	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Н	Н	CCI <sub>3</sub>	B24
A178	CICH <sub>2</sub>	Н	Н	CCI <sub>3</sub>	B24
A179	CH₃SCH₂	Н	Н	CCI <sub>3</sub>	B24
A180	CH₃SOCH₂	Н	Н	CCl <sub>3</sub>	B24
A181	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	Н	Н	CCl <sub>3</sub>	B24
A182	[1,2,4]-triazol-1-yl-methyl	Н	н	CCI <sub>3</sub>	B24
A183	H ,	Н	CH <sub>3</sub>	CF <sub>3</sub>	B24
A184	CH₃	Н	CH₃	CF <sub>3</sub>	B24
A185	CH₃CH₂	H	CH₃	CF <sub>3</sub>	B24
A186	cyclopropyl	, н	CH₃	CF <sub>3</sub>	B24
A187	(CH₃)₃C	H.	CH₃	CF <sub>3</sub>	B24
A188	(CH₃)₂CH	Н	CH₃	CF <sub>3</sub>	B24
A189	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	н	CH₃	CF <sub>3</sub>	B24
A190	CH₃OCH₂	н	CH₃	CF <sub>3</sub>	B24
A191	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	Н	CH₃	CF <sub>3</sub>	B24
A192	Ph	H	CH₃	CF <sub>3</sub>	B24
A193	PhO	Н	CH₃	CF <sub>3</sub>	B24
A194	PhS	Н	CH₃	CF <sub>3</sub>	B24
A195	PhSO	н	CH₃	CF <sub>3</sub>	B24

Compd.	R <sub>92</sub>	R <sub>93</sub>	R <sub>94</sub>	 R <sub>95</sub>	Q <sub>3</sub>
no.	;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;				•
A196	PhSO₂	н	CH₃	CF₃	B24
A197	CH₃S	н	CH <sub>3</sub>	CF₃	B24
A198	CH₃SO	н	СН₃	ĈF₃	B24
A199	CF₃	· н	CH₃	CF₃	B24
A200	F <sub>2</sub> CH	н .	CH <sub>3</sub>	. CF₃	B24
A201	HCC	н	CH₃	CF₃	B24
A202	CH₃CC	н	CH₃	CF₃	B24
A203	CH₂=CH	н	CH₃ .	CF₃	B24
A204	CH₂=CHCH₂	н	CH₃	CF₃	B24
A205	CH₃SO₂N(CH₃)	н	CH₃	CF₃	B24
A206	(CH₃)₂N	н	CH₃	CF <sub>3</sub>	B24
A207	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	. н	CH₃	CF₃	B24
A208	CICH <sub>2</sub>	Н	′ CH₃	CF₃	B24
A209	CH₃SCH₂	Н	СН₃	CF <sub>3</sub>	B24
A210	CH₃SOCH₂	н	CH₃	CF <sub>3</sub>	B24
A211	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	. н	CH₃	CF <sub>3</sub>	B24
A212	H	н	CH₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A213	CH₃	н	CH₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A214	CH₃CH₂	; H	CH₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A215	cyclopropyl	н	CH₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A216	(CH₃)₃C	Н,	CH₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A217	(CH₃)₂CH	н	CH₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A218	CH₃(CH₂)₂	н .	CH₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A219	CH₃OCH₂	н	CH₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A220	CH₃O(CH₂)₂	Н	CH₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A221	· Ph	Н	CH₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A222	PhO	н	CH₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A223	PhS	н	CH₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A224	PhSO	н	CH₃	CF₃CF₂	B24
A225	PhSO <sub>2</sub>	Н	CH₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A226	CH₃S	Н	CH₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A227	CH₃SO	H	CH₃	CF <sub>3</sub> CF <sub>2</sub>	B24

Compd.	R <sub>92</sub> .	R <sub>93</sub>	R <sub>94</sub>	R <sub>95</sub>	Q₃
no.	•				
A228	CF₃	н	CH₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A229	F₂CH	Н	СН₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A230	HCC	н	CH₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A231	CH₃CC	Н	СН₃	CF₃CF₂	B24
A232	CH₂=CH	· H	СН₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A233	CH <sub>2</sub> =CHCH <sub>2</sub>	н	СН₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A234	CH₃SO₂N(CH₃)	·H	СН₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A235	(CH₃)₂N	н	СН₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A236	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	н	CH₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A237	CICH₂	H	СН₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A238	CH₃SCH₂	н	CH₃	CF₃CF₂	B24
A239	CH₃SOCH₂	н	CH₃	CF₃CF₂	B24
A240	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	н	CH₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A241	н .	Н	СН₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	<b>B24</b>
A242	CH₃	н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A243	CH₃CH₂	н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A244	cyclopropyl	Н	CH <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A245	(CH₃)₃C	Н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A246	(CH₃)₂CH	н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A247	CH₃(CH₂)₂	H	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A248	CH₃OCH₂	н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A249	CH₃O(CH₂)₂	н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A250	Ph	н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A251	PhO	н	CH <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A252	PhS	н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A253	PhSO	Ĥ	СН₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A254	PhSO <sub>2</sub>	н	CH₃	CF₃CF₂CF₂	B24
A255	CH₃S	н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A256	CH₃SO	H	СН₃	CF₃CF₂CF₂	B24
A257	CF <sub>3</sub>	н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A258	F₂CH	н	СН₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A259	HCC	н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24

Compd.	R <sub>92</sub>	R <sub>93</sub>	R <sub>94</sub>	R <sub>95</sub>	Q <sub>3</sub>
no.					
A260	CH₃CC	н	СН₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A261	CH <sub>2</sub> =CH	н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A262	CH₂≃CHCH₂	Н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A263	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	н	CH <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A264	(CH₃)₂N	H	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A265	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A266	CICH₂	H	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A267	CH₃SCH₂	. н	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A268	CH₃SOCH₂	н	CH <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A269	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	• н	CH₃	CF₃CF2CF2	B24
A270	н	н	СН₃	CF <sub>2</sub> CI	B24
A271	CH₃	Н	СН₃	CF <sub>2</sub> CI	B24
A272	CH₃CH₂	н	CH₃	CF <sub>2</sub> CI	B24
A273	cyclopropyl	н	CH₃	CF <sub>2</sub> CI	B24
A274	(CH₃)₃C	н	СН₃	CF <sub>2</sub> Cl	B24
A275	(CH <sub>3</sub> ) <sub>2</sub> CH	н	CH <sub>3</sub>	CF <sub>2</sub> Cl	B24
A276	CH₃(CH₂)₂	н	CH₃	CF <sub>2</sub> CI	B24
A277	CH₃OCH₂	н	CH <sub>3</sub>	CF <sub>2</sub> Cl	B24
A278	CH₃O(CH₂)₂	Н	СН₃	CF <sub>2</sub> CI	B24
A279	Ph	Н	СН₃	CF <sub>2</sub> CI	B24
A280	PhO	H	CH₃	CF <sub>2</sub> CI	B24
A281 '	, PhS	н	CH₃	CF <sub>2</sub> CI	B24
A282	PhSO	Н	CH <sub>3</sub>	CF <sub>2</sub> CI	B24
A283	PhSO₂	н	CH₃	CF <sub>2</sub> CI	B24
A284	CH₃S	н	CH₃	CF <sub>2</sub> Cl	B24
A285	CH₃SO	н	CH₃	CF <sub>2</sub> Cl	B24
A286	CF <sub>3</sub>	н	CH₃	CF <sub>2</sub> CI	B24
A287	F₂CH	, н	CH₃	CF <sub>2</sub> CI	B24 -
A288	HCC	, н	CH₃	CF <sub>2</sub> CI	B24
A289	CH₃CC	н	CH₃	CF <sub>2</sub> CI	B24
A290	CH₂=CH	н	CH₃	CF <sub>2</sub> CI	B24
A291	CH <sub>2</sub> =CHCH <sub>2</sub>	н	CH₃	CF <sub>2</sub> CI	B24

Compd.	R <sub>92</sub>	R <sub>ss</sub>	R <sub>94</sub>	R <sub>95</sub>	Q <sub>3</sub>
no.	<del>.</del> .	- 33	* 194		СkЗ
A292	CH₃SO₂N(CH₃)	н	CH₃	CF₂CI	B24
A293	(CH₃)₂N	н	CH₃	CF <sub>2</sub> CI	B24
A294	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	. н	CH₃	ĈF₂CI	B24
A295	CICH <sub>2</sub>	н	CH <sub>3</sub>	CF <sub>2</sub> CI	B24
A296	CH₃SCH₂	н	CH₃	CF <sub>2</sub> CI	B24
A297	CH₃SOCH₂	н	CH <sub>3</sub>	CF <sub>2</sub> CI	B24
A298	CH₃SO₂CH₂	н	CH <sub>3</sub>	CF <sub>2</sub> CI	B24
A299	H ·	н	CH₃	CHF <sub>2</sub>	B24
A300	CH₃	н	СНа	- CHF₂	B24
A301	CH₃CH₂	н	СН₃	CHF <sub>2</sub>	B24
A302 ·	cyclopropyl	Н	СН₃	CHF <sub>2</sub>	B24
A303	(CH₃)₃C	н	СН₃	CHF <sub>2</sub>	B24
A304	(CH₃)₂CH	Н	CH₃	CHF <sub>2</sub>	B24
A305	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	Н	CH₃	CHF <sub>2</sub>	B24
A306	CH₃OCH₂	Н	CH₃	CHF <sub>2</sub>	B24
A307	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	н	CH₃	CHF₂	B24
A308	Ph	н	CH₃	CHF <sub>2</sub>	B24
A309	PhO	н	CH₃	CHF <sub>2</sub>	B24
A310	PhS	н	CH₃	CHF <sub>2</sub>	B24
A311	PhSO	H	. CH <sub>3</sub>	. CHF2	B24
A312 · ·	PhSO <sub>2</sub>	н	CH <sub>3</sub>	CHF <sub>2</sub>	B24
A313	CH₃S	н	CH₃	CHF <sub>2</sub>	B24
A314	CH₃SO	н	CH₃	CHF <sub>2</sub>	B24
A315	CF <sub>3</sub>	н	CH₃	CHF <sub>2</sub>	B24
A316	F₂CH	Н	CH₃	CHF <sub>2</sub>	B24
A317	HCC	н	CH₃	CHF <sub>2</sub>	B24
A318	CH₃CC	, Н	CH <sub>3</sub>	CHF <sub>2</sub>	B24
A319	CH₂=CH	Н	CH₃	CHF <sub>2</sub>	B24
A320	CH <sub>2</sub> =CHCH <sub>2</sub>	H	CH₃	CHF <sub>2</sub>	B24
A321	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	н	CH₃	CHF <sub>2</sub>	B24
A322	(CH₃)₂N	н	CH₃	CHF <sub>2</sub>	B24
A323	(CH <sub>3</sub> )₂NSO₂	Н	CH₃	CHF <sub>2</sub>	B24

()

Compd.	R <sub>92</sub>	R <sub>93</sub>	R <sub>94</sub>	R <sub>95</sub>	$Q_3$
no.					
A324	CICH <sub>2</sub>	Н	CH <sub>3</sub>	CHF <sub>2</sub>	B24
A325	CH₃SCH₂	н	CH₃	CHF₂	B24
A326	CH₃SOCH₂	н	CH₃	€HF <sub>2</sub>	B24
A327	CH₃SO₂CH₂	н	CH₃	CHF₂	B24
A328	Н	н	CH₃	CCI <sub>3</sub>	B24
A329	CH <sub>3</sub>	Н	CH₃	CCI <sub>3</sub>	B24
A330	CH₃CH₂	Н	CH₃	CCl <sub>3</sub>	B24
A331	(CH <sub>3</sub> ) <sub>3</sub> C	н	CH₃	CCl <sub>3</sub>	B24
A332	(CH₃)₂CH	Н	CH₃	CCl <sub>3</sub>	B24
A333	cyclopropyl	Н	CH₃	CCl <sub>3</sub>	B24
A334	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	Н	CH <sub>3</sub>	CCl <sub>3</sub>	B24
A335	CH₃OCH₂	Н	CH₃	CCl <sub>3</sub>	B24
A336	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	Н	CH₃	CCl <sub>3</sub>	B24
A337	Ph	н	CH <sub>3</sub>	CCl <sub>3</sub>	B24
A338	PhO	Н	. CH₃	CCl <sub>3</sub>	B24
A339	PhS	н	CH₃	CCl <sub>3</sub>	B24
A340	PhSO	н	CH <sub>3</sub>	CCl <sub>3</sub>	B24
A341	PhSO₂	Н	CH <sub>3</sub>	CCl <sub>3</sub>	B24
A342	CH₃S	Н	CH₃	CCl <sub>3</sub>	B24
A343	CH₃SO	Н	CH₃	CCl <sub>3</sub>	B24
A344	CF₃	н	CH <sub>3</sub>	CCl <sub>3</sub>	B24
A345	F₂CH	н	CH₃	CCI <sub>3</sub>	B24
A346	HCC	Н	CH₃	CCl <sub>3</sub>	B24
A347	CH₃CC	н	CH <sub>3</sub>	CCl <sub>3</sub>	B24
A348	CH₂=CH	Н	CH₃	CCl <sub>3</sub>	B24
A349	CH₂=CHCH₂	Н	CH₃	CCl3	B24
A350	CH₃SO₂N(CH₃)	н	CH₃	CCl <sub>3</sub>	B24
A351	(CH₃)₂N	н	CH₃	CCI <sub>3</sub>	B24
A352	(CH <sub>3</sub> )₂NSO <sub>2</sub>	н	CH₃	CCl <sub>3</sub>	B24
A353	CICH <sub>2</sub>	н	CH₃	CCl <sub>3</sub>	B24
A354	CH₃SCH₂	н	CH₃	CCl <sub>3</sub>	B24
A355	CH₃SOCH₂	н	CH₃	CCl <sub>3</sub>	B24

Compd.	R <sub>92</sub>	R <sub>93</sub>	R <sub>94</sub>	R <sub>95</sub>	$Q_3$
no.					
A356	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	. Н	CH₃	CCl3	B24
A357	Н	Н	Ph	CF₃	B24
A358	CH₃	Н	Ph	CF <sub>3</sub>	B24
A359	CH₃CH₂	н	Ph	CF <sub>3</sub>	B24
A360	cyclopropyl	Н	Ph	CF <sub>3</sub>	B24
A361	(CH₃)₃C	Н	Ph	CF <sub>3</sub>	B24
A362	(CH₃)₂CH	н	Ph	CF <sub>3</sub>	B24
A363	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	Ĥ	Ph	CF₃	B24
A364	CH₃OCH₂	H	Ph	CF <sub>3</sub>	B24
A365	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	н	Ph	CF <sub>3</sub>	B24
A366	Ph	н	Ph ·	CF <sub>3</sub>	B24
A367	PhO	Ĥ	Ph	CF₃	B24
A368	PhS	н	Ph	CF <sub>3</sub>	B24
A369	PhSO	н	Ph	CF <sub>3</sub>	B24
A370	PhSO <sub>2</sub>	Н	Ph	CF₃	B24
A371	CH₃S	Н	Ph	CF₃	B24
A372	CH₃SO	н	Ph	CF₃	B24
A373	CF <sub>3</sub>	н	Ph	CF <sub>3</sub>	B24
A374	F₂CH	н	Ph	CF <sub>3</sub>	B24
A375	HCC	н	Ph	CF <sub>3</sub>	B24
A376	CH₃CC	Н	Ph	CF₃	B24
A377	CH₂=CH	н	Ph	CF₃	B24
A378	CH <sub>2</sub> =CHCH <sub>2</sub>	н	· Ph	CF <sub>3</sub>	B24
A379	CH₃SO₂N(CH₃)	н	Ph	CF <sub>3</sub>	B24
A380	(CH₃)₂N	н	Ph	CF <sub>3</sub>	B24
A381	(CH <sub>3</sub> )₂NSO₂	н	Ph	CF <sub>3</sub>	B24
A382	CICH₂	н	Ph	CF <sub>3</sub>	B24
A383	CH₃SCH₂	Н	Ph	CF <sub>3</sub>	B24
A384	CH₃SOCH₂	Н	Ph	CF <sub>3</sub>	B24
A385	CH₃SO₂CH₂	Н	Ph	CF₃	B24
A386	Н	н	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A387	CH <sub>3</sub>	Н	Ph	CF₃CF₂	B24

Compd.	R <sub>92</sub>	R <sub>93</sub>	R <sub>94</sub>	R <sub>95</sub>	Q <sub>3</sub>
no.					
A388	CH₃CH₂	Н	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A389	cyclopropyl	Н	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A390	(CH <sub>3</sub> ) <sub>3</sub> C	н	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A391	(CH₃) <sub>2</sub> CH	н	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A392	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	н	. Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A393	CH₃OCH₂	H	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A394	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	Н	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A395	Ph	Н	Ph	CF₃CF₂	B24
A396	PhO	н	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A397	PhS	Н	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A398	PhSO	Н	Ph	CF <sub>3</sub> CF₂	B24
A399	PhSO <sub>2</sub>	Н	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A400	CH₃S	н	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A401	CH₃SO .	н	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A402	CF <sub>3</sub>	н	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A403	F₂CH	н	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A404	HCC	н	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A405	CH₃CC	н	Ph	CF₃CF₂	B24
A406	CH₂=CH	н	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A407	CH <sub>2</sub> =CHCH <sub>2</sub>	н	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A408	CH₃SO₂N(CH₃)	н	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A409	(CH₃)₂N	н	Ph	CF₃CF₂	B24
A410	(CH₃)₂NSO₂	н	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A411	CICH₂	Н	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A412	CH₃SCH₂	н	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A413	CH₃SOCH₂	Н	Ph	CF₃CF₂	B24
A414	CH₃SO₂CH₂	Н	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A415	Н	Н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A416	CH₃	Н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A417	CH₃CH₂	Н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A418	cyclopropyl	н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A419	(CH <sub>3</sub> ) <sub>3</sub> C	Н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24

				-	
Compd.	R <sub>92</sub>	$R_{83}$	$R_{94}$	R <sub>95</sub>	$Q_3$
no.					
A420	(CH <sub>3</sub> ) <sub>2</sub> CH	Н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A421	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	Н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A422	CH₃OCH₂	н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A423	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A424	Ph	Н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A425	PhO	Н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A426	PhS	Н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A427	PhSO	Н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A428	PhSO <sub>2</sub>	Н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A429	CH <sub>3</sub> S	Н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A430	CH₃SO	Н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A431	CF₃	н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A432	F₂CH	Н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A433	HCC	н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A434	CH₃CC	н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A435	CH₂=CH	Н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A436	CH <sub>2</sub> =CHCH <sub>2</sub>	н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A437	CH₃SO₂N(CH₃)	н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A438	(CH₃)₂N	н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A439	(CH <sub>3</sub> )₂NSO₂	, Н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A440	CICH₂	н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A441	CH₃SCH₂	н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A442	CH₃SOCH₂	Н	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A443	CH₃SO₂CH₂	Н	Ph	. CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A444	н	н	`Ph	CF <sub>2</sub> CI	B24
A445	CH₃	н	Ph	CF₂CI	B24
A446	CH₃CH₂	Н	Ph	CF₂CI	B24
A447	cyclopropyl	н	Ph	CF₂CI	B24
A448	(CH₃)₃C	- H	Ph	CF₂CI	B24
A449	(CH <sub>3</sub> )₂CH	н	Ph	CF₂CI	B24
A450	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	н	Ph	CF₂CI	B24
A451	CH <sub>3</sub> OCH <sub>2</sub>	н	Ph	CF <sub>2</sub> Cl	B24

Compd.	R <sub>92</sub>	R <sub>93</sub>	R <sub>94</sub>	R <sub>95</sub>	$Q_3$
no.					-3
A452	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	Н	Ph	CF₂CI	B24
A453	Ph	н	Ph	CF <sub>2</sub> CI	B24
A454	PhO	н	Ph	ĈF₂CI	B24
A455	PhS	н	Ph	CF <sub>2</sub> CI	B24
A456	PhSO	н	Ph	CF <sub>2</sub> Cl	B24
A457	PhSO₂	н	Ph	CF <sub>2</sub> CI	B24
A458	CH₃S	н	Ph	CF₂CI	B24
A459	CH₃SO	н	Ph	CF <sub>2</sub> Cl	B24
A460	CF₃	н	Ph .	CF <sub>2</sub> Cl	B24
A461	F₂CH	н	Ph	CF <sub>2</sub> Cl	B24
A462	HCC	н 🕟	Ph	CF <sub>2</sub> Cl	B24
A463	CH₃CC	н	Ph	CF <sub>2</sub> CI	B24
A464	CH <sub>2</sub> =CH	н	Ph	CF <sub>2</sub> CI	B24
· A465	CH₂=CHCH₂	н	Ph	CF₂CI	B24
A466	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	н	Ph	CF₂CI	B24
A467	(CH₃)₂N	н	Ph	CF₂CI	B24
A468	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	н	Ph	CF <sub>2</sub> Cl	B24
A469	CICH₂	н '	Ph	CF <sub>2</sub> Cl	B24
A470	CH₃SCH₂	н	Ph	CF <sub>2</sub> Cl	B24
A471	CH₃SOCH₂	н	Ph	CF <sub>2</sub> Cl	B24
A472	CH₃SO₂CH₂	н	·Ph	CF <sub>2</sub> Cl	B24
A473	Н	н	Ph	CHF <sub>2</sub>	B24
A474	CH₃	н	Ph	CHF <sub>2</sub>	B24
A475	CH₃CH₂	<sup>*</sup> H	Ph	CHF <sub>2</sub>	B24
A476	cyclopropyl	н	. Ph	CHF <sub>2</sub>	B24
A477	(CH₃)₃C	н	Ph	CHF <sub>2</sub>	B24
A478	(CH₃)₂CH	н	Ph	CHF <sub>2</sub>	B24
A479	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	н	Ph	CHF₂	B24
A480	CH₃OCH₂	н	Ph	CHF <sub>2</sub>	B24
A481	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	Н	Ph	CHF <sub>2</sub>	B24
A482	Ph	Н	Ph	CHF <sub>2</sub>	B24
A483	PhO	Н	Ph .	CHF <sub>2</sub>	B24

Compd.	R <sub>92</sub>	. R <sub>83</sub>	R <sub>94</sub>	R <sub>95</sub>	Q <sub>3</sub>
no.		•	•		0
A484	PhS	н	Ph	CHF₂	B24
A485	PhSO	Н.	Ph	CHF <sub>2</sub>	B24
A486	PhSO <sub>2</sub>	. н	Ph	TCHF <sub>2</sub>	B24
A487	CH₃S	н	Ph	CHF₂	B24
A488	CH₃SO	н	Ph	CHF <sub>2</sub>	B24
A489	CF₃	Н	Ph	CHF <sub>2</sub>	B24
A490	F₂CH	н	Ph	CHF <sub>2</sub>	B24
A491	HCC	н	Ph	CHF <sub>2</sub>	B24
A492	CH₃CC	н	Ph	CHF <sub>2</sub>	B24
A493	CH₂=CH	н	Ph	CHF₂	B24
A494	CH₂=CHCH₂	н	Ph	CHF <sub>2</sub>	B24
A495	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	H	Ph	CHF <sub>2</sub>	B24
A496	(CH₃)₂N	н	Ph	CHF <sub>2</sub>	B24
A497	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	н	Ph	CHF₂	B24
A498	CICH <sub>2</sub>	н	Ph	CHF₂	B24
A499	CH₃SCH₂	н	Ph	CHF <sub>2</sub>	B24
A500	CH₃SOCH₂	, н	Ph	CHF <sub>2</sub>	B24
A501	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	н	Ph	CHF <sub>2</sub>	B24
A502	н	н	Ph	CCI <sub>3</sub>	B24
A503	CH₃	Н	Ph	CCl <sub>3</sub>	B24
A504	CH₃CH₂	Н	Ph	CCl₃	B24
A505	cyclopropyl	Н	Ph	CCl <sub>3</sub>	B24
A506	(CH₃)₃C	н	Ph	CCI <sub>3</sub>	B24
A507	(CH <sub>3</sub> )₂CH	н	Ph	CCl₃	B24
A508	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	H	Ph	CCl₃	B24
A509	CH₃OCH₂	· н	Ph	CCl₃	B24
A510	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	Н	Ph	CCl₃	B24
A511	Ph	н	Ph	CCl₃	B24
A512	PhO	н	Ph	CCl <sub>3</sub>	B24
A513	PhS	н	Ph	CCl₃	B24
A514	PhSO	н	Ph	CCl <sub>3</sub>	B24
A515	PhSO <sub>2</sub>	Н	Ph	CCI <sub>3</sub>	B24

()

Compd.	R <sub>92</sub>	R <sub>93</sub>	R <sub>94</sub>	R <sub>95</sub>	$Q_3$
no.					
A516	CH₃S	н	Ph	CCI <sub>3</sub>	B24
A517	CH₃SO	н	Ph	CCl₃	B24
A518	CF <sub>3</sub>	Н	Ph	℃Cl <sub>3</sub>	B24
A519	F₂CH	Н	Ph	CCl <sub>3</sub>	B24
A520	HCC	н	Ph	CCI <sub>3</sub>	B24
A521	CH₃CC	Н	Ph	CCI <sub>3</sub>	B24
A522	CH₂=CH	Н	Ph	CCl <sub>3</sub>	B24
A523	CH <sub>2</sub> =CHCH <sub>2</sub>	Н	Ph	CCl <sub>3</sub>	B24
A524	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	н	Ph	CCl <sub>3</sub>	B24
A525	(CH₃)₂N	н	Ph	CCl <sub>3</sub>	B24
A526	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	H	Ph	CCI <sub>3</sub>	B24
A527	CICH <sub>2</sub>	н	Ph	CCl₃	B24
A528	CH₃SCH₂	Н	Ph	CCl₃	B24
A529	CH₃SOCH₂	н	Ph	CCl₃	B24
A530	CH₃SO₂CH₂	н	Ph	CCl <sub>3</sub>	B24
A531	Н	CH₃	Н	CF <sub>3</sub>	B24
A532	н	CH₃CH₂	н	CF₃	B24
A533	Н	cyclopropyl	Н	CF <sub>3</sub>	B24
A534	Н	(CH₃)₃CH	Н	CF <sub>3</sub>	B24
A535	Н	(CH₃)₂CH	н	CF₃	B24
A536	Н	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	Н	CF₃	B24
A537	Н	CH <sub>3</sub> OCH <sub>2</sub>	н	CF₃	B24
A538	H	CH <sub>3</sub> O(CH <sub>2</sub> )₂	Н	CF <sub>3</sub>	B24
A539	Н	Ph	Н	CF <sub>3</sub>	B24
A540	Н	PhO	H,	ĊF₃	B24
A541	н `	PhS	Н	CF₃	B24
A542	Н	PhSO	Н	CF <sub>3</sub>	B24
A543	н	PhSO <sub>2</sub>	н	CF <sub>3</sub>	B24
A544	н	CH₃S	Н	CF₃	B24
A545	н	CH₃SO	Н	CF <sub>3</sub>	B24
A546	н	CF <sub>3</sub>	н	CF <sub>3</sub>	B24
A547	Н	F₂CH	Н	CF₃	B24

Compd.	R <sub>92</sub>	R <sub>83</sub>	R <sub>94</sub>	R <sub>95</sub>	Q₃
no.				-33	3
A548	н	HCC	н	CF₃	B24
A549	н	CH₃CC	н	CF₃	B24
A550	н	CH₂=CH	н	¯CF₃	B24
A551	н	CH <sub>2</sub> =CHCH <sub>2</sub>	Н	CF₃	B24
A552	н	CH₃SO₂N(CH₃)	Ĥ	CF <sub>3</sub>	B24
A553	н	(CH₃)₂N	Н	CF <sub>3</sub>	B24
A554	н	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Н	CF₃	B24
A555	н	CH₃SCH₂	н	CF <sub>3</sub>	B24
A556	Н	CH₃SOCH₂	н	CF <sub>3</sub>	B24
A557	. н	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	н	CF <sub>3</sub>	B24
A558	н	СН₃	н	CF <sub>3</sub> CF <sub>2</sub>	B24
A559	H	CH₃CH₂	н	CF <sub>3</sub> CF <sub>2</sub>	B24
A560	н	cyclopropyl	H	CF <sub>3</sub> CF <sub>2</sub>	B24
A561	Н	(CH₃)₃C	Н	CF <sub>3</sub> CF <sub>2</sub>	B24
A562	Н	(CH₃)₂CH	н	CF <sub>3</sub> CF <sub>2</sub>	B24
A563	н	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	Н	CF <sub>3</sub> CF <sub>2</sub>	B24
A564	н	CH₃OCH₂	н	CF <sub>3</sub> CF <sub>2</sub>	B24
A565	Н	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	Н	CF <sub>3</sub> CF <sub>2</sub>	B24
A566	Н	Ph	н	CF <sub>3</sub> CF <sub>2</sub>	B24
A567	н	PhO	Н	CF <sub>3</sub> CF <sub>2</sub>	B24
A568	н	PhS	Н	CF <sub>3</sub> CF <sub>2</sub>	B24
A569	H	PhSO	Н	CF₃CF₂	B24
A570	Н	PhSO <sub>2</sub>	Н	CF <sub>3</sub> CF <sub>2</sub>	B24
A571	Н	CH₃S	Н	CF <sub>3</sub> CF <sub>2</sub>	B24
A572	н	CH₃SO	н	CF₃CF₂	B24
A573	н	CF <sub>3</sub>	н	CF₃CF₂.	B24
A574	Н	F <sub>2</sub> CH	н	CF₃CF₂	B24
A575	н	HCC	Н	CF₃CF₂	B24
A576	н	CH₃CC	H	CF <sub>3</sub> CF <sub>2</sub>	B24
A577	Н	CH₂=CH	Н	CF₃CF₂	B24
A578	Н	CH <sub>2</sub> =CHCH <sub>2</sub>	н	CF <sub>3</sub> CF <sub>2</sub>	B24
A579	Н	CH₃SO₂N(CH₃)	Н	CF <sub>3</sub> CF₂	B24

Compd.	R <sub>92</sub>	· R <sub>83</sub>	. R <sub>94</sub>	R <sub>95</sub>	Q <sub>3</sub>
no.					
A580	н	(CH₃)₂N	Н	CF <sub>3</sub> CF <sub>2</sub>	B24
A581	н	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Н	CF₃CF₂	B24
A582	н	CH₃SCH₂	н	CF₃CF₂	B24
A583	н	CH₃SOCH₂	Н	CF <sub>3</sub> CF <sub>2</sub>	B24
A584	н	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	Н	CF₃CF₂	B24
, A585	н	CH <sub>3</sub>	н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A586	н	CH₃CH₂	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A587	Н	cyclopropyl	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A588	Н	(CH₃)₃C	н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A589	н	(CH₃)₂CH	н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A590	н	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A591	н	CH₃OCH₂	н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A592	Н	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A593	н	Ph	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A594	н	PhO	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A595	н	PhS	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A596	Н	PhSO	H	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A597	н	PhSO₂	н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A598	Н	CH₃S	н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A599	H	CH₃SO	н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A600	Н	CF <sub>3</sub>	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A601	Н	F <sub>2</sub> CH	H	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A602	н	HCC	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A603	Н	CH₃CC	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A604	н	CH₂=CH	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A605	н	CH <sub>2</sub> =CHCH <sub>2</sub>	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A606	н	CH₃SO₂N(CH₃)	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A607	н	(CH₃)₂N	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A608	н	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A609	Н	CH₃SCH₂	н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A610	Н	CH₃SOCH₂	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A611	Н	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	Н	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24

Compd.	R <sub>92</sub>	R <sub>93</sub>	R <sub>94</sub>	 R <sub>95</sub>	$Q_3$
no.	92	• 193	. 194	' '85	O(3
A612	н	CH₃	• н	CF₂CI	B24
A613	н	CH₃CH₂	Н	CF <sub>2</sub> CI	B24
A614	н	cyclopropyl	н	ĈF₂Cì	B24
A615	н	(CH <sub>3</sub> ) <sub>3</sub> C	н	CF <sub>2</sub> Cl	B24
A616	н	(CH₃)₂CH	н	CF₂CI	B24
A617	н	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	н	CF₂CI	B24
A618	н	CH₃OCH₂	Н	CF <sub>2</sub> Cl	B24
A619	н	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	Н	CF <sub>2</sub> CI	B24
A620	. Н	Ph	Н	CF₂CI	B24
A621	н	PhO	Н	CF <sub>2</sub> Cl	B24
A622	Н	PhS	н	CF <sub>2</sub> Cl	B24
A623	н	PhSO	н	CF₂CI	B24
A624	Н	PhSO <sub>2</sub>	н	CF <sub>2</sub> CI	B24
A625	H	CH₃S	Н	CF <sub>2</sub> CI	B24
A626	Н	CH₃SO	Н	CF <sub>2</sub> CI	B24
A627	Н	CF <sub>3</sub>	Н	CF <sub>2</sub> CI	B24
A628	н	F₂CH	Н	CF <sub>2</sub> CI	B24
A629	н	HCC	Н	CF <sub>2</sub> CI	B24
A630	н,	CH₃CC ·	Н	CF <sub>2</sub> Cl	B24
A631	н	CH₂=CH	Н	CF <sub>2</sub> Cl	B24
A632	н	CH₂=CHCH₂	Н	CF <sub>2</sub> Cl	B24
A633	н	CH₃SO₂N(CH₃)	н	CF <sub>2</sub> Cl	B24
A634	н	(CH₃)₂N	Н	CF <sub>2</sub> CI	B24
A635	H	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Н	CF <sub>2</sub> CI	B24
A636	Н	CH₃SCH₂	Н	CF <sub>2</sub> CI	B24
A637	Н	CH₃SOCH₂	Н	CF <sub>2</sub> CI	B24
A638	н	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	Н	CF <sub>2</sub> Cl	B24
A639	Н	CH₃	Н	CHF <sub>2</sub>	B24
A640	Н	CH₃CH₂	Ή	CHF₂	B24
A641	Н	cyclopropyl	Н	CHF <sub>2</sub>	B24
A642	Н	(CH₃)₃C	Н	CHF₂	B24
A643	<b>H</b>	(CH₃)₂CH	Н	CHF₂	B24

.

Compd.	R <sub>92</sub>	R <sub>93</sub>	R <sub>94</sub>	R <sub>95</sub>	Qз
no.					
A644	н	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	н	CHF₂	B24
A645	н	CH₃OCH₂	Н	CHF <sub>2</sub>	B24
A646	н	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	н	CHF2	B24
A647	н	Ph	Н	CHF <sub>2</sub>	B24
A648	н	PhO	н	CHF <sub>2</sub>	B24
A649	н	PhS	н	CHF <sub>2</sub>	B24
A650	′H	PhSO	Н	CHF₂	B24
A651	н	PhSO <sub>2</sub>	н	CHF <sub>2</sub>	B24
A652	н	CH₃S	Н	CHF₂	B24
A653	н	CH₃SO	Н	CHF₂	B24
A654	н	CF <sub>3</sub>	Н	CHF <sub>2</sub>	B24
A655	н	F₂CH	Н	CHF <sub>2</sub>	B24
A656	н	HCC	Н	CHF <sub>2</sub>	B24
A657	н	CH₃CC	н	CHF <sub>2</sub>	B24
A658	Н	CH <sub>2</sub> =CH	Н	CHF <sub>2</sub>	B24
A659	Н	CH₂=CHCH₂	Н	CHF₂	B24
A660	Н	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	Н	CHF <sub>2</sub>	B24
A661	<b>H</b> .	(CH₃)₂N	Н	CHF <sub>2</sub>	B24
A662	Н	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Н	CHF₂	B24
A663	Н	CH₃SCH₂	Н	· CHF2	B24
A664	н	CH₃SOCH₂	Н	CHF₂	B24
A665	н	CH₃SO₂CH₂	Н	CHF₂	B24
A666	н	CH₃	Н	CCl <sub>3</sub>	B24
A667	Н	CH₃CH₂	Н	CCl <sub>3</sub>	B24
A668	Н	cyclopropyl	н	CCI <sub>3</sub>	B24
A669	н	(CH₃)₃C	н	CCI <sub>3</sub>	B24
A670	· <b>H</b> ·	(CH₃)₂CH	Н	CCl <sub>3</sub>	B24
A671	Н	CH₃(CH₂)₂	H	CCI <sub>3</sub>	B24
A672	Н	CH₃OCH₂	Н	CCI <sub>3</sub>	B24
A673	Н	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	Н	CCI <sub>3</sub>	B24
A674	Н	Ph	н	CCI <sub>3</sub>	B24
A675	<b>H</b>	PhO	н	CCl <sub>3</sub>	B24

Compd.	R <sub>92</sub>	R <sub>83</sub>	R <sub>94</sub>	R <sub>95</sub>	Q <sub>3</sub>
no.		,	•		3
A676	н	PhS	н	CCI <sub>3</sub>	B24
A677	н	PhSO	н	CCI <sub>3</sub>	B24
A678	н	PhSO <sub>2</sub>	н	CCI <sub>3</sub>	B24
A679	H	CH₃S	н	CCl3	B24
A680	H	CH₃SO	н	CCl₃	B24
A681	н	CF <sub>3</sub>	Н	CCl <sub>3</sub>	B24
A682	н	F <sub>2</sub> CH	н	CCl <sub>3</sub>	B24
A683	н	HCC	н	CCl₃	B24
A684	H	CH₃CC	Н	CCl <sub>3</sub>	B24
A685	н	CH <sub>2</sub> =CH	Н	CCl₃	B24
A686	. Н	CH <sub>2</sub> =CHCH <sub>2</sub>	н .	CCI3	B24
A687	· H	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	н	CCl₃	B24
A688	н	(CH₃)₂N	н	CCl₃	B24
A689	н	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	н	CCl <sub>3</sub>	B24
A690	н	CH₃SCH₂	н	CCl₃	B24
A691	Н	CH₃SOCH₂	Н	CCI <sub>3</sub>	B24
A692	Н	CH <sub>3</sub> SO₂CH <sub>2</sub>	Н	CCl₃	B24
A693	Н	CH <sub>3</sub>	CH <sub>3</sub>	CF <sub>3</sub>	B24
A694	Н	CH₃CH₂	CH₃	CF <sub>3</sub>	B24
A695	Н	cyclopropyl	CH <sub>3</sub>	CF <sub>3</sub>	B24
A696	• н	(CH <sub>3</sub> ) <sub>3</sub> C	CH <sub>3</sub>	CF <sub>3</sub>	B24
A697	Н	(CH₃)₂CH	CH₃	CF <sub>3</sub>	B24
A698	Н	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	CH₃	CF <sub>3</sub>	B24
A699	Н	CH₃OCH₂	CH₃	CF <sub>3</sub>	B24
A700	н	CH₃O(CH₂)₂	СН₃	CF <sub>3</sub>	B24
A701	Н	Ph	CH₃	CF₃	B24
A702	H	PhO	CH₃	CF <sub>3</sub>	B24
A703	Н	PhS	CH₃	CF₃	B24
A704	Н	PhSO	СН₃	CF <sub>3</sub>	B24
A705	Н	PhSO <sub>2</sub>	CH₃	CF <sub>3</sub>	B24
A706	Н	CH₃S	CH₃	CF <sub>3</sub>	B24
A707	H	CH₃SO	CH₃	CF₃	B24

Compd.	R <sub>92</sub>	R <sub>93</sub>	R <sub>94</sub>	R <sub>95</sub>	$Q_3$
no.		_			
A708	н	CF <sub>3</sub>	СН₃	CF₃	B24
A709	н	F₂CH	СН₃	CF <sub>3</sub>	B24
A710	Н	HCC	CH <sub>3</sub>	<b>℃</b> F₃	B24
A711	Н	CH₃CC	CH₃	CF <sub>3</sub>	B24
A712	Н	CH₂=CH	СН₃	CF₃	B24
A713	Н	CH₂=CHCH₂	CH₃	CF <sub>3</sub>	B24
A714	Н	CH₃SO₂N(CH₃)	CH₃	CF <sub>3</sub>	B24
A715	Н	(CH <sub>3</sub> ) <sub>2</sub> N	CH₃	CF <sub>3</sub>	B24
A716	Н	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH₃	CF <sub>3</sub>	B24
A717	Н	CH₃SCH₂	CH₃	CF <sub>3</sub>	B24
A718	Н	CH₃SOCH₂	СН₃	CF <sub>3</sub>	B24
A719	н	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	CH₃	CF <sub>3</sub>	B24
A720	Н	CH₃	СН₃	CF₃CF₂	B24
A721	н	CH₃CH₂	CH₃	CF₃CF₂	B24
A722	н	cyclopropyl	CH₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A723	н	(CH <sub>3</sub> ) <sub>3</sub> C	CH <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub>	B24
A724	н	(CH₃)₂CH	CH₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A725	н	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	CH₃	CF₃CF₂	B24
A726	Н	CH₃OCH₂	CH₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A727	Н	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	CH₃	CF₃CF₂	B24
A728	н	Ph	CH₃	CF₃CF₂	B24
A729	н	PhO	СН₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A730	н	PhS	CH <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub>	B24
A731	н	PhSO	CH₃	CF₃CF₂	B24
A732	, н	PhSO <sub>2</sub>	CH₃	CF₃CF₂	B24
A733	Н	CH₃S	CH₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A734	н	CH₃SO	CH₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A735	н	CF <sub>3</sub>	CH₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A736	н	F <sub>2</sub> CH	CH₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A737	н	HCC	CH <sub>3</sub>	CF₃CF₂	B24
A738	н	CH₃CC	CH₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A739	н	CH₂=CH	СН₃	CF <sub>3</sub> CF <sub>2</sub>	B24

Compd.	R <sub>92</sub>	R₃₃	R <sub>94</sub>	R <sub>95</sub>	Q <sub>3</sub>
no.				~	
A740	н	CH <sub>2</sub> =CHCH <sub>2</sub>	СН₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A741	н	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	CH₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A742	H	(CH₃)₂N	CH₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A743	Н	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	СН₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A744	н	CH₃SCH₂	СН₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A745	н	CH₃SOCH₂	СН₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A746	Н	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	СН₃	CF <sub>3</sub> CF <sub>2</sub>	B24
A747	H <sup>*</sup>	CH₃	СН₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A748	Н	CH₃CH₂	СН₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A749	1 · H	cyclopropyl	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A750	н	(CH₃)₃C	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A751	н	(CH₃)₂CH	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A752	Н	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	СН₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A753	Н	CH₃OCH₂	СН₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A754	н	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	СН₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A755	н	Ph	СН₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A756	н	PhO	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A757	Н	PhS	CH <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A758	H	PhSO	СН₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A759	н	PhSO <sub>2</sub>	СН₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A760	н	CH₃S	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A761	н	CH₃SO	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A762	Н	CF <sub>3</sub>	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A763	Н	F₂CH	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A764	Н	HCC	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A765	Н	CH₃CC	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A766	Н	CH₂=CH	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A767	н	CH <sub>2</sub> =CHCH <sub>2</sub>	СН₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A768	Н	CH₃SO₂N(CH₃)	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A769	н	(CH₃)₂N	СН₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A770	н	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A771	H	CH₃SCH₂	СН₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24

	•				
Compd.	R <sub>92</sub>	R <sub>93</sub>	R <sub>94</sub>	R <sub>95</sub>	Q <sub>3</sub>
no.					
A772	Н	CH <sub>3</sub> SOCH <sub>2</sub>	CH₃	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A773	н	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	CH <sub>3</sub>	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A774	Н	CH₃	CH₃	ĈF₂CI	B24
A775	Н	CH₃CH₂	CH <sub>3</sub>	CF <sub>2</sub> Cl	B24
A776	н	cyclopropyl	CH₃	CF <sub>2</sub> CI	B24
A777	н	(CH₃)₃C	CH₃	CF <sub>2</sub> CI	B24
A778	Н	(CH₃)₂CH	СН₃	CF <sub>2</sub> CI	B24
A779	H	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	CH₃	CF₂CI	B24
A780	н	CH₃OCH₂	CH₃	CF <sub>2</sub> CI	B24
A781	Н	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	СН₃	CF <sub>2</sub> CI	B24
A782	н .	Ph	CH₃	CF <sub>2</sub> CI	B24
A783	н	PhO	CH₃	CF <sub>2</sub> CI	B24
A784	H	PhS	CH₃	CF <sub>2</sub> Cl	B24
A785	Н	PhSO	CH₃	CF <sub>2</sub> CI	B24
A786	н	PhSO <sub>2</sub>	СН₃	CF <sub>2</sub> Cl	B24
A787	н	CH₃S	CH₃	CF <sub>2</sub> CI	B24
A788	н	CH₃SO	CH₃	CF <sub>2</sub> CI	B24
A789	н	CF <sub>3</sub>	CH₃	CF <sub>2</sub> CI	B24
A790	н	F₂CH	CH₃	CF <sub>2</sub> CI	B24
A791	H	HCC	CH₃	CF <sub>2</sub> Cl	B24
A792	н	CH₃CC	CH₃	CF₂CI	B24
A793	н	CH₂=CH	CH₃	CF <sub>2</sub> CI	B24
A794	н	CH₂=CHCH₂	CH₃	CF <sub>2</sub> Ci	B24
A795	н	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	CH₃	CF <sub>2</sub> CI	B24
A796	. Н	(CH₃)₂N	CH <sub>3</sub>	CF₂CI	B24
A797	Н	(CH <sub>3</sub> )₂NSO₂	CH <sub>3</sub>	CF₂CI	B24
A798	н	CH₃SCH₂	CH <sub>3</sub>	CF₂CI	B24
A799	н	CH₃SOCH₂	CH <sub>3</sub>	CF <sub>2</sub> CI	B24
A800	н	CH₃SO₂CH₂	CH₃	CF₂CI	B24
A801	н	CH₃	CH₃	CHF₂	B24
A802	н	CH₃CH₂	CH₃	CHF₂	B24
A803	<b>H</b>	cyclopropyl	СН₃	CHF₂	B24

		_			
Compd.	R <sub>92</sub>	R <sub>ss</sub>	R <sub>94</sub>	R <sub>95</sub>	Q₃
no.					
A804	н	(CH₃)₃C	СН₃	CHF <sub>2</sub>	B24
A805	Н	(CH₃)₂CH	СН₃	CHF₂	B24
A806	Н	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	СН₃	CHF <sub>2</sub>	B24
A807	н	CH <sub>3</sub> OCH <sub>2</sub>	СН₃	CHF <sub>2</sub>	B24
A808	н	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	CH₃	CHF <sub>2</sub>	B24
A809	н	Ph	СН₃	CHF <sub>2</sub>	B24
A810	н	PhO	CH₃	CHF₂	B24
A811	Н	PhS	СН₃	CHF <sub>2</sub>	B24
A812	н	PhSO	СН₃	CHF <sub>2</sub>	B24
A813	H .	PhSO <sub>2</sub>	СН₃	CHF <sub>2</sub>	B24
A814	H	CH₃S	СН₃	CHF <sub>2</sub>	B24
A815	Н	CH₃SO	CH₃	CHF₂	B24
A816	н	CF <sub>3</sub>	СН₃	CHF <sub>2</sub>	B24
A817	Н	F₂CH	ÇH₃	CHF <sub>2</sub>	B24
A818	н	HCC	CH₃	CHF <sub>2</sub>	B24
A819	Н	CH₃CC	CH₃	CHF <sub>2</sub>	B24
A820	Н	CH₂=CH	CH₃	CHF <sub>2</sub>	B24
A821	Н	CH <sub>2</sub> =CHCH <sub>2</sub>	CH₃	CHF <sub>2</sub>	B24
A822	H	CH₃SO₂N(CH₃)	CH <sub>3</sub>	CHF <sub>2</sub>	B24
A823	. <b>H</b>	(CH <sub>3</sub> )₂N	CH₃	CHF <sub>2</sub>	B24
A824	Н	(CH <sub>3</sub> )₂NSO₂	CH₃	CHF <sub>2</sub>	B24
A825	Н	CH₃SCH₂	CH <sub>3</sub>	CHF <sub>2</sub>	B24
A826	Н	CH₃SOCH₂	CH₃	CHF <sub>2</sub>	B24
A827	Н	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	CH₃	CHF <sub>2</sub>	B24
A828	Н	CH₃	CH₃	CCl <sub>3</sub>	B24
A829	Н	CH₃CH₂	CH <sub>3</sub>	CCl <sub>3</sub>	B24
A830	Н	cyclopropyl	CH <sub>3</sub>	CCI <sub>3</sub>	B24
A831	н	(CH₃)₃C	CH <sub>3</sub>	CCl <sub>3</sub>	B24
A832	н	(CH₃)₂CH	CH <sub>3</sub>	CCl₃	B24
A833	Н	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	CH₃	CCl₃	B24
A834	Н	CH₃OCH₂	СН₃	CCl₃	B24
A835	Н	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	СН₃	CCl₃	B24

Compd.	R <sub>92</sub>	R <sub>93</sub>	R <sub>94</sub>	R <sub>95</sub>	$Q_3$
no.					
A836	н	Ph	CH₃	CCl <sub>3</sub>	B24
A837	Н	PhO	CH₃	CCI <sub>3</sub>	B24
A838	H	PhS	CH₃	ĈCl₃	B24
A839	н	PhSO	CH <sub>3</sub>	CCI <sub>3</sub>	B24
A840	H	PhSO <sub>2</sub>	CH₃	CCI <sub>3</sub>	B24
A841	Н	CH₃S	CH₃	CCI₃	B24
A842	н	CH₃SO	CH₃	CCl₃	B24
A843	Н	CF <sub>3</sub>	CH₃	CCI <sub>3</sub>	B24
A844	н	F <sub>2</sub> CH	. CH₃	CCl₃	B24
A845	н	HCC	CH₃	CCl₃	B24
A846	Н	CH₃CC	CH₃	CCl₃	B24
A847	· H	CH₂=CH	CH₃	CCl₃	B24
A848	Н	CH <sub>2</sub> =CHCH <sub>2</sub>	CH₃	CCl₃	B24
A849	н	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	CH₃	CCl₃	B24
A850	н	(CH₃)₂N	CH <sub>3</sub>	CCl3	B24
A851	Н	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	CH₃	CCl <sub>3</sub>	B24
A852	Н	CH₃SCH₂	CH₃	CCI <sub>3</sub>	B24
A853	H	CH₃SOCH₂	CH₃	CCI <sub>3</sub>	B24
A854	Н	CH₃SO₂CH₂	CH₃	CCl₃	B24
A855	н	CH₃	Ph	CF <sub>3</sub>	B24
A856	Н	CH₃CH₂	Ph	CF₃	B24
A857	н	(CH₃)₂CH	Ph	CF <sub>3</sub>	B24
A858	Н	(CH₃)₂CH	Ph	CF₃	B24
A859	Н	cyclopropyl	Ph	. CF <sub>3</sub>	B24
A860	Н	CH₃(CH₂)₂	Ph	CF <sub>3</sub>	B24
A861	Н	CH₃OCH₂	Ph	CF₃	B24
A862	' Н	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	Ph	CF₃	B24
A863	Н	Ph	Ph ·	CF₃	B24
A864	Н	PhO	Ph	CF <sub>3</sub>	B24
A865	Н	PhS	Ph	· CF <sub>3</sub>	B24
A866	н	PhSO	Ph	CF₃	B24
A867	<b>H</b>	PhSO <sub>2</sub>	Ph	CF₃	B24

Compd.	R <sub>92</sub>	R <sub>83</sub>	$R_{94}$	R <sub>95</sub>	$Q_3$
no.					
A868	Н	CH₃S	Ph	CF <sub>3</sub>	B24
A869	Н	CH₃SO	Ph	CF <sub>3</sub>	B24
A870	Н	CF₃	Ph	¯CF <sub>3</sub>	B24
A871	н	F₂CH	Ph	CF <sub>3</sub>	B24
A872	н	HCC	Ph	CF <sub>3</sub>	B24
A873	н	CH₃CC	Ph	CF₃	B24
A874	H	CH₂=CH	Ph	CF₃	B24
A875	Н	CH₂=CHCH₂	Ph	CF <sub>3</sub>	B24
A876	' <b>H</b>	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	CF <sub>3</sub>	B24	
A877	н	(CH <sub>3</sub> )₂N	CF₃	B24	
A878	Н	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Ph	CF₃	B24
A879	Н	CH₃SCH₂	Ph	CF <sub>3</sub>	B24
A880	Н	CH₃SOCH₂	Ph	CF₃	B24
A881	Н	CH₃SO₂CH₂	Ph	CF <sub>3</sub>	B24
A882	Н	CH₃	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A883	Н	CH₃CH₂	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A884	Н	cyclopropyl	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A885	Н	(CH₃)₃C	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
- A886	H	(CH₃)₂CH	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A887	Н	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A888	· H	CH <sub>3</sub> OCH <sub>2</sub>	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A889	н	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A890	н	Ph	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A891	Н	PhO	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A892	н	PhS	.Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A893	н	PhSO	Ph	CF₃CF₂	B24
A894	H	PhSO₂	Ph	CF₃CF₂	B24
A895	H	CH₃S	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A896	н	CH₃SO	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A897	Н	CF₃	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A898	Н	F₂CH	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A899	Н	HCC	Ph	CF₃CF₂	B24

1

				,	
Compd.	Ŕ <sub>92</sub>	R <sub>83</sub>	R <sub>94</sub>	R <sub>95</sub>	Q <sub>3</sub>
no.					
A900	н	CH₃CC	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A901	н	CH₂=CH	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A902	н	CH <sub>2</sub> =CHCH <sub>2</sub>	Ph	ĈF₃CF₂	B24
A903	н	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A904	н	(CH₃)₂N	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A905	Н	(CH <sub>3</sub> )₂NSO₂	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A906	Н	CH₃SCH₂	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A907	. н	CH₃SOCH₂	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A908	Н	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	Ph	CF <sub>3</sub> CF <sub>2</sub>	B24
A909	н	CH <sub>3</sub>	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A910	н	.CH₃CH₂	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A911	н	cyclopropyl	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A912	н	(CH₃)₃C	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A913	Н	(CH₃)₂CH	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A914	н	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A915	H	CH₃OCH₂	Ph	CF₃CF₂CF₂	B24
A916	н	CH₃O(CH₂)₂	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A917	H	Ph	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A918	H ·	PhO	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A919	H·	PhS	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A920	• н	PhSO	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A921	н	PhSO <sub>2</sub>	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A922	н	CH₃S	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A923	, н	CH₃SO	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A924	. Н	CF₃	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A925	Н	F₂CH	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A926	Н	HCC	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A927	н	CH₃CC	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A928	н	CH₂=CH	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A929	н	CH₂=CHCH₂	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A930	н	CH₃SO₂N(CH₃)	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A931	Н	(CH₃)₂N	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24

				•	
Compd.	R <sub>92</sub>	R <sub>93</sub>	R <sub>94</sub>	R <sub>95</sub>	$Q_3$
no.	•				
A932	Н	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Ph	CF3CF2CF2	B24
A933	Н	CH₃SCH₂	Ph	CF3CF2CF2	B24
A934	H	CH₃SOCH₂	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A935	H	CH₃SO₂CH₂	Ph	CF <sub>3</sub> CF <sub>2</sub> CF <sub>2</sub>	B24
A936	Н	CH₃	Ph	CF₂CI	B24
A937	н	CH₃CH₂	Ph	CF <sub>2</sub> CI	B24
A938	н	cyclopropyl	Ph	CF <sub>2</sub> CI	B24
A939	н	(CH₃)₃C	Ph	CF <sub>2</sub> CI	B24
A940	• н	(CH₃)₂CH	Ph	CF <sub>2</sub> Ci	B24
A941	. Н	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	Ph	CF <sub>2</sub> CI	B24
A942	н	CH₃OCH₂	Ph	CF <sub>2</sub> CI	B24
, A943	• н	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	Ph	CF <sub>2</sub> CI	B24
A944	Н	Ph	Ph	CF <sub>2</sub> Cl	B24
A945	Н	PhO	Ph	CF <sub>2</sub> CI	B24
A946	H	PhS	Ph	CF <sub>2</sub> Cl	B24
A947	Н	PhSO	Ph	CF <sub>2</sub> Cl	B24
A948	н	PhSO <sub>2</sub>	Ph	CF <sub>2</sub> CI	B24
A949	н	CH₃S	Ph	CF <sub>2</sub> CI	B24
A950	н	CH₃SO	Ph	CF₂CI .	B24
A951	H .	CF₃	Ph	CF <sub>2</sub> Cl	B24
A952	Н	F₂CH	Ph	CF <sub>2</sub> Cl	B24
A953	. н	HCC	Ph	CF <sub>2</sub> Cl	B24
A954	н	CH₃CC	Ph	CF <sub>2</sub> CI	B24
A955	, , <b>H</b> .	CH <sub>2</sub> =CH	Ph	CF <sub>2</sub> CI	B24
A956	н	CH <sub>2</sub> =CHCH <sub>2</sub>	Ph	CF <sub>2</sub> CI	B24
A957	Н	CH₃SO₂N(CH₃)	Ph	CF₂CI	B24
A958	· H	(CH₃)₂N	Ph	CF <sub>2</sub> CI	B24
A959	H	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Ph	CF <sub>2</sub> Cl	B24
A960	Н	CH₃SCH₂	Ph	CF₂CI	B24
A961	Н	CH₃SOCH₂	Ph	CF₂CI	B24
A962	Н	CH <sub>3</sub> SO₂CH₂	, Ph	CF₂CI	B24
A963	<b>H</b>	CH₃	Ph	CHF₂	B24

Compd.	R <sub>92</sub>	R <sub>s3</sub>	R <sub>94</sub>	R <sub>95</sub>	Q₃ .
no.	V -92	• • • • • • • • • • • • • • • • • • •	:	• 135	<b>W</b> 3
A964	н	CH₃CH₂	Ph	CHF₂	B24
A965	Н	(CH₃)₃C	Ph	CHF <sub>2</sub>	B24
A966	н	(CH₃)₂CH	Ph	CHF₂	B24
A967	Н	cyclopropyl	Ph	CHF <sub>2</sub>	B24
A968	Н	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	Ph	CHF <sub>2</sub>	B24
A969	Н	CH₃OCH₂	Ph	CHF <sub>2</sub>	B24
A970	Н	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	Ph	CHF <sub>2</sub>	B24
A971	н	Ph	Ph	CHF <sub>2</sub>	B24
A972	Н	PhO	Ph	CHF <sub>2</sub>	B24
A973	Н	PhS	Ph	CHF <sub>2</sub>	B24
A974	Н	PhSO	Ph	CHF <sub>2</sub>	B24
A975	Н	PhSO <sub>2</sub>	Ph	CHF <sub>2</sub>	B24
A976	Н	CH₃S	Ph	CHF <sub>2</sub>	B24
A977	Н	CH₃SO	Ph	CHF <sub>2</sub>	B24
A978	н	CF₃	Ph	CHF <sub>2</sub>	B24
A979	Н	F <sub>2</sub> CH	Ph	CHF₂	B24
A980	Н.	HCC	Ph	CHF <sub>2</sub>	B24
A981	н	CH₃CC	Ph	CHF₂	B24
A982	н	CH₂=CH	Ph	CHF₂	B24
A983	н	CH₂=CHCH₂	Ph	CHF₂	B24
A984	H .	CH <sub>3</sub> SO <sub>2</sub> N(CH <sub>3</sub> )	Ph	CHF₂	B24
A985	Н	(CH <sub>3</sub> )₂N	Ph	CHF <sub>2</sub>	B24
A986	Н	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Ph	CHF <sub>2</sub>	B24
A987	н	CH₃SCH₂	Ph	CHF <sub>2</sub>	B24
A988	Н	CH₃SOCH₂	Ph	CHF <sub>2</sub>	B24
A989	н	CH₃SO₂CH₂	Ph	CHF <sub>2</sub>	B24
A990	н	CH₃	Ph	CCI <sub>3</sub>	B24
A991	н	CH₃CH₂	Ph	CCl₃	B24
A992	н	(CH <sub>3</sub> ) <sub>3</sub> C	Ph	CCI <sub>3</sub>	B24
A993	н	(CH₃)₂CH	Ph	CCl₃	B24
A994	н	cyclopropyl	Ph	CCI <sub>3</sub>	B24
A995	н	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>2</sub>	Ph	CCl₃	B24

Compd.	R <sub>92</sub>	R <sub>93</sub>	$R_{94}$	R <sub>95</sub>	Qз
no.				,	
A996	. н	CH₃OCH₂	Ph	CCI <sub>3</sub>	B24
A997	н	CH <sub>3</sub> O(CH <sub>2</sub> ) <sub>2</sub>	Ph	CCI <sub>3</sub>	B24
A998	H .	Ph	Ph	CCI <sub>3</sub>	B24
A999	Н	PhO	Ph	CCl <sub>3</sub>	B24
A1000	Н	PhS	Ph	CCI <sub>3</sub>	B24
A1001	. н	PhSO	Ph	CCl <sub>3</sub>	B24
A1002	Н	PhSO <sub>2</sub>	Ph	CCl <sub>3</sub>	B24
A1003	Н	CH₃S	Ph	CCI <sub>3</sub>	B24
A1004	Н	CH₃SO	Ph	CCI <sub>3</sub>	B24
A1005	Н	CF <sub>3</sub>	Ph	CCI <sub>3</sub>	B24
A1006	н .	F₂CH	Ph	CCI <sub>3</sub>	B24
A1007	Н	HCC	Ph	CCI <sub>3</sub>	B24
A1008	Н	CH₃CC	Ph	CCI <sub>3</sub>	B24
A1009	н	CH₂=CH	Ph	CCl <sub>3</sub>	B24
A1010	H	CH <sub>2</sub> =CHCH <sub>2</sub>	Ph	CCI <sub>3</sub>	B24
A1011	Н	CH₃SO₂N(CH₃)	Ph	CCI <sub>3</sub>	B24
A1012	н .	(CH₃)₂N	Ph	CCI <sub>3</sub>	B24
A1013	, н	(CH <sub>3</sub> ) <sub>2</sub> NSO <sub>2</sub>	Ph	CCl <sub>3</sub>	B24
A1014	Н	CH₃SCH₂	Ph	CCl <sub>3</sub>	B24
A1015	н	CH₃SOCH₂	Ph	CCI <sub>3</sub>	B24
A1016	н	CH <sub>3</sub> SO <sub>2</sub> CH <sub>2</sub>	Ph	CCI <sub>3</sub>	B24
A1017	F	Н	Η.	CF <sub>3</sub>	B24
A1018	CI	Н	Н	CF <sub>3</sub>	B24
A1019	Br	Н	Н	CF <sub>3</sub>	B24
A1020	CN	Н	Н	CF <sub>3</sub>	B24
A1021	CH₃SO₂O	Н	H	CF <sub>3</sub>	B24
A1022	CH₃O	Н	н	CF <sub>3</sub>	B24
A1023	CH₂CH₃O	н	Н	CF <sub>3</sub>	B24
A1024	CH <sub>2</sub> CH=CH <sub>2</sub> O	н	Ħ	CF <sub>3</sub>	B24
A1025	HCCCH <sub>2</sub> O	н	Н	CF₃	B24
A1026	S-benzyl	н	н	CF₃	B24
A1027	SO <sub>2</sub> -benzyl	н	н	CF₃	B24

Compd.	R <sub>92</sub>	R <sub>s3</sub>	R <sub>94</sub>	R <sub>95</sub>	Q₃
no.					_
A1028	CICH <sub>2</sub>	H ·	Н	CF₃	B24
A1029	BrCH₂	н	Н	CF₃	B24
A1030	FCH₂	. н	Н	℃F <sub>3</sub>	B24
A1031	CHF <sub>2</sub> CH <sub>2</sub>	Н	н	CF₃	B24
A1032	CF₃CH₂	н	Н	CF <sub>3</sub>	B24
A1033	triazolylmethyl	н	Н	CF₃	B24
A1034	CHCl <sub>2</sub> CH <sub>2</sub>	н	Н	CF <sub>3</sub>	B24
A1035	CICH=CH	н	Н	CF₃	B24
A1036	Cl <sub>2</sub> C=CH	н	Н	CF₃	B24
A1037	CF₃CH=CH	н	н	CF <sub>3</sub>	B24
A1038	CICC	н .	. Н	CF <sub>3</sub>	B24
A1039	Ph	н	Н	CF <sub>3</sub>	B24
A1040	CH₃	СН₃	н	CF₃	B24
A1041	СН₃	ОН	н	CF₃	B24
A1042	СН₃	F	Н	CF₃	B24
A1043	CH₃	. <b>Cl</b> .	Н	CF₃	B24
A1044	F	· CH₃	Н	CF <sub>3</sub>	B24
A1045	Cl	CH₃	Н	CF₃	B24
A1046	н	F	Н	CF <sub>3</sub>	B24
A1047	н	CI	Н	CF <sub>3</sub>	B24
A1048	. н	Br	Н	CF <sub>3</sub>	B24
A1049	н	ОН	Н	CF <sub>3</sub>	B24
A1050	н	OCH₃	Н	CF <sub>3</sub>	B24
A1051	н	OCHF <sub>2</sub>	н	CF <sub>3</sub>	B24
A1052	н	OSO₂CH₃	Н	CF <sub>3</sub>	B24
A1053	н	OSO <sub>2</sub> CF <sub>3</sub>	Н	CF <sub>3</sub>	B24
A1054	н	CICH <sub>2</sub>	Н	CF <sub>3</sub>	B24
A1055	н	BrCH₂	Н	CF <sub>3</sub>	B24
A1056	н	FCH₂	Н	CF₃	B24
A1057	Н	CHF <sub>2</sub> CH <sub>2</sub>	Н	CF <sub>3</sub>	B24
A1058	н.	. CF₃CH₂	Н	CF₃	B24
A1059	Н	triazolylmethyl	Н	CF <sub>3</sub>	B24

_					
Compd.	R <sub>92</sub>	R <sub>93</sub>	R <sub>94</sub>	R <sub>95</sub>	$Q_3$
no.					
A1060	н	CHCl₂CH₂	Н	CF₃	B24
A1061	н	CICH=CH	Н	CF <sub>3</sub>	B24
A1062	H .	Cl <sub>2</sub> C=CH	Н	CF₃	B24
A1063	н	CF₃CH=CH	н	CF <sub>3</sub>	B24
A1064	H	CICC	н	CF <sub>3</sub>	B24
A1065	Н	CH₃C(O)	н	CF <sub>3</sub>	B24
A1066	Н	phenyl	н	CF₃	B24
A1067	Н	SO₂CH₃	Н	CF₃	B24
A1068	н	SO <sub>2</sub> CF <sub>3</sub>	Н	CF₃	B24
A1069	· н	CN	н	CF₃	B24
A1070	н	NO <sub>2</sub>	Н	CF₃	B24
A1071	CH₃	H	F	CF₃	B24
A1072	CH₃	н	CI	CF₃	B24
A1073	CH₃	н	Br	CF <sub>3</sub>	B24
A1074	CH₃	н	CN	CF₃	B24
A1075	CH₃	H	CH₃O	CF₃	B24
A1076	CH₃	н	CH₃S	CF₃	B24
A1077	CH₃	Н	CH₃SO	CF₃	B24
A1078	CH₃ ·	н	CH₃SO₂	CF₃	B24

## Table 9a: Compounds of formula lg:

<u>Q</u> ₃	$Q_3$	Q₃	<u>Q</u> 3	<u>Q</u> <sub>3</sub>	<u>Q</u> 3	<u>Q</u> ₃	<u>Q</u> <sub>3</sub>	<u>Q</u> <sub>3</sub>	<u>Q</u> 3	<u>Q</u> <sub>3</sub>	<u>Q</u> 3
B1	B2	В3	B4	B5	В6	<b>B</b> 7	B8	В9	B10	B11	B12
B13	B14	B15	B16	B17	B18	B19	B20	B21	B22	B23	B24
B25	B26	B27	B28	B29	B30	B31	B32	B33	B34	B35	B36
B37	B38	-B39	B40	B41	B42	B43	B44	B45	B46	B47	B48

4.)

$Q_3$	<u>Q</u> <sub>3</sub>	$Q_3$	$Q_3$	$Q_3$	$Q_3$	$Q_3$	<u>Q</u> 3	<u>Q</u> 3	<u>Q</u> 3	$Q_3$	<u>Q</u> ₃
B49	B50	B51	B52	B53	B54	B55	B56	B57	B58	B59	B60
B61	B62	B63	B64	B65	B66	B67	B68	B69	B70	B71	B72
B73	B74	B75	B76	B77	B78	B79	B80	B81	B82	B83	B84
B85	B86	B87	B88	B89	B90	B91	B92	B93	B94	B95	B96
B97	B98	B99	B100	B101	B102	B103	B104	B105	B106	B107	B108
B109	B110	B111	B112	B113	B114	B115	B116	B117	B118	B119	B120
B121	B122	B123	B124	B125	B126	B127	B128	B129	B130	B131	B132
B133	B134	B135	B136	B137	B138	B139	B140	·B141	B142	B143	B144
B145	B146	B147	B148	B149	B150	B151	B152	B153	B154	B155	B156
B157	B158	B159	B160	B161	B162	B163	B164	B165	B166	B167	B168
B169	B170	B171	B172	B173	B174	B175	B176	B177	B178	B179	B180
B181	B182	B183	B184	B185	B186	B187	B188	B189	B190	B191	B192
B193	B194	B195	B196	B197	B198	B199	B200	B201	B202	B203	B204
B205	B206	B207	B208	B209	B210	B211	B212	B213	B214	B215	B216
B217	B218	B219	B220	B221	B222	B223	B224	B225	B226	B227	B228
B229	B230	B231	B232	B233	B234	B235	B236	B237	B238	B239	B240
B241	B242	B243	B244	B245	B246	B247	B248	B249	B250	B251	B252
B253	B254	B255	B256	B257	B258	B259	B260	B261	B262	B263	B264
B265	B266	B267	B268	B269	B270	B271	B272	B273	B274	B275	B276
B277	B278	B279	B280	B281	B282	B283	B284	B285	B286	B287	B288
B289	B290	B291	B292	B293	B294	B295	B296	B297	B298	B299	B300
B301	B302	B303	B304	B305	B306	B307	B308	B309	B310	B311	B312
B313	B314	B315	B316	B317	B318	B319	B320	B321	B322	B323	B324
B325	B326	B327	B328	B329	B330	B331	B332	B333	B334	B335	B336
B337	B338	B339	B340	B341	B342	B343	B344	B345	B346	B347	B348
B349	B350	B351	B352	B353	B354	B355	B356	B357	B358	B359	B360
B361	B362	B363	B364	B365	B366	B367	B368	B369	B370	B371	B372
B373	B374	B375	B376	B377	B378	B379	B380	B381	B382	B383	B384
B385	B386	B387	B388	B389	B390	B391	B392	B393	B394	B395	B396
B397	B398	B399	B400	B401	B402	B403	B404	B405	B406	B407	B408
B409	B410	B411	B412	B413	B414	B415	B416	B417	B418	B419	B420
B421	B422	B423	B424	B425	B426	B427	B428	B429	B430	B431	B432
B433	B434	.B435	B436	B437	B438	B439	B440	B441	B442	B443	B444

$Q_3$	$Q_3$	<u>Q</u> ₃	$Q_3$	$Q_3$	<u>Q</u> 3	<u>Q</u> 3	$Q_3$	<u>Q</u> 3	$Q_3$	$Q_3$	<u>Q</u> 3	
B445	B446	B447	B448	B449	B450	B451	B452	B453	B454	B455	B456	
B457	B458	B459	B460	B461	B462	B463	B464	B465	B466	B467	B468	
B469	B470	B471	B472	B473	B474	B475	B476	B477	B478	B479	B480	
B481	B482	B483	B484	B485	B486	B487	B488	B489	B490	B491	B492	
B493	B494	B495	B496	B497	B498	B499	B500	B501	B502	B503	B504	
B505	B506	B507	B508	B509	B510	B511	B512	B513	B514	B515	B516	
B517	B518	B519	B520	B521	B522	B523	B524	B525	B526	B527	B528	
B529	B530	B531	B532	B533	B534	B535	B536	B537	B538	B539	B540	
B541	B542	B543	B544	B545	B546	B547	B548	B549	B550	B551	B552	
B553	B554	B555	B556	B557	B558	B559	B560	B561	B562	B563	B564	
B565	B566	B567	B568	B569	B570	B571	B572	B573	B574	B575	B576	
B577	B578	B579	B580	B581	B582	B583	B584	B585	B586	B587	B588	
B589	B590	B591	B592	B593	B594	B595	B596	B597	B598	B599	B600	
B601	B602	B603	B604	B605	B606	B607	B608	B609	B610	B611	B612	
B613	B614	B615	B616	B617	B618	B619	B620	B621	B622	B623	B624	
B625	B626	B627	B628	B629	B630	B631	B632	B633	B634	B635	B636	
B637	B638	B639	B640	B641	B642	B643	B644	B645	B646	B647	B648	
B649	B650	B651	B652	B653	B654	B655	B656	B657	B658	B659	B660	
B661	B662	B663	B664	B665	B666	B667	B668	B669	B670	B671	B672	
B773	B774	B775	B776	B777	B778	B779	B780	B781	B782	B783	B784	
B785	B786	B787	B788	B789	B790	B791	B792	B793	B794	B795	B796	
B797	B798	B799	B800	B801	B802	B803	B804	B805	B806	B807	B808	
B809	B810	B811	B812	B813	B814	B815	B816	B817	B818	B819	B820	
B821	B822	B823	B824	B825	B826	B827	B828	B829	B830	B831	B832	
B833	B834	B835	B836	B837	B838	B839	B840	B841	B842	B843	B844	
B845	B846	B847	B848	B849	B850	B851	B852	B853	B854	B855	B856	
B857	B858	B859	B860	B861	B862	B863	B864	B865	B866	B867	B868	
B869	B870	B871	B872	B873	B874	B875	B876	B877	B878	B879	B880	
B881	B882	B883	B884	B885	B886	B887	B888	B889	B890	B891	B892	
B893	B894	B895	B896	B897	B898	B899	B900	B901	B902	B903	B904	
B905	B906	B907	B908	B909	B910	B911	B912	B913	B914	B915	B916	
B917	B918	B919	B920	B921	B922	B923	B924	B925	B926	B927	B928	
B929	B930	.B931	B932	B933	B934	B935	B936	B937	B938	B939	B940	

WO 01/54501

 $Q_3$ <u>Q</u>₃ <u>Q</u>3 <u>Q</u>₃ <u>Q</u>₃ <u>Q</u>3  $Q_3$  $Q_3$ <u>Q</u><sub>3</sub>  $Q_3$  $Q_3$  $Q_3$ **B941** B942 B943 B944 **B945 B946 B947 B948** B949 B950 B951 B952 B953 B954 B955 B956 B957 B959 **B958 B960** B961 B962 **B963 B964** B965 B966 B967 B968 **B**969 B970 B971 **B972 B973 B974** B975 **B976 B977 B978** B979 B980 B982 B983 **B984** B981 B985 ~B986 B987 **B988 B989** B990 B991 B992 B993 **B994** B995 **B996 B997 B998** B999 B1000 B1001 B1002 B1003 B1004 B1005 B1006 B1007 B1008 B1009 B1010 B1011 B1012 B1013 B1014 B1015 B1016 B1017 B1018 B1019 B1020 B1021 B1022 B1023 B1024 B1025 B1026 B1027 B1028 B1029 B1030 B1031 B1032 B1033 B1034 B1035 B1036 B1037 B1038 B1039 B1040 B1041 B1042 B1043 B1044 B1045 B1046 B1047 B1048 B1049 B1050 B1051 B1052 B1053 B1054 B1055 B1056 B1057 B1058 B1059 B1060 B1061 B1062 B1063 B1064 B1065 B1066 B1067 B1068 B1069 B1070 B1071 B1072 B1073 B1074 B1075 B1076 B1077 B1078 B1079 B1080 B1081 B1082 B1083

Table 10: Compounds of formula Ih:

 $\{\ \}$ 

 $Q_3$ <u>Q</u>₃  $Q_3$ <u>Q</u>3  $Q_3$  $Q_3$  $Q_3$ Q₃ <u>Q</u>₃ <u>Q</u>3 <u>Q</u>3 <u>Q₃</u> **B1** B<sub>2</sub> **B3 B4 B5 B6 B7 B8 B9 B10 B11 B12 B13 B14 B15 B16 B17 B18 B19 B20 B21 B22 B23 B24 B25 B26 B27 B28 B29 B30 B32 B31 B33 B34 B35 B36 B37 B38 B39 B40 B41 B42 B44 B43 B45 B46 B47 B48** B49 **B50 B51 B52 B53 B54 B55 B56 B57 B58 B59 B60** B63 **B61 B62 B64 B65 B66 B67 B68 B69 B70 B71 B72 B73 B74 B75 B76 B77 B78 B79 B80 B81 B82 B83 B84 B85 B86 B87 B88 B89 B90 B91 B92 B93 B94 B95 B96 B97 B98 B99 B100** B101 B102 B103 **B104** B105 B106 B107 **B108** B109 B110 B111 B115 B116 B112 B113 B114 **B117 B118** B119 B120 **B121 B122 B123 B124** B127 B125 B126 **B128 B129** B130 B131 B132 B133 B134 B135 B136 B137 B138 B139 **B140 B141** B142 B143

	•		•								
<u>Q</u> 3	$\underline{\mathbf{Q}_3}$	$Q_3$	<u>Q</u> ₃	<u>Q</u> ₃	<u>Q</u> <sub>3</sub>	<u>Q</u> ₃	<u>Q</u> ₃	$Q_3$	<u>Q</u> 3	<u>Q</u> ₃	$Q_3$
B145	B146	B147	B148	B149	B150	B151	B152	B153	B154	B155	B156
B157	B158	B159	B160	B161	B162	B163	B164	B165	B166	B167	B168
B169	B170	B171	B172	B173	B174	B175	B176	B177	B178	B179	B180
B181	B182	B183	B184	B185	B186	B187	B188	B189	B190	B191	B192
B193	B194	B195	B196	B197	B198	B199	B200	B201	B202	B203	B204
B205	B206	B207	B208	B209	B210	B211	B212	B213	B214	B215	B216
B217	B218	B219	B220	B221	B222	B223	B224	B225	B226	B227	B228
B229	B230	B231	B232	B233	B234	B235	B236	B237	B238	B239	B240
B241	B242	B243	B244	B245	B246	B247	B248	B249	B250	B251	B252
B253	B254	B255	B256	B257	B258	B259	B260	B261	B262	B263	B264
B265	B266	B267	B268	B269	B270	B271	B272	B273	B274	B275	B276
B277	B278	B279	B280	B281	B282	B283	B284	B285	B286	B287	B288
B289	B290	B291	B292	B293	B294	B295	B296	B297	B298	B299	B300
B301	B302	B303	B304	B305	B306	B307	B308	B309	B310	B311	B312
B313	B314	B315	B316	B317	B318	B319	B320	B321	B322	B323	B324
B325	B326	B327	B328	B329	B330	B331	B332	B333	B334	B335	B336
B337	B338	B339	B340	B341	B342	B343	B344	B345	B346	B347	B348
B349	B350	B351	B352	B353	B354	B355	B356	B357	B358	B359	B360
B361	B362	B363	B364	B365	B366	B367	B368	B369	B370	B371	B372
B373	B374	B375	B376	B377	B378	B379	B380	B381	B382	B383	B384
B385	B386	B387	B388	B389	B390	B391	B392	B393	B394	B395	B396
B397	B398	B399	B400	B401	B402	B403	B404	B405	B406	B407	B408
B409	B410	B411	B412	B413	B414	B415	B416	B417	B418	B419	B420
B421	B422	B423	B424	B425	B426	B427	B428	B429	B430	B431	B432
B433	B434	B435	B436	B437	B438	B439	B440	B441	B442	B443	B444
B445	B446	B447	B448	B449	B450	B451	B452	B453	B454	B455	B456
B457	B458	B459	B460	B461	B462	B463	B464	B465	B466	B467	B468
B469	B470	B471	B472	B473	B474	B475	B476	B477	B478	B479	B480
B481	B482	B483	B484	B485	B486	B487	B488	B489	B490	B491	B492
B493	B494	B495	B496	B497	B498	B499	B500	B501	B502	B503	B504
B505	B506	B507	B508	B509	B510	B511	B512	B513	B514	B515	B516
B517	B518	B519	B520	B521	B522	B523	B524	B525	B526	B527	B528
B529	B530	B531	B532	B533	B534	B535	B536	B537	B538	B539	B540

 $Q_3$ <u>Q</u>3  $Q_3$  $Q_3$  $Q_3$ <u>Q</u>₃ <u>Q</u>3 <u>Q</u>3  $Q_3$ <u>Q</u>3  $Q_3$  $Q_3$ **B546 B541** B542 **B543 B544 B545 B547 B548 B549** B550 B551 B552 B553 B554 B555 **B556 B557** B558 **B559 B560** B561 **B562 B563 B564** B565 **B566 B567 B568 B569 B570** B571 B572 **B573 B574 B575 B576 B577 B578 B579** B580 B581 B582 **B583** B584 B585 **B**586 **B587 B588 B589 B590 B591 B592 B593** B594 B595 **B596 B597 B598 B599 B600** B601 B602 **B603** B604 B605 B606 **B607 B608 B609** B610 B611 B612 B613 **B614** B615 B616 B617 B618 B619 B620 B621 B622 B623 B624 B625 B626 B627 B628 **B629 B630** B631 B632 B633 B634 B635 B636 B637 **B638** B639 **B640** B641 B642 B644 B643 B645 B646 B647 **B648** B649 B650 B651 B652 B653 B654 B656 B655 **B657** B658 B659 **B660** B661 B662 B663 **B664** B665 **B666** B667 **B668 B669 B670 B671** B672 **B774 B773 B775 B776 B777 B778 B779 B780 B781** B782 **B783 B784 B785 B786 B787 B788 B789 B790 B791** B792 **B793 B794** B795 **B796 B797 B798 B799 B800 B801** B802 B803 B804 **B805 B806 B807 B808** B809 **B810** B811 B812 **B813 B814** B818 **B815 B816 B817 B819 B820** B821 B822 B823 **B824** B825 **B826 B827 B828 B829 B830 B831 B832** B833 **B834** B835 **B836 B837 B838 B839 B840 B841** B842 **B844 B843** B845 **B846 B847 B848 B849 B850** B851 B852 **B853 B854 B855 B856** B857 **B858 B859 B860 B861** B862 B863 **B864 B865 B866 B867 B868 B869 B870 B**371 **B872 B873 B874 B875 B876 B877 B878 B879 B880 B881** B882 **B883 B884 B885 B886 B887 B888 B889 B890 B891 B892 B893 B894** B895 **B896 B897 B898 B899 B900 B901 B902 B903 B904** B905 **B906 B907** B908 **B909 B910 B911** B912 **B913 B914 B915 B916** B917 **B918 B919 B920** B921 B922 **B924** B923 B925 **B926** B927 **B928 B929 B930** B931 **B932 B933 B934 B935 B936 B937 B938 B939 B940 B941** B942 **B943 B944** B945 **B946** B947 **B948 B949 B950** B951 B952 B953 **B954 B955 B956 B957** B958 **B959 B960** B961 B962 **B963 B964** B966 **B965 B967 B968 B969** B970 B971 **B972 B973 B974 B975 B976 B977 B978 B979** B980 **B981** B982 B983 **B984 B985 B986 B987 B988 B989 B990 B991** B992 **B993 B994 B995 B996** B997 **B998 B999** B1000 B1001 B1002 B1003 B1004 B1005 B1006 B1007 B1008 B1009 B1010 B1011 B1012 B1013 B1014 B1015 B1016 B1017 B1018 B1019 B1020 B1021 B1022 B1023 B1024 B1025 B1026 B1027 B1028 B1029 B1030 B1031 B1032 B1033 B1034 B1035 B1036

{

()

**B217** 

B229

B218

B230 B231

B219

B220

B232

B221

B233

**B222** 

**B234** 

B223

B235

**B224** 

B236

**B225** 

**B237** 

**B226** 

**B238** 

B227

B239

**B228** 

B240

 $Q_3$  $Q_3$ <u>Q₃</u>  $Q_3$  $Q_3$ <u>Q₃</u>  $Q_3$  $Q_3$  $Q_3$  $Q_3$ <u>Q</u>₃  $Q_3$ B1037 B1038 B1039 B1040 B1041 B1042 B1043 B1044 B1045 B1046 B1047 B1048 B1049 B1050 B1051 B1052 B1053 B1054 B1055 B1056 B1057 B1058 B1059 B1060 B1061 B1062 B1063 B1064 B1065 B1066 B1067 B1068 B1069 B1070 B1071 B1072 B1073 B1074 B1075 B1076 B1077 B1078 B1079 B1080 B1081 B1082 B1083

Table 11: Compounds of formula Ik:

¥ . ;

( )

<u>Q</u>3  $Q_3$  $Q_3$  $Q_3$  $Q_3$  $Q_3$ <u>Q₃</u>  $Q_3$ <u>Q</u>₃ <u>Q</u>₃  $Q_3$ <u>Q</u>3 **B244 B245 B246 B247 B248** B249 B250 B251 B252 **B241 B242 B243** B254 B255 **B256** B257 **B258 B259** B260 B261 **B262** B263 **B264** B253 **B265 B266** B267 **B268 B269 B270 B271 B272 B273 B274 B275 B276** B285 **B286 B287 B283** B284 **B277 B278 B279 B280** B281 **B282 B288 B289** B290 B291 B292 **B293** B294 **B295 B296 B297 B298 B299 B300** B301 B302 **B303 B304 B305 B306 B307 B308 B309 B310 B311** B312. **B320 B322 B314 B315 B316 B318 B319 B321 B323 B324 B313 B317 B325 B326 B330 B331 B332 B333 B334 B327 B328 B329 B335 B336 B338 B341 B342 B343 B344 B345 B346 B347 B337 B339 B340 B348 B349 B350 B351 B352 B353 B354 B355 B356 B357 B358 B359 B360** B362 **B364 B365 B366 B367 B368 B370 B361 B363 B369 B371 B372 B374 B376 B377 B378 B379 B380 B381** B382 **B383 B384 B373 B375 B388 B389 B390 B391 B385 B386 B387 B392 B393 B394 B395 B396** B403 **B404 B397 B398 B399 B400 B401** B402 B405 **B406 B407 B408 B409 B420 B410 B411** B412 B413 **B414** B415 B416 **B417** B418 **B419** B421 B422 **B423 B424 B425** B426 **B427 B428** B429 B430 **B431** B432 **B433 B434 B435 B436 B437 B438 B439 B440** B441 B442 **B443 B444 B445 B446 B448 B449** B450 B451 B452 B453 **B454** B455 **B456 B447** B457 **B458 B459 B460 B461** B462 B463 **B464 B465 B466 B467 B468 B469 B470 B471 B472 B475 B476 B477 B478 B479 B480 B473 B474** B481 **B482 B483 B484** B485 **B486 B487 B488 B489 B490 B491 B492** B493 **B494 B496 B499** B502 **B503 B504** B495 **B497 B498 B500** B501 B505 **B506 B507 B508 B509 B510 B511** B512 B513 **B514 B515 B516** B518 **B528** B517 B519 **B520** B521 B522 B523 **B524 B525 B526 B527 B529** B530. B535 **B538** B539 **B540 B531 B532 B533 B534** B536 **B537 B541** B542 **B543 B544 B545 B546 B547 B548 B549** B550 B551 **B552** B553 **B554** B562 **B563 B564 B555 B556 B557 B558** B559 **B560 B**561 **B565 B566 B576 B567 B568 B569 B570** B571 **B572 B573 B574 B575 B577 B578 B579 B580 B581** B582 **B583** B584 B585 **B586 B587 B588 B589 B590** B591 **B592 B593 B594 B595 B598 B599 B600 B596 B597** B601 B602 **B604 B606** B607 **B610** B611 **B603 B605 B608 B609 B612** B613 **B614** B615 B616 **B617 B619** B620 B621 B622 B623 B624 **B618** B625 B626 .... B627 B628 B629 **B630** B631 B632 **B633 B634** B635 **B636** 

<u>Q</u> ₃	<u>Q</u> 3	<u>Q</u> 3	<u>Q</u> ₃	<u>Q</u> 3	<u>Q</u> 3	<u>Q</u> 3	<u>Q</u> ₃	<u>Q</u> 3	$Q_3$	<u>Q</u> ₃	<u>Q</u> ₃
B637	B638	B639	B640	B641	B642	B643	B644	B645	B646		B648
B649	B650	B651	B652	B653	B654	B655	B656	B657	B658	B659	B660
B661	B662	B663	B664	B665	B666	B667	B668	B669	B670	B671	B672
B773	B774	B775	B776	B777	B778	B779	B780	B781	B782	B783	B784
B785	B786	B787	B788	B789	B790	B791	B792	B793	B794	B795	B796
B797	B798	B799	B800	B801	B802	B803	B804	B805	B806	B807	B808
B809	B810	B811	B812	B813	B814	B815	B816	B817	B818	B819	B820
B821	B822	B823	B824	B825	B826	B827	B828	B829	B830	B831	B832
B833	B834	B835	B836	B837	B838	B839	B840	B841	B842	B843	B844
B845	B846	B847	B848	B849	B850	B851	B852	B853	B854	B855	B856
B857	B858	B859	B860	B861	B862	B863	B864	B865	B866	B867	B868
B869	B870	B871	B872	B873	B874	B875	B876	B877	B878	B879	B880
B881	B882	B883	B884	B885	B886	B887	B888	B889	B890	B891	B892
B893	B894	B895	B896	B897	B898	B899	B900	B901	B902	B903	B904
B905	B906	B907	B908	B909	B910	B911	B912	B913	B914	B915	B916
B917	B918	B919	B920	B921	B922	B923	B924	B925	B926	B927	B928
B929	B930	B931	B932	B933	B934	B935	B936	B937	B938	B939	B940
B941	B942	B943	B944	B945	B946	B947	B948	B949	B950	B951	B952
B953	B954	B955	B956	B957	B958	B959	B960	B961	B962	B963	B964
B965	B966	B967	B968	B969	B970	B971	B972	B973	B974	B975	B976
B977	B978	B979	B980	B981	B982	B983	B984	B985	B986	B987	B988
B989	B990	B991	B992	B993	B994	B995	B996	B997	B998	B999	B1000
B1001	B1002	B1003	B1004	B1005	B1006	B1007	B1008	B1009	B1010	B1011	B1012
B1013	B1014	B1015	B1016	B1017	B1018	B1019	B1020	B1021	B1022	B1023	B1024
B1025	B1026	B1027	B1028	B1029	B1030	B1031	B1032	B1033	B1034	B1035	B1036
B1037	B1038	B1039	B1040	B1041	B1042	B1043	B1044	B1045	B1046	B1047	B1048
		B1051									
		B1063									
B1073	B1074	B1075	B1076	B1077	B1078	B1079	B1080	B1081	B1082	B1083	

Table 12: Compounds of formula Im:

		0	
[		Q <sub>3</sub>	(lm)
CCI <sub>3</sub>	<b>N</b> /	CH <sub>3</sub>	

									·		
<u>Q</u> 3	<u>Q</u> 3	<u>Q</u> ₃	<u>Q</u> <sub>3</sub>	<u>Q</u> <sub>3</sub>	<u>Q</u> 3	$Q_3$	<u>Q</u> 3	<u>Q</u> <sub>3</sub>	<u>Q</u> <sub>3</sub>	<u>Q</u> <sub>3</sub>	<u>Q</u> 3
B1	B2	В3	B4	B5	B6	B7	B8	B9	B10	B11	B12
B13	B14	B15	B16	B17	B18	B19	B20	B21	B22	B23	B24
B25	B26	B27	B28	B29	B30	B31	B32	B33	B34	B35	B36
B37	<b>B38</b> .	B39	B40	B41	B42	B43	B44	B45	B46	B47	B48
B49	B50	B51	B52	B53	B54	B55	B56	B57	B58	. <b>B59</b>	B60
B61 ·	B62	B63	B64	B65	B66	B67	B68	B69	<b>B</b> 70	B71	B72
B73	B74	B75	B76	B77	B78	B79	B80	B81	B82	B83	B84
B85	B86	B87	B88	B89	B90	B91	B92	B93	B94	B95	B96
B97	B98	B99	B100	B101	B102	B103	B104	B105	B106	B107	B108
B109	B110	B111	B112	B113	B114	B115	B116	B117	B118	B119	B120
B121	B122	B123	B124	B125	B126	B127	B128	B129	B130	B131	B132
B133	B134	B135	B136	B137	B138	B139	B140	B141	B142	B143	B144
B145	B146	B147	B148	B149	B150	B151	B152	B153	B154	B155	B156
B157	B158	B159	B160	B161	B162	B163	B164	B165	B166	B167	B168
B169	B170	B171	B172	B173	B174	B175	B176	B177	B178	B179	B180
B181	B182	B183	B184	B185	B186	B187	B188	B189	B190	B191	B192
B193	B194	B195	B196	B197	B198	B199	B200	B201	B202	B203	B204
B205	B206	B207	B208	B209	B210	B211	B212	B213	B214	B215	B216
B217	B218	B219	B220	B221	B222	B223	B224	B225	B226	B227	B228
B229	B230	B231	B232	B233	B234	B235	B236	B237	B238	B239	B240
B241	B242	B243	B244	B245	B246	B247	B248	B249	B250	B251	B252
B253	B254	B255	B256	B257	B258	B259	B260	B261	B262	B263	B264
B265	B266	B267	B268	B269	B270	B271	B272	B273	B274	B275	B276
B277	B278	B279	B280	B281	B282	B283	B284	B285	B286	B287	B288
B289	B290	B291	B292	B293	B294	B295	B296	B297	B298	B299	B300
B301	B302	B303	B304	B305	B306	B307	B308	B309	B310	B311	B312
B313	B314	B315	B316	B317	B318	B319	B320	B321	B322	B323	B324

()

1

· . •

 $Q_3$  $Q_3$  $Q_3$  $Q_3$  $Q_3$  $Q_3$  $Q_3$ <u>Q</u>3  $Q_3$ <u>Q</u>₃  $Q_3$ <u>Q</u>3 **B325 B326 B327 B328 B329 B330 B331** B332 **B333 B334 B335 B336 B337 B338 B339 B340 B341 B342 B343 B344 B345 B346 B347 B348 B349 B350** B351 **B352 B353** B354 **B355 B356 B357 B358** B359 **B360 B361 B362 B363 B364 B365 B366 B367 B368** B369 **B370 B371 B372 B373 B374 B375 B376 B377 B378 B379 B380 B381** B382 **B383 B384 B385 B386** B387 · B388 **B389 B390 B391 B392 B393 B394 B395 B396 B397 B398 B399** B400 B401 B402 B403 **B404 B405 B406** B407 **B408 B409 B410** B411 B412 B413 **B414 B415 B416 B417** B418 B419 **B420** B421 B422 B423 **B424** B425 B426 **B427 B428** B429 B430 B431 B432 **B433 B434 B435 B436 B437 B438** B439 **B440** B441 B442 **B443 B444 B445 B446 B447 B448 B449** B450 B451 B452 B453 B454 **B455** B456 **B457 B458** B459 **B460 B461** B462 B463 **B464 B465 B466 B467 B468** B469 **B470 B471** B472 **B473 B474 B475 B476 B477 B478 B479 B480 B481** B482 B483 **B484** B485 **B486 B487 B488 B489** B490 **B491** B492 **B493 B494** B495 B496 **B497** B498 **B499 B500** B501 **B502 B503 B504 B505** B506 B507 **B508 B509** B510 B511 B512 B513 **B514** B515 **B516** B517 **B518** B519 **B520** B521 B522 **B523 B524 B525 B526 B527 B528** B529 B531 **B530** B532 B533 B534 **B535 B536 B537 B538** B539 **B540** B541 B542 **B543 B544 B545 B546** B547 **B548 B549 B550** B551 B552 **B553 B554 B555 B556 B557 B558** B559 **B560 B561** B562 B563 **B564 B565 B566 B567 B568 B569 B570 B571 B572 B573 B574 B575 B576 B577 B578 B579** B580 B581 B582 B583 **B584 B585 B586 B587 B588 B589 B590** B591 B592 **B593 B594 B595 B596 B597 B598 B599 B600** B601 B602 B603 **B604 B605 B606 B607 B608 B609 B610 B611** B612 B613 B614 B615 **B616 B617** B618 **B619 B620** B621 B622 B623 B624 B625 B626 **B627** B628 B629 **B630** B631 B632 B633 B634 B635 **B636 B637 B638 B639 B640 B641** B642 **B643 B644 B645 B646 B647 B648 B649 B650** B651 B652 B653 B654 B655 B656 B657 **B658** B659 **B660** B661 B662 **B663 B664 B665 B666 B667 B668 B669 B670** B671 B672 **B773 B774 B775 B776 B777 B778 B779 B780 B781 B782 B783 B784 B785 B786 B787 B788 B789 B790 B791 B792 B793 B794 B795 B796 B797 B798 B799 B800** B801 B802 B803 **B804** B805 **B806 B807 B808 B809** B810 - B811 **B812 B813 B814** B815 **B816 B817 B818 B819** B820

									-		
$\underline{Q}_3$	<u>Q</u> 3	$Q_3$	$Q_3$	<u>Q</u> 3	<u>Q</u> 3	<u>Q</u> ₃	$Q_3$	$Q_3$	<u>Q</u> ₃	$Q_3$	$\Omega_3$
B821	B822	B823	B824	B825	B826	B827	B828	B829	B830	B831	B832
B833	B834	B835	B836	B837	B838	B839	B840	B841	B842	B843	B844
B845	B846	B847	B848	B849	B850	B851	B852	B853	B854	B855	B856
B857	B858	B859	B860	B861	. B862	B863	B864	B865	B866	B867	B868
B869	B870	B871	B872	B873	B874	B875	B876	B877	B878	B879	B880
B881	B882	B883	B884	B885	B886	B887	B888	B889	B890	B891	B892
B893	B894	B895	B896	B897	B898	B899	B900	B901	B902	B903	B904
B905	B906	B907	B908	. B909	B910	B911	B912	B913	B914	B915	B916
B917	B918	B919	B920	B921	B922	B923	B924	B925	B926	B927	B928
B929	B930	B931	B932	B933	B934	B935	B936	B937	B938	B939	B940
B941	B942	B943	B944	B945	B946	B947	B948	B949	B950	B951	B952
B953	B954	B955	B956	B957	B958	B959	B960	B961	B962	B963	B964
B965	B966	B967	B968	B969	B970	B971	B972	B973	B974	B975	B976
B977	B978	B979	B980	B981	B982	B983	B984	B985	B986	B987	B988
B989	B990	B991	B992	B993	B994	B995	B996	B997	B998	B999	B1000
B1001	B1002	B1003	B1004	B1005	B1006	B1007	B1008	B1009	B1010	B1011	B1012
B1013	B1014	B1015	B1016	B1017	B1018	B1019	B1020	B1021	B1022	B1023	B1024
B1025	B1026	B1027	B1028	B1029	B1030	B1031	B1032	B1033	B1034	B1035	B1036
B1037	B1038	B1039	B1040	B1041	B1042	B1043	B1044	B1045	B1046	B1047	B1048
B1049	B1050	B1051	B1052	B1053	B1054	B1055	B1056	B1057	B1058	B1059	B1060
B1061	B1062	B1063	B1064	B1065	B1066	B1067	B1068	B1069	B1070	B1071	B1072
B1073	B1074	B1075	B1076	B1077	B1078	B1079	B1080	B1081	B1082	B1083	

Table 13: Compounds of formula In:

<u>Q</u>3 <u>Q</u>3 <u>Q</u>3 <u>Q</u>3 <u>Q</u>3 <u>Q</u>3 <u>Q</u>3 <u>Q</u>₃ <u>Q</u>₃ <u>Q</u>3  $Q_3$ <u>Q</u>₃ B1 **B7** B2 **B3 B4 B**5 B10 **B6 B8 B9** B11 B12 B13 B14 B15 B16 **B17 B18 B**19 **B20 B21 B22 B23 B24** 

$\Omega_3$	<u>Q</u> 3	<u>Q</u> 3	$Q_3$	$Q_3$	$Q_3$	$Q_3$	<u>Q</u> 3	$\underline{Q}_3$	$\overline{Q_3}$	$Q_3$	<u>Q</u> ₃
B25	B26	B27	B28	B29	B30	B31	B32	B33	B34	B35	B36
B37	B38	B39	B40	B41	B42	B43	B44	B45	B46	B47	B48
B49	B50	B51	B52	B53	B54	B55	B56	B57	B58	B59	B60
B61	B62	B63	B64	B65	B66	B67	B68	B69	B70	B71	B72
B73	B74	B75	B76	B77	B78	B79	B80	B81	B82	B83	B84
B85	B86	B87	B88	B89	B90	B91	B92	B93	B94	B95	B96
B97	B98	B99	B100	B101	B102	B103	B104	B105	B106	B107	B108
B109	B110	B111	B112	B113	B114	B115	B116	B117	B118	B119	B120
B121	B122	B123	B124	B125	B126	B127	B128	B129	B130	B131	B132
B133	B134	B135	B136	B137	B138	B139	B140	B141	B142	B143	B144
B145	B146	B147	B148	B149	B150	B151	B152	B153	B154	B155	B156
B157	B158	B159	B160	B161	B162	B163	B164	B165	B166	B167	B168
B169	B170	B171	B172	B173	B174	B175	B176	B177	B178	B179	B180
B181	B182	B183	B184	B185	B186	B187	B188	B189	B190	B191	B192
B193	B194	B195	B196	B197	B198	B199	B200	B201	B202	B203	B204
B205	B206	B207	B208	B209	B210	B211	B212	B213	B214	B215	B216
B217	B218	B219	B220	B221	B222	B223	B224	B225	B226	B227	B228
B229	B230	B231	B232	B233	B234	B235	B236	B237	B238	B239	B240
B241	B242	B243	B244	B245	B246	B247	B248	B249	B250	B251	B252
B253	B254	B255	B256	B257	B258	B259	B260	B261	B262	B263	B264
B265	B266	B267	B268	B269	B270	B271	B272	B273	B274	B275	B276
B277	B278	B279	B280	B281	B282	B283	B284	B285	B286	B287	.B288
B289	B290	B291	B292	B293	B294	B295	B296	B297	B298	B299	B300
B301	B302	B303	B304	B305	B306	B307	B308	B309	B310	B311	B312
B313	B314	B315	B316	B317	B318	B319	B320	B321	B322	B323	B324
B325	B326	B327	B328	B329	B330	B331	B332	B333	B334	B335	B336
B337	B338	B339	B340	B341	B342	B343	B344	B345	B346	B347	B348
B349	B350	B351	B352	B353	B354	B355	B356	B357	B358	B359	B360
B361	B362	B363	B364	B365	B366	B367	B368	B369	B370	B371	B372
B373	B374	B375	B376	B377	B378	B379	B380	B381	B382	B383	B384
B385	B386	B387	B388	B389	B390	B391	B392	B393	B394	B395	B396
B397	B398	B399	B400	B401	B402	B403	B404	B405	B406	B407	B408
B409	B410	B411	B412	B413	B414	B415	B416	B417	B418	R419	R420

:

( )

<u>Q</u>3  $Q_3$ <u>Q</u>3  $Q_3$ <u>Q</u>3  $Q_3$  $Q_3$ <u>Q</u>3  $Q_3$ <u>Q</u>₃  $Q_3$  $Q_3$ B428 B421 **B422** B423 **B424** B425 B426 B427 **B429 B430 B431** B432 **B433 B434 B435 B436 B437 B438 B439 B440 B441 B442 B443 B444 B445** B446 **B447 B448 B449 B450** B451 B452 **B453 B454** B455 B456 **B458 B460 B461** B462 **B464 B457 B459 B463** B465 \*\*B466 **B467 B468 B470** B471 B479 **B469 B472 B473 B474 B475 B476 B477 B478 B480 B481** B482 B483 **B484** B485 **B486** B487 **B488 B489 B490** B491 B492 B495 **B493 B494 B496 B497 B498 B499 B500 B501** B502 B503 **B504 B505 B506 B507 B508 B509** B510 B511 B512 **B513 B514** B515 B516 B517 **B518** B519 **B520 B521** B522 B523 B524 B525 **B526** B527 **B528 B529 B530 B531** B532 **B533 B534 B535 B536 B537 B538 B539 B540 B541 B542 B543 B544 B545 B546 B547 B548 B549 B550** B551 B552 B553 **B554** B555 **B556 B557 B558 B559 B560 B561** B562 B563 **B564 B565** B566 **B567 B568 B569 B570 B571 B572 B573** · B574 **B575 B576 B577 B578 B579 B580 B581** B582 **B583 B584 B585 B586 B587 B588 B589** B590 B591 **B592 B593 B**594 B595 **B596 B597 B598 B599** B600 B610 B601 B602 B603 **B604 B605** B606 B607 **B608** B609 B611 B612 B613 B614 B615 B616 B620 **B617 B618** B619 B621 B622 B624 B623 B625 **B626** B627 **B628** B629 **B630** B631 B632 **B633 B634** B635 B636 **B637 B638** B639 **B640 B641 B642 B643 B644 B645 B646** B647 **B648 B649 B650** B651 B652 B654 B653 B655 B656 **B657 B658** B659 **B660 B661** B662 B663 **B664 B665 B666 B667 B668 B669 B670** B671 B672 **B773 B774 B775 B776 B781 B784 B777 B778 B779 B780** B782 **B783 B785 B786 B787 B788 B789 B790 B791** B792 **B793 B794 B795 B796 B797 B798 B799** B805 **B800 B801 B802** B803 **B804 B806 B808 B807 B809 B810 B811** B812 **B813 B814 B815 B816 B817 B818 B819 B820** B821 B822 **B823** B824 B829 **B830** B825 B826 B827 **B828** B831 **B832 B833 B834** B835 **B836 B837 B838 B839 B840 B841** B842 **B843 B844 B845 B846 B847 B848** B851 B852 B853 B854 **B849 B850** B855 **B856 B859** B857 **B858 B860 B861** B862 **B863 B864 B865 B866 B867 B868 B869 B870 B871** B872 **B873 B878 B874 B875 B876 B877 B879 B880 B881 B882 B883 B884 B885 B886 B887 B889 B890** B888 B891 B892 B893 **B894 B895 B896 B897 B899** B901 B902 **B898 B900 B903 B904 B905** B906 **B907 B908 B909 B910** B911 B912 **B913 B914 B915 B916** 

									_			
<u>Q</u> 3	<u>Q</u> 3	<u>Q</u> 3	<u>Q</u> ₃	$Q_3$	$Q_3$	<u>Q</u> 3	$Q_3$	$Q_3$	$Q_3$	<u>Q</u> ₃	$Q_3$	
B917	B918	B919	B920	B921	B922	B923	B924	B925	B926	B927	B928	
B929	B930	B931	B932	B933	B934	B935	B936	B937	B938	B939	B940	
B941	B942	B943	B944	B945	B946	B947	B948	B949	B950	B951	B952	
B953	B954	B955	B956	B957	B958	B959	B960	B961	B962	B963	B964	
B965	B966	B967	B968	B969	B970	B971	B972	B973	B974	B975	B976	
B977	B978	B979	B980	B981	B982	B983	B984	B985	B986	B987	B988	
B989	B990	B991	B992	B993	B994	B995	B996	B997	B998	B999	B1000	
B1001	B1002	B1003	B1004	B1005	B1006	B1007	B1008	B1009	B1010	B1011	B1012	
B1013	B1014	B1015	B1016	B1017	B1018	B1019	B1020	B1021	B1022	B1023	B1024	
B1025	B1026	B1027	B1028	B1029	B1030	B1031	B1032	B1033	B1034	B1035	B1036	
B1037	B1038	B1039	B1040	B1041	B1042	B1043	B1044	B1045	B1046	B1047	B1048	
B1049	B1050	B1051.	B1052	B1053	B1054	B1055	B1056	B1057	B1058	B1059	B1060	
B1061	B1062	B1063	B1064	B1065	B1066	B1067	B1068	B1069	B1070	B1071	B1072	
B1073	B1074	B1075	B1076	B1077	B1078	B1079	B1080	B1081	B1082	B1083		

Table 14: Compounds of formula lo:

<u>Q</u> 3	$Q_3$	<u>Q</u> ₃	$Q_3$	<u>Q</u> ₃	$Q_3$	<u>Q</u> <sub>3</sub>	<u>Q</u> ₃	$Q_3$	<u>Q</u> 3	<u>Q</u> <sub>3</sub>	$Q_3$
B121	B122	B123	B124	B125	B126	B127	B128	B129	B130	B131	B132
B133	B134	B135	B136	B137	B138	B139	B140	B141	B142	B143	B144
B145	B146	B147	B148	B149	B150	B151	B152	B153	B154	B155	B156
B157	B158	B159	B160	B161	B162	B163	B164	B165	B166	B167	B168
B169	B170	B171	B172	B173	B174	B175	B176	B177	B178	B179	B180
B181	B182	B183	B184	B185	B186	B187	B188	B189	B190	B191	B192
B193	B194	B195	B196	B197	B198	B199	B200	B201	B202	B203	B204
B205	B206	B207	B208	B209	B210	B211	B212	B213	B214	B215	B216
B217	B218	B219	B220	B221 .	B222	B223	B224	B225	B226	B227	B228
B229	B230	B231	B232	B233	B234	B235	B236	B237	B238	B239	B240
B241	B242	B243	B244	B245	B246	B247	B248	B249	B250	B251	B252
B253	B254	B255	B256	B257	B258	B259	B260	B261	B262	B263	B264
B265	B266	B267	B268	B269	B270	B271	B272	B273	B274	B275	B276
B277	B278	B279	B280	B281	B282	B283	B284	B285	B286	B287	B288
B289	B290	B291	B292	B293	B294	B295	B296	B297	B298	B299	B300
B301	B302	B303	B304	B305	B306	B307	B308	B309	B310	B311	B312
B313	B314	B315	B316	B317	B318	B319	B320	B321	B322	B323	B324
B325	B326	B327	B328	B329	B330	B331	B332	B333	B334	B335	B336
B337	B338	B339	B340	B341	B342	B343	B344	B345	B346	B347	B348
B349	B350	B351	B352	B353	B354	B355	B356	B357	B358	B359	B360
B361	B362	B363	B364	B365	B366	B367	B368	B369	B370	B371	B372
B373	B374	B375	B376	B377	B378	B379	B380	B381	B382	B383	B384
B385	B386	B387	B388	B389	B390	B391	B392	B393	B394	B395	B396
B397	B398	B399	B400	B401	B402	B403	B404	B405	B406	B407	B408
B409	B410	B411	B412	B413	B414	B415	B416	B417	B418	B419	B420
B421	B422	B423	B424	B425	B426	B427	B428	B429	B430	B431	B432
B433	B434	B435	B436	B437	B438	B439	B440	B441	B442	B443	B444
B445	B446	B447	B448	B449	B450	B451	B452	B453	B454	B455	B456
B457	B458	B459	B460	B461	B462	B463	B464	B465	B466	B467	B468
B469	B470	B471	B472	B473	B474	B475	B476	B477	B478	B479	B480
B481	B482	B483	B484	B485	B486	B487	B488	B489	B490	B491	B492
B493	B494	B495	B496	B497	B498	B499	B500	B501	B502	B503	B504
B505	B506	.B507	B508	B509	B510-	B511	B512	B513	B514	B515	B516

										•	
$Q_3$	$Q_3$	$Q_3$	$Q_3$	$Q_3$	<u>Q</u> 3	$Q_3$	<u>Q</u> 3	<u>Q</u> 3	<u>Q</u> ₃	<u>Q</u> <sub>3</sub>	$\underline{\mathbf{Q}}_{3}$
B517	B518	B519	B520	B521	B522	B523	B524	B525	B526	B527	B528
B529	B530	B531	B532	B533	B534	B535	B536	B537	B538	B539	B540
B541	B542	B543	B544	B545	B546	B547	B548	B549	B550	B551	B552
B553	B554	B555	B556	B557	B558	B559	B560	B561	B562	B563	B564
B565	B566	B567	B568	B569	B570	B571	B572	B573	B574	B575	B576
B577	B578	B579	B580	B581	B582	B583	B584	B585	B586	B587	B588
B589	B590	B591	B592	B593	B594	B595	B596	B597	B598	B599	B600
B601	B602	B603	B604	B605	B606	B607	B608	B609	B610	B611	B612
B613	B614	B615	B616	B617	B618	B619	B620	B621	B622	B623	B624
B625	B626	B627	B628	B629	B630	B631	B632	B633	B634	B635	B636
B637	B638	B639	B640	B641	B642	B643	B644	B645	B646	B647	B648
B649	B650	B651	B652	B653	B654	B655	B656	B657	B658	B659	B660
B661	B662	B663	B664	B665	B666	B667	B668	B669	B670	B671	B672
B773	B774	B775	B776	B777	B778	B779	B780	B781	B782	B783	B784
B785	B786	B787	B788	B789	B790	B791	B792	B793	B794	B795	B796
B797	B798	B799	B800	B801	B802	B803	B804	B805	B806	B807	B808
B809	B810	B811	B812	B813	B814	B815	B816	B817	B818	B819	B820
B821	B822	B823	B824	B825	B826	B827	B828	B829	B830	B831	B832
B833	B834	B835	B836	B837	B838	B839	B840	B841	B842	B843	B844
B845	B846	B847	B848	B849	B850	B851	B852	B853	B854	B855	B856
B857	B858	B859	B860	B861	B862	B863	B864	B865	B866	B867	B868
B869	B870	B871	B872	B873	B874	B875	B876	B877	B878	B879	B880
B881	B882	B883	B884	B885 <sub>.</sub>	B886	B887	B888	B889	B890	B891	B892
B893	B894	B895	B896	B897	B898	B899	B900	B901	B902	B903	B904
B905	B906	B907	B908	B909	B910	B911	B912	B913	B914	B915	B916
B917	B918	B919	B920	B921	B922	B923	B924	B925	B926	B927	B928
B929	B930	B931	B932	B933	B934	B935	B936	B937	B938	B939	B940
B941	B942	B943	B944	B945	B946	B947	B948	B949	B950	B951	B952
B953	B954	B955	B956	B957	B958	B959	B960	B961	B962	B963	B964
B965	B966	B967	B968	B969	B970	B971	B972	B973	B974	B975	B976
B977	B978	B979	B980	B981	B982	B983	B984	B985	B986	B987	B988
B989	B990	B991	B992	B993	B994	B995	B996	B997	B998	B999	B1000
B1001	B1002.	B1003	B1004	B1005	B1006	B1007	B1008	B1009	B1010	B1011	B1012

į

 Q3
 Q3<

Table 15: Compounds of formula lp:

<u>Q₃</u>  $Q_3$  $Q_3$ <u>Q</u>3 <u>Q₃</u> <u>Q</u>3  $Q_3$ <u>Q</u>₃ <u>Q</u>₃ <u>Q</u>3  $Q_3$ <u>Q</u>3 **B1** B2 **B3 B4 B**5 **B7 B8 B9 B10** B11 **B12 B6 B21 B24 B13 B14 B15 B16 B18 B19 B20 B22 B23 B17 B30 B33 B36 B25 B26 B27 B28 B29 B31 B32 B34 B35 B39 B37 B38 B40 B42 B43 B44 B45 B46 B47 B48 B41 B49 B50 B51 B52 B53 B54 B55 B56 B57 B58 B59 B60 B61 B62** B63 -**B64 B65 B66 B67 B68 B69 B70 B71 B72 B73 B75 B78 B**79 **B80 B81 B82 B83 B84 B74 B76 B77 B85 B93 B96 B86 B87 B88 B89 B90 B91 B92 B94 B95 B97** B108 **B98 B99 B100** B101 B103 B104 B105 **B106 B107** B102 **B120** B109 **B110 B111 B112** B113 **B114 B115** B116 B117 B118 B119 B121 B122 B123 **B124** B125 B126 B127 B128 B129 B130 B131 B132 B135 B133 B134 B136 **B137** B138 B139 **B140** B141 B142 B143 **B144** B154 B156 B145 B146 B147 B148 B149 B150 B151 B152 B153 B155 B157 B158 B159 B160 **B161** B162 B163 **B164** B165 B166 B167 B168 **B169** B170 **B171** B172 **B173 B174** B175 B176 **B177 B178 B179** B180 **B181** B184 **B182** B183 B185 B186 B187 **B188 B189** B190 B191 B192 B193 **B194** B195 B196 **B197** B198 B199 **B200** B201 **B202** B203 **B204** 

•												
<u>Q</u> ₃	<u>Q</u> 3	<u>Q</u> 3	<u>Q</u> ₃	$Q_3$	$\underline{Q}_3$	<u>Q</u> ₃	<u>Q</u> 3	<u>Q</u> <sub>3</sub>	<u>Q</u> <sub>3</sub>	<u>Q</u> <sub>3</sub>	<u>Q</u> ₃	
B205	B206	B207	B208	B209	B210	B211	B212	₿213	B214	B215	B216	
B217	B218	B219	B220	B221	B222	B223	B224	B225	B226	B227	B228	
B229	B230	B231	B232	B233	B234	B235	B236	B237	B238	B239	B240	
B241	B242	B243	B244	B245	B246	B247	B248	B249	B250	B251	B252	
B253	B254	B255	B256	B257	B258	B259	B260	B261	B262	B263	B264	
B265	B266	B267	B268	B269	B270	B271	B272	B273	B274	B275	B276	
B277	B278	B279	B280	B281	B282	B283	B284	B285	B286	B287	B288	
B289	B290	B291	B292	B293	B294	B295	B296	B297	B298	B299	B300	
B301	B302	B303	B304	B305	B306	B307	B308	B309	B310	B311	B312	
B313	B314	B315	B316	B317	B318	B319	B320	B321	B322	B323	B324	
B325	B326	B327	B328	B329	B330	B331	B332	B333	B334	B335	B336	
B337	B338	B339	B340	B341	B342	B343	B344	B345	B346	B347	B348	
B349	B350	B351	B352	B353	B354	B355	B356	B357	B358	B359	B360	
B361	B362	B363	B364	B365	B366	B367	B368	B369	B370	B371	B372	
B373	B374	B375	B376	B377	B378	B379	B380	B381	B382	B383	B384	
B385	B386	B387	B388	B389	B390	B391	B392	B393	B394	B395	B396	
B397	B398	B399	B400	B401	B402	B403	B404	B405	B406	B407	B408	
B409	B410	B411	B412	B413	B414	B415	B416	B417	B418	B419	B420	
B421	B422	B423	B424	B425	B426	B427	B428	B429	B430	B431	B432	
B433	B434	B435	B436	B437	B438	B439	B440	B441	B442	B443	B444	
B445	B446	B447	B448	B449	B450	B451	B452	B453	B454	B455	B456	
B457	B458	B459	B460	B461	B462	B463	B464	B465	B466	B467	B468	
B469	B470	B471	B472	B473	B474	B475	B476	B477	B478	B479	B480	
B481	B482	B483	B484	B485	B486	B487	B488	B489	B490	B491	B492	
B493	B494	B495	B496	B497	B498	B499	B500	B501	B502	B503	B504	
B505	B506	B507	B508	B509	B510	B511	B512	B513	B514	B515	B516	
B517	B518	B519	B520	B521	B522	B523	B524	B525	B526	B527	B528	
B529	B530	B531	B532	B533	B534	B535	B536	B537	B538	B539	B540	
B541	B542	B543	B544	B545	B546	B547	B548	B549	B550	B551	B552	
B553	B554	B555	B556	B557	B558	B559	B560	B561	B562	B563	B564	
B565	B566	B567	B568	B569	B570	B571	B572	B573	B574	B575	B576	
B577	B578	B579	B580	B581	B582	B583	B584	B585	B586	B587	B588	
B589	B590	B591	B592	B593	B594	B595	B596	B597	B598	B599	B600	

**(** )

....

<u>Q</u>3  $Q_3$  $Q_3$ <u>Q</u>₃  $Q_3$ <u>Q</u>3  $Q_3$  $Q_3$ <u>Q</u>₃  $Q_3$ <u>Q</u>3  $Q_3$ **B609** B610 B611 B612 B602 B605 **B606** B607 **B608** B601 B603 B604 B620 B621 B622 B623 B624 B619 B618 B613 B614 B615 B616 **B617** B630 B631 B632 B633 **B634** B635 B636 **B628** B629 **B625** B626 B627 B644 B645 **B646** B647 **B648** B637 **B638** B639 B640 B641 B642 **B643 B658** B659 **B660** B652 B653 B654 B655 B656 **B657 B649 B650** B651 B667 **B668 B669 B670** B671 B672 **B664 B665 B666** B661 B662 B663 **B784 B774** B775 **B776 B777 B778 B779 B780 B781** .B782 **B783** B773 B792 **B794 B795 B796** B790 **B791 B793 B785 B786 B787 B788 B789** B802 **B804** B805 **B806** B807 **B808 B798 B799 B800 B801** B803 **B797 B810 B811** B812 B813 B814 B815 **B816** B817 **B818** B819 **B820 B809** B832 **B828** B829 **B830** B831 **B827** B821 B822 B823 B824 B825 B826 **B844** B836 **B839 B840** B841 **B842 B843 B835 B837 B838 B833 B834 B856 B849** B850 B851 B852 **B853 B854 B855 B845 B846 B847** ·B848 **B864 B865 B866 B867 B868 B863 B857 B858 B859 B860 B861** B862 **B879 B880** B872 **B873 B875 B876 B877 B878 B869 B870 B871** B874 **B888** B890 B891 B892 B881 **B882 B883 B884** B885 B886 **B887 B889 B899 B900 B901** B902 B903 **B904** B894 B895 **B896 B897 B898 B893 B911 B912 B913 B914** B915 **B916 B905 B906 B907 B908** B909 **B910** B925 **B926** B927 **B928** B922 **B923 B924** B917 **B918** B919 **B920** B921 **B936 B937 B938 B939 B940 B929 B930 B931** B932 B933 **B934 B935** B951 **B952 B943 B944 B945 B946 B947 B948 B949** B950 B941 B942 **B963 B964 B953** B954 B955 B956 B957 **B958 B959 B960** B961 B962 **B972 B973 B974** B975 **B976 B970 B971 B965** B966 **B967 B968 B969 B988 B983** B984 B985 **B986 B987 B977** B978 **B979 B980** B981 B982 **B998** B999 B1000 **B995** B996 B997 **B989 B990** B991 B992 **B993 B994** B1001 B1002 B1003 B1004 B1005 B1006 B1007 B1008 B1009 B1010 B1011 B1012 B1013 B1014 B1015 B1016 B1017 B1018 B1019 B1020 B1021 B1022 B1023 B1024 B1025 B1026 B1027 B1028 B1029 B1030 B1031 B1032 B1033 B1034 B1035 B1036 B1037 B1038 B1039 B1040 B1041 B1042 B1043 B1044 B1045 B1046 B1047 B1048 B1049 B1050 B1051 B1052 B1053 B1054 B1055 B1056 B1057 B1058 B1059 B1060 B1061 B1062 B1063 B1064 B1065 B1066 B1067 B1068 B1069 B1070 B1071 B1072 B1073 B1074 B1075 B1076 B1077 B1078 B1079 B1080 B1081 B1082 B1083

Table 16: Compounds of formula Iq:

$$CF_3$$
  $N$   $Q_3$  (lq)

<u>Q</u> 3	<u>Q</u> 3	<u>Q</u> 3	<u>Q</u> <sub>3</sub>	Q <sub>3</sub>	<u>Q</u> <sub>3</sub>	<u>Q</u> 3	<u>Q</u> 3	<u>Q</u> 3	<u>Q</u> <sub>3</sub>	<u>Q</u> 3	<u>Q</u> ₃
B1	B2	В3	B4	B5	B6	<b>B</b> 7	B8	B9	B10	B11	· B12
B13	B14	B15	B16	B1.7	B18	B19	. B20	B21	B22	B23	B24
B25	B26	B27	B28	B29	B30	B31	B32	B33	B34	B35	B36
B37	B38	B39	B40	B41	B42	B43	B44	B45	B46	B47	B48
B49	B50	B51	B52	B53	B54	B55	B56	B57	B58	B59	B60
B61	B62	B63	B64	B65	B66	B67	B68	B69	B70	B71	B72
B73	B74	B75	B76	B77	B78	B79	B80	B81	B82	B83	B84
B85	B86	B87	B88	B89	B90	B91	B92	B93	B94	B95	B96
B97	B98	B99	B100	B101	B102	B103	B104	B105	B106	B107	B108
B109	B110	B111	B112	B113	B114	B115	B116	B117	B118	B119	B120
B121	B122	B123	B124	B125	B126	B127	B128	B129	B130	B131	B132
B133	B134	B135	B136	B137	B138	B139	B140	B141	B142	B143	B144
B145	B146	B147	B148	B149	B150	B151	B152	B153	B154	B155	B156
B157	B158	B159	B160	B161	B162	B163	B164	B165	B166	B167	B168
B169	B170	B171	B172	B173	B174	B175	B176	B177	B178	B179	B180
B181	B182	B183	B184	B185	B186	B187	B188	B189	B190	B191	B192
B193	B194	B195	B196	B197	B198	B199	B200	B201	B202	B203	B204
B205	B206	B207	B208	B209	B210	B211	B212	B213	B214	B215	B216
B217	B218	B219	B220	B221	B222	B223	B224	B225	B226	B227	B228
B229	B230	B231	B232	B233	B234	B235	B236	B237	B238	B239	B240
B241	B242	B243	B244	B245	B246	B247	B248	B249	B250	B251	B252
B253	B254	B255	B256	B257	B258	B259	B260	B261	B262	B263	B264
B265	B266	B267	B268	B269	B270	B271	B272	B273	B274	B275	B276
B277	B278	B279	B280	B281	B282	B283	B284	B285	B286	B287	B288
B289	B290	B291	B292	B293	B294	B295	B296	B297	B298	B299	B300

Ĺ

į

()

<u>Q</u>₃ <u>Q</u>3 <u>Q</u>3 <u>Q</u>₃ <u>Q₃</u>  $Q_3$  $Q_3$  $Q_3$  $Q_3$  $Q_3$  $Q_3$  $Q_3$ B301 B302 **B303 B304** B305 **B306 B307 B308 B311** B312 **B309 B310 B313 B314 B315 B316 B317 B318 B319 B320 B321 B322 B323 B324 B325** B326 **B327 B328** B329 **B330** B331 **B332 B333 B334 B335 B336 B337 B338 B339 B340 B341** B342 **B343 B344** B345 **B346 B347 B348 B349 B350 B351 B352 B353 B354 B355 B356 B357 B358 B359 B360 B361 B362 B363 B364 B365 B366 B367 B368 B369 B370 B371 B372 B373 B374 B375 B376 B377 B378 B379 B380 B381 B382 B383 B384 B385 B386 B387 B388 B389 B390 B391 B392 B393 B394 B395 B396 B398 B399** B404 **B397 B400** B401 B402 B403 **B405 B407 B406 B408 B409 B410** B411 B412 **B413 B414 B415 B416 B417 B418** B419 **B420** B422 **B421** B423 **B424** B425 B426 **B427 B428 B429** B430 B431 **B432 B440 B433 B434 B435 B436 B437 B438 B439 B441** B442 **B443 B444 B445 B446 B447 B448 B449 B450** B451 B452 B454 B455 **B453 B456 B457 B458 B459 B460 B461** B462 B463 **B464** B465 B466 **B467 B468 B469 B470 B471** B472 **B474 B476** B473 **B475 B477 B478 B479 B480** B481 B482 B483 **B484 B485 B486** B487 **B488 B489** B490 B491 B492 B493 **B494** B495 **B496 B497 B498 B499 B500** B501 B502 B503 **B504 B506** B505 **B507** B512 B513 B514 **B508 B509 B510 B511** B515 **B516 B517 B518** B519 **B520 B521** B522 **B523** B524 **B525 B526 B527 B528** B529 **B530** B531 **B532 B533** B534 **B535 B536 B537 B538 B539 B540 B541** B542 B543 **B544** B545 **B546 B547 B548 B549 B550** B551 B552 **B553 B554 B555 B556 B557 B558 B559 B560 B561** B562 B563 **B564 B565 B566 B567 B568 B569 B570 B571** B572 **B573 B574 B575 B576 B577 B578 B580 B579 B581 B582 B583 B584** B585 **B586 B587 B588 B589 B590 B**591 B592 **B593 B594 B595 B596 B597 B598 B599 B600** B601 B602 B603 B604 B605 **B606 B607 B608** B609 **B610** B611 B612 B613 **B614** B615 B616 **B617 B618** B619 B620 B621 B622 B623 B624 B625 **B626 B627 B628** B629 B630 B631 B632 B633 **B634** B635 B636 B637 B638 **B639 B640 B641** B642 **B644 B643** B645 **B646 B647 B648 B649** B650 B651 B652 B653 B654 B655 B656 B657 **B658 B659 B660 B661** B662 **B663 B664 B665 B666 B667 B668 B669 B670** B671 B672 **B773 B774 B775 B776 B777 B778** B780 **B783 B784 B779 B781 B782** B785 B786....B787 **B796 B788 B789 B790 B791 B792 B793 B794 B795** 

<u>Q</u> 3	<u>Q</u> ₃	<u>Q</u> 3	<u>Q</u> 3	<u>Q</u> ₃	<u>Q</u> 3	<u>Q</u> 3	<u>Q</u> <sub>3</sub>	$Q_3$	$\overline{Q_3}$	<u>Q</u> 3	<u>Q</u> ₃
B797	B798	B799	B800	B801	B802	B803	B804	B805	B806	B807	
B809	B810	B811	B812	B813	B814	B815	B816	B817	B818	B819	B820
B821	B822	B823	B824	B825	B826	B827	B828	B829	B830	B831	B832
B833	B834	B835	B836	B837	B838	B839	B840	B841	- B842	B843	B844
B845	B846	B847	B848	B849	B850	B851	B852	B853	B854	B855	B856
B857	B858	B859	B860	B861	B862	B863	B864	B865	B866	B867	B868
B869	B870	B871	B872	B873	B874	B875	B876	B877	B878	B879	B880
B881	B882	B883	B884	B885	B886	B887	B888	B889	B890	B891	B892
B893	B894	B895	B896	B897	B898	B899	B900	B901	B902	B903	B904
B905	B906	B907	B908	B909	B910	B911	B912	B913	B914	B915	B916
B917	B918	B919	B920	B921	B922	B923	B924	B925	B926	B927	B928
B929	B930	B931	B932	B933	B934	B935	B936	B937	B938	B939	B940
B941	B942	B943	B944	B945	B946	B947	B948	B949	B950	B951	B952
B953	B954	B955	B956	B957	B958	B959	B960	B961	B962	B963	B964
B965	B966	B967	B968	B969	B970	B971	B972	B973	B974	B975	B976
B977	B978	B979	B980	B981	B982	B983	B984	B985	B986	B987	B988
B989	B990	B991	B992	B993	B994	B995	B996	B997	B998	B999	B1000
B1001	B1002	B1003	B1004	B1005	B1006	B1007	B1008	B1009	B1010	B1011	B1012
B1013	B1014	B1015	B1016	B1017	B1018	B1019	B1020	B1021	B1022	B1023	B1024
B1025	B1026	B1027	B1028	B1029	B1030	B1031	B1032	B1033	B1034	B1035	B1036
B1037	B1038	B1039	B1040	B1041	B1042	B1043	B1044	B1045	B1046	B1047	B1048
B1049	B1050	B1051	B1052	B1053	B1054	B1055	B1056	B1057	B1058	B1059	B1060
B1061	B1062	B1063	B1064	B1065	B1066	B1067	B1068	B1069	B1070	B1071	B1072
B1073	B1074	B1075	B1076	B1077	B1078	B1079	B1080	B1081	B1082	B1083	

Table 17: Compounds of formula Ir:

....

WO 01/54501 PCT/EP01/00720

- 199 -

										-	
<u>Q</u> <sub>6</sub>	$Q_6$	<u>Q</u> 6	<u>Q</u> <sub>6</sub>	$Q_{6}$	$Q_6$	<u>Q</u> 6	$Q_6$	$Q_{6}$	$Q_6$	$Q_{6}$	$Q_6$
C1	C2	СЗ	C4	C5	C6	<b>C7</b>	C8	C9	C10	C11	C12
C13	C14	C15	C16	C17	C18	C19	C20	C21	C22	C23	C24
C25	C26	C27	C28	C29	C30	C31	C32	C33	C34	C35	C36
C37	C38	C39	C40	C41.	C42	C43	C44	C45	C46	C47	C48
C49	C50	C51	C52	C53	C54	C55	C56	C57	C58	C59	C60
C61	C62	C63	C64	C65	C66	C67	C68	C69	C70	C71	C72
C73	C74	C75	C76	C77	C78	C79	C80	C81	C82	C83	C84
C85	C86	C87	C88	C89	C90	C91	C92	C93	C94	C95	C96
C97	C98	C99	C100	C101	C102	C103	C104	C105	C106	C107	C108
C109	C110.	C111	C112	C113	C114	C115	C116	C117	C118	C119	C120
C121	C122	C123	C124	C125	C126	C127	C128	C129	C130	C131	C132
C133	C134	C135	C136	C137	C138	C139	C140	C141	C142	C143	C144
C145	C146	C147	C148	C149	C150	C151					

Table 18: Compounds of formula Is:

 $Q_{Z}$  $Q_{Z}$  $Q_{z}$  $Q_{7}$  $Q_{z}$  $Q_{7}$  $Q_{z}$  $Q_{z}$ <u>Q</u>  $Q_{7}$ D1 **D2** D3 D4 D5 D6 **D7 D8** D9 D10 **D11 D12 D13** D14 **D15 D16 D17 D18 D19** D20 D21 D22 D23 **D24** D25 D26 **D27 D28** D29 **D30** D31 D32 **D33 D34 D35** D36 **D37 D38 D39 D40** D41 **D42 D43 D44 D45 D46 D47 D48 D49** D50 D51 **D52 D53 D54 D55 D56 D57 D58 D59 D60** D61 D62 **D63 D64 D65 D68 D70** D71 **D72 D66 D67** D69 **D73** D74 **D75 D76 D77 D78 D79 D80** D81 **D82** D83 **D84** D85 **D86 D87 D88 D94 D96 D89** D90 D91 D92 **D93** D95 **D97 D98** D99 D100 D101 D102 D103 D104 D105 D106 D107 D108 D109 D110 D111 D112 D113 D114 D115 D116 D117 D118 D119 D120 
 Qr
 D131
 D132

 D133
 D134
 D135
 D136
 D137
 D138
 D139
 D140
 D140

Table 19: Compounds of formula lv:

R <sub>75</sub>			
CH₂OCH₃			
CH <sub>2</sub> OC <sub>2</sub> H <sub>5</sub>			
CH₂O-n-propyl			
CH₂O-isopropyl			
CH₂O-n-butyl			
CH₂O-isobutyl			
CH₂O-tert-butyl			
(CH <sub>2</sub> ) <sub>2</sub> OCH <sub>3</sub>			
(CH₂)₂O-ethyl			
(CH <sub>2</sub> ) <sub>2</sub> O-n-propyl			
(CH₂)₂O-isopropyl			
(CH <sub>2</sub> ) <sub>2</sub> O-n-butyl			
(CH₂)₂O-isobutyl			
(CH <sub>2</sub> ) <sub>2</sub> O-tert-butyl			
(CH <sub>2</sub> ) <sub>2</sub> O(CH <sub>2</sub> ) <sub>2</sub> OCH <sub>3</sub>			
(CH <sub>2</sub> ) <sub>2</sub> O(CH <sub>2</sub> ) <sub>2</sub> OCH <sub>3</sub>			
C <sub>2</sub> H <sub>5</sub>			

Table 20: Physical data for Tables 5 to 19 (figures = m.p. in °C):

Compound	Phys. data	Compound	Phys. data	Compound	Phys. data
Compound	riiys. uala	Compound	Pilys. data	Compound	rilys. data
A2	150-151	C46	159-161	A2-B1058	88-89
А3	148-149	C91	141-143	A2-B1066	viscous
A4	143-144	C146	99-101	A2-B1067	resinous oil
A5	81-82	C149	148-150	A2-B1069	oil
<b>A6</b>	148-150	A2-B1	90-92	A2-B1069 .	viscous oil
A7	105-106	A2-B68	120-121	A8-B1	97-98
<b>A8</b>	123-124	A2-B2	resin	A7-B1	oil
<b>A9</b>	73-74	A2-B90	resin	A3-B1	42-44
A10	165-167	A2-B93	95-96	A94-B1	57-58
A15	164-166	A2-B46	61-62 cis-rac	A66-B24	80-82
A17	99-100	A2-B46	83-84 trans-rac	A64-B1	49-51
A26	143-144	A2-B91	resin	A154-B1	94-95
A27	107-108	A2-B1081	oil	A6-B1	123-124
A29	173-174	A2-B1082	resin	A6-B24	oil
A30	178-181	A2-B1083	resin	A34-B1	53-54
A31	209-210	A2-B29	87-88	A2-B25	oil ·
A32	145-146	A2-B73	resin	A2-B925	oil
A34	170-171	A2-B95	106-107	E8	55-56
A64	134-135	A2-B31	151-153	E17	99-101
A94	134-135	A2-B75	amorphous		٠
A154	108-110	A2-B24	oil		
B1057	166-167	A2-B5	resin		•
B1058	crystalline	A2-C91	resin		
B1061	crystalline	A2-C146	oil		
B1063	crystalline	A2-B112	resin		
B1065	oil	A2-D140	oil		
B1066	150-152	A2-B1057	amorphous		
B1067	122-123	A2-B1063	oil		
B1069	117-118	A2-B1061	oil		
B1070	crystalline	A2-B133	oil		

Compounds of formulae 2.1 and 2.3 to 2.13.c are known by the names imazamox, imazethapyr, imazaquin, imazapyr, dimethenamid, atrazine, terbuthylazine, simazine, terbutym, cyanazine, ametryn, terbumeton, prohexadione calcium, sethoxydim, clethodim. tepraloxydim, flumetsulam, metosulam, pyridate, bromoxynil, ioxynil, sulcotrione, carfentrazone, sulfentrazone, isoxaflutole, glufosinate, primisulfuron, prosulfuron, rimsulfuron, halosulfuron, nicosulfuron, ethoxysulfuron, flazasulfuron and thifensulfuron and are described in the Pesticide Manual, eleventh ed., British Crop Protection Council, 1997 under the entry numbers 412, 415, 414, 413, 240, 34, 692, 651, 693, 168, 20, 691, 595, 648, 146, 49, 339, 495, 626, 88, 425, 664, 112, 665, 436, 382, 589, 613, 644, 389, 519, 287, 325 and 704. The compound of formula 2.13 wherein  $Y_1$ ,  $Y_3$  and  $Y_4$  are methine,  $Y_2$  is C-I,  $R_{74}$  is COOMe, Y<sub>5</sub> is nitrogen, Y<sub>6</sub> is methyl and Y<sub>7</sub> is methoxy is known by the name iodosulfuron (especially the sodium salt) from AGROW No. 296, 16th January 1998, page 22. The compound of formula 2.13 wherein  $Y_1$ ,  $Y_2$ ,  $Y_3$  and  $Y_4$  are methine,  $R_{74}$  is trifluoromethyl,  $Y_5$  is nitrogen, Ye is trifluoromethyl and Y7 is methoxy is known by the name tritosulfuron and described in DE-A-40 38 430. The compound of formula 2.13 wherein  $Y_1$  is NH-CHO,  $Y_2$ ,  $Y_3$ and Y4 are methine, R74 is CONMe2, Y5 is methine and Y6 and Y7 are methoxy is described, for example, in WO 95/29899.

The S enantiomer of the compound of formula 2.12 is registered under the CAS-Reg. No. [35597-44-5]. The compound of the general formula 2.2, aRS,1'S(-)N-(1'-methyl-2'-methoxyethyl)-N-chloroacetyl-2-ethyl-6-methylaniline, and a compound of the general formula 2.3, (1S,aRS)-2-chloro-N-(2,4-dimethyl-3-thienyl)-N-(2-methoxy-1-methylethyl)-acetamide, are described, for example, in WO 97/34485. The compound of formula 2.9 wherein  $R_{69}$  is NO<sub>2</sub> is known by the name mesotrione and is described, for example, in US-A-5 006 158. The compound of formula 2.6 wherein  $R_{62}$  is ethoxy,  $R_{63}$  is fluorine, Y is methine,  $R_{64}$  is methoxycarbonyl,  $R_{65}$  is hydrogen and  $R_{66}$  is chlorine is known by the name cloransulam, for example from AGROW No. 261, 2nd August 1996, page 21. The compound of formula 2.6 wherein  $R_{62}$  is methoxy,  $R_{63}$  is hydrogen, Y is C-F,  $R_{64}$  is fluorine,  $R_{65}$  is hydrogen and  $R_{66}$  is fluorine, is known by the name florasulam and described in US-A-5 163 995.

Furthermore, the following compounds of the composition according to the invention are described in the Pesticide Manual, eleventh ed., British Crop Protection Council, 1997:

Compound of formula (name)

Pesticide Manual eleventh ed., Entry No.:

2.14 (metribuzin)

WO 01/54501 PCT/EP01/00720

- 203 -

Pesticide Manual eleventh ed., Entry No.:
8
383
65
557
210
100
150
192
340
359
356
341
550
37
51
383
33
526
689
702
259
400
260
455
459
683

The compound of formula 2.7 wherein  $R_{67}$  is hydrogen and its preparation are described in US-A-3 790 571; the compound of formula 2.6 wherein  $R_{62}$  is ethoxy, Z is nitrogen,  $R_{63}$  is fluorine,  $R_{64}$  is chlorine,  $R_{65}$  is hydrogen and  $R_{66}$  is chlorine is described in US-A-5 498 773. The compound of formula 2.21 and its preparation are described in US-A-5 183 492; the compound of formula 2.22 is described by the name isoxachlortole in AGROW No. 296, 16th January 1998, page 22. The compound of formula 2.31 is described under the name

. j

fentrazamide in The 1997 British Crop Protection Conference - Weeds, Conference Proceedings Vol. 1, 2-8, pages 67 to 72; the compound of formula 2.32 is described under the name JV 485 (isoxapropazol) in The 1997 British Crop Protection Conference - Weeds, Conference Proceedings Vol. 1, 3A-2, pages 93 to 98. The compound of formula 2.44 is known by the name pethoxamid and is described, for example in EP-Ā-0 206 251. The compound of formula 2.45 is known by the name procarbazone and is described, for example, in EP-A-0 507 171; the compound of formula 2.46 is known by the name fluazolate and is described, for example, in US-A-5 530 126. The compound of formula 2.47 is known by the name cinidon-ethyl and is described, for example, in DE-A-4 037 840. The compound of formula 2.48 is known by the name benzfendizone and is described, for example, in WO 97/08953. The compound of formula 2.49 is known as diffurenzopyr and is described, for example, in EP-A-0 646 315. The compound of formula 2.50 (amicarbazone) and its preparation are disclosed in DD 298 393 and in US-A-5 194 085. The compound of formula 2.51 (flufenpyr-ethyl) is described in Abstracts of Papers American Chemical Society, (2000) Vol. 220, No. Part 1, pp. AGRO 174.

It is extremely surprising that the combination of the active ingredient of formula I with one or more active ingredients selected from formulae 2.1 to 2.51 exceeds the additive effect on the weeds to be controlled that is to be expected in principle, and thus broadens the range of action of the individual active ingredients especially in two respects: Firstly, the rates of application of the individual compounds of formulae 1 and 2.1 to 2.51 are reduced while a good level of action is maintained and, secondly, the composition according to the invention achieves a high level of weed control also in those cases where the individual substances, in the range of low rates of application, have become unusable from the agronomic standpoint. The result is a considerable broadening of the spectrum of weeds and an additional increase in selectivity in respect of the crops of useful plants, as is necessary and desirable in the event of an unintentional overdose of active ingredient. The composition according to the invention, while retaining excellent control of weeds in crops of useful plants, also enables greater flexibility in succeeding crops.

The composition according to the invention can be used against a large number of agronomically important weeds, such as Stellaria, Nasturtium, Agrostis, Digitaria, Avena, Setaria, Sinapis, Lolium, Solanum, Phaseolus, Echinochloa, Scirpus, Monochoria, Sagittaria, Bromus, Alopecurus, Sorghum halepense, Rottboellia, Cyperus, Abutilon, Sida, Xanthlum,

WO 01/54501 PCT/EP01/00720

- 205 -

Amaranthus, Chenopodium, Ipomoea, Chrysanthemum, Galium, Viola and Veronica. The composition according to the invention is suitable for all methods of application conventionally used in agriculture, e.g. pre-emergence application, post-emergence application and seed dressing. The composition according to the invention is suitable especially for controlling weeds in crops of useful plants, such as cereals, rape, sugar beet, sugar cane, plantation crops, rice, maize and soybeans, and also for non-selective weed control.

"Crops" are to be understood to mean also those crops which have been made tolerant to herbicides or classes of herbicides as a result of conventional methods of breeding or genetic engineering.

Č

The composition according to the invention comprises the active ingredient of formula I and the active ingredients of formulae 2.1 to 2.51 in any mixing ratio, but usually has an excess of one component over the others. Generally, the mixing ratios (ratios by weight) of the active ingredient of formula I and the mixing partners of formulae 2.1 to 2.51 are from 1:2000 to 2000:1, especially from 200:1 to 1:200.

The rate of application may vary within wide limits and depends on the nature of the soil, the method of application (pre- or post-emergence; seed dressing; application to the seed furrow; no tillage application etc.), the crop plant, the weed to be controlled, the prevailing climatic conditions, and other factors governed by the method of application, the time of application and the target crop. The active ingredient mixture according to the invention can generally be applied at a rate of from 1 to 5000 g of active ingredient mixture/ha.

The mixtures of the compound of formula I with the compounds of formulae 2.1 to 2.51 may be used in unmodified form, that is to say as obtained in the synthesis. Preferably, however, they are formulated in customary manner, together with the adjuvants conventionally used in formulation technology, such as solvents, solid carriers or surfactants, for example into emulsifiable concentrates, directly sprayable or dilutable solutions, dilute emulsions, wettable powders, soluble powders, dusts, granules or microcapsules. As with the nature of the compositions, the methods of application, such as spraying, atomising, dusting, wetting, scattering or pouring, are chosen in accordance with the intended objectives and the prevailing circumstances.

. ,

The formulations, i.e. the compositions, preparations or mixtures comprising the compounds (active ingredients) of formulae I and 2.1 to 2.51 and, where appropriate, one or more solid or liquid formulation adjuvants, are prepared in a manner known *per se*, e.g. by intimately mixing and/or grinding the active ingredients with the formulation adjuvants, e.g. solvents or solid carriers. In addition, surface-active compounds (surfactants) may also be used in the preparation of the formulations.

Examples of solvents and solid carriers are given, for example, in WO 97/34485, page 6.

Depending on the nature of the compound of formula I to be formulated, suitable surfaceactive compounds are non-ionic, cationic and/or anionic surfactants and surfactant mixtures having good emulsifying, dispersing and wetting properties.

Examples of suitable anionic, non-ionic and cationic surfactants are listed, for example, in WO 97/34485, pages 7 and 8.

Also suitable in the preparation of the herbicidal compositions according to the invention are the surfactants conventionally used in formulation technology, which are described, *inter alia*, in "McCutcheon's Detergents and Emulsifiers Annual" MC Publishing Corp., Ridgewood New Jersey, 1981, Stache, H., "Tensid-Taschenbuch", Carl Hanser Verlag, Munich/Vienna, 1981 and M. and J. Ash, "Encyclopedia of Surfactants", Vol I-III, Chemical Publishing Co., New York, 1980-81.

The herbicidal formulations usually contain from 0.1 to 99 % by weight, especially from 0.1 to 95 % by weight, of active ingredient mixture comprising a compound of formula I and the compounds of formulae 2.1 to 2.51, from 1 to 99.9 % by weight of a solid or liquid formulation adjuvant, and from 0 to 25 % by weight, especially from 0.1 to 25 % by weight, of a surfactant.

Whereas commercial products are usually formulated as concentrates, the end user will normally employ dilute formulations. The compositions may also comprise further ingredients, such as stabilisers, e.g. vegetable oils or epoxidised vegetable oils (epoxidised coconut oil, rapeseed oil or soybean oil), antifoams, e.g. silicone oil, preservatives, viscosity

regulators, binders, tackifiers, and also fertilisers or other active ingredients. Preferred formulations have especially the following compositions:

(% = percent by weight)

**Emulsifiable concentrates:** 

active ingredient mixture:

1 to 90 %, preferably 5 to 20 %

surfactant:

1 to 30 %, preferably 10 to 20 %

liquid carrier:

5 to 94 %, preferably 70 to 85 %

**Dusts:** 

active ingredient mixture:

0.1 to 10 %, preferably 0.1 to 5 %

solid carrier:

99.9 to 90 %, preferably 99.9 to 99 %

Suspension concentrates:

active ingredient mixture:

5 to 75 %, preferably 10 to 50 %

water:

94 to 24 %, preferably 88 to 30 %

surfactant:

1 to 40 %, preferably 2 to 30 %

Wettable powders:

active ingredient mixture:

0.5 to 90 %, preferably 1 to 80 %

surfactant:

0.5 to 20 %, preferably 1 to 15 %

solid carrier:

5 to 95 %, preferably 15 to 90 %

**Granules:** 

active ingredient mixture:

0.1 to 30 %, preferably 0.1 to 15 %

solid carrier:

99.5 to 70 %, preferably 97 to 85 %

The following Examples illustrate the invention further, but do not limit the invention.

F1. Emulsifiable concentrates	a)	b)	c)	d)
active ingredient mixture	5 %	10 %	25 %	50 %
calcium dodecylbenzenesulfonate	6 %	8 %	6 %	8 %
castor oil polyglycol ether	4 %	-	4%.	4 %
(36 mol of ethylene oxide)				

•

octylphenol polyglycol ether	•	4 %		2 %
(7-8 mol of ethylene oxide)				
cyclohexanone	-	-	10 %	· 20 %
arom. hydrocarbon mixture	85 %	78 %	<b>55</b> %	16 %
C <sub>9</sub> -C <sub>12</sub>	,		-	

Emulsions of any desired concentration can be obtained from such concentrates by dilution with water.

F2. Solutions	a)	<b>b</b> )	c)	d)
active ingredient mixture	5%	10 %	50 %	90 %
1-methoxy-3-(3-methoxy-				
propoxy)-propane	-	20 %	20 %	-
polyethylene glycol MW 400	20 %	10 %	-	•
N-methyl-2-pyrrolidone	-	-	30 %	10 %
arom. hydrocarbon mixture	<b>75</b> %	60 %	-	-
C9-C12				

The solutions are suitable for use in the form of microdrops.

F3. Wettable powders	a)	b)	c)	d)
active ingredient mixture	5 %	25 %	50 %	80 %
sodium lignosulfonate	4 %	-	3 %	. •
sodium lauryl sulfate	2 %	3 %	-	4 %
sodium diisobutylnaphthalene-				
sulfonate .	-	6 %	5 %	6 %
octylphenol polyglycol ether	-	1 %	2 %	-
(7-8 mol of ethylene oxide)				
highly dispersed silicic acid	1 %	3 %	5 %	10 %
kaolin	88 %	62 %	35 %	-

The active ingredient is mixed thoroughly with the adjuvants and the mixture is thoroughly ground in a suitable mill, affording wettable powders which can be diluted with water to give suspensions of any desired concentration.

F4. Coated granules	a)	b)	c)
active ingredient mixture	0.1 %	5 %	15 %

highly dispersed silicic acid	0.9 %	2 %	2 %
inorganic carrier	99.0 %	93 %	83 %
(Æ 0.1 - 1 mm)			

e.g. CaCO<sub>3</sub> or SiO<sub>2</sub>

The active ingredient is dissolved in methylene chloride and applied to the carrier by spraying, and the solvent is then evaporated off *in vacuo*.

F5. Coated granules	a)	b)	<b>c)</b>
active ingredient mixture	0.1 %	5 %	15 %
polyethylene glycol MW 200	1.0 %	2%	3 %
highly dispersed silicic acid	0.9 %	1 %	2 %
inorganic carrier	98.0 %	92 %	80 %
(Æ 0.1 - 1 mm)			

e.g. CaCO<sub>3</sub> or SiO<sub>2</sub>

(

The finely ground active ingredient is uniformly applied, in a mixer, to the carrier moistened with polyethylene glycol. Non-dusty coated granules are obtained in this manner.

F6. Extruder granules	a)	b)	c)	d)
active ingredient mixture	0.1 %	3 %	5 %	15 %
sodium lignosulfonate	1.5 %	2 %	3 %	4 %
carboxymethylcellulose	1.4 %	2 %	2 %	2 %
kaolin	97.0 %	93 %	90 %	79 %

The active ingredient is mixed and ground with the adjuvants, and the mixture is moistened with water. The mixture is extruded and then dried in a stream of air.

F7. Dusts	a)	b)	.c)
active ingredient mixture	0.1 %	1 %	5 %
talcum	39.9 %	49 %	35 %
kaolin	60.0 %	50 %	60 %

Ready-to-use dusts are obtained by mixing the active ingredient with the carriers and grinding the mixture in a suitable mill.

F8. Suspension concentrates	a)	b)	<b>c)</b>	d)
active ingredient mixture	3 %	10 %	25 %	50 %

ethylene glycol	5 %	5%	5 %	5 %
nonylphenol polyglycol ether	-	1 %	2 %	-
(15 mol of ethylene oxide)				
sodium lignosulfonate	3 %	3 %	4 %	5 %
carboxymethylcellulose	1 %	1 %	1 %	1 %
37 % aqueous formaldehyde	0.2 %	0.2 %	0.2 %	0.2 %
solution				
silicone oil emulsion	0.8 %	0.8 %	0.8 %	0.8 %
water	87 %	<b>79</b> %	62 %	38 %

The finely ground active ingredient is intimately mixed with the adjuvants, giving a suspension concentrate from which suspensions of any desired concentration can be obtained by dilution with water.

It is often more practical for the compound of formula I and the mixing partner or partners of formulae 2.1 to 2.51 to be formulated separately and to be brought together in the desired mixing ratio in the applicator in the form of a "tank mixture" in water shortly before application.

### **Biological Examples:**

A synergistic effect exists whenever the action of the active ingredient combination of compounds of formula I and 2.1 to 2.51 is greater than the sum of the actions of the active ingredients applied separately.

The herbicidal action to be expected We for a given combination of two herbicides can be calculated as follows (see COLBY, S.R., "Calculating synergistic and antagonistic response of herbicide combinations", Weeds 15, pages 20-22, 1967):

$$We = X + [Y \cdot (100 - X)/100]$$

### wherein:

X = percentage herbicidal action on treatment with the compound of formula I at a rate of application of p kg per hectare, compared with the untreated control (= 0 %).

Y = percentage herbicidal action on treatment with a compound of formula 2.1 to 2.51 at a rate of application of q kg per hectare, compared with the untreated control.

We = expected herbicidal action (percentage herbicidal action compared with the untreated control) following treatment with the compounds of formulae I and 2.1  $\hat{to}$  2.51 at a rate of application of p + q kg of active ingredient per hectare.

When the action actually observed is greater than the value to be expected We, there is a synergistic effect.

The synergistic effect of the combinations of a compound of formula I with the compounds of formulae 2.1 to 2.51 is demonstrated in the following Examples.

#### Experiment description - pre-emergence test:

Monocotyledonous and dicotyledonous test plants are sown in standard soil in plastics pots. Directly after sowing, the test substances are applied in aqueous suspension by spraying (500 litres of water/ha). The rates of application depend on the optimum doses ascertained under field conditions and greenhouse conditions. The test plants are then grown on in the greenhouse under optimum conditions. The tests are evaluated after 36 days (% action, 100 % = plant has died, 0 % = no phytotoxic action). Examples of the synergistic action of the compositions according to the invention are given in the following Tables B1 to B6:

Mixture A contains as active ingredients 915 g/litre of the compound of formula 2.2a and 45 g/litre of the compound of formula 3.1.

Table B1:

Test plant:	Compd. 1.001 [25 g/ha]	Mixture A [900 g/ha]	Compd. 1.001 [25 g/ha] + mixture A [900 g/ha]	We accord- ing to Colby
Sorghum	30	20	90	44
Chenopodium	0	0	100	0
Sida	0	70	100	70

Table B2:

Test plant:	Compd. 1.001 [12.5 g/ha]	Mixture A [900 g/ha]	Compd. 1.001 [12.5 g/ha] + mixture A [900 g/ha]	We accord-
Sorghum	0	20	80	20
Chenopodium	0	0	95	0
Sida	0	70	95	70

# Table B3:

Test plant:	Compd. 1.001	Mixture A	Compd. 1.001 [6.25 g/ha]	We accord-
	[6.25 g/ha]	[900 g/ha]	+ mixture A [900 g/ha]	ing to Colby
Sorghum	0	20	70	20
Chenopodium	0	0	95	0
Sida	0	70	95	70

# Table B4:

Test plant:	Compd. 1.001 [25 g/ha]	Mixture A [300 g/ha]	Compd. 1.001 [25 g/ha] + mixture A [300 g/ha]	We accord- ing to Colby
Chenopodium	0	0	90	0
Ipomoea	30	0	100	30
Sida	0	0	40	0

# Table B5:

Test plant:	Compd. 1.001 [12.5 g/ha]	Mixture A [300 g/ha]	Compd. 1.001 [12.5 g/ha] + mixture A [300 g/ha]	We accord- ing to Colby
Chenopodium	0	0	80	0
Ipomoea	0	0	60	0
Sida	0	0	40	0

Table B6:

Test plant:	Compd. 1.001 [6.25 g/ha]	Mixture A [300 g/ha]	Compd. 1.001 [6.25 g/ha] + mixture A [300 g/ha]	We accord- ing to Colby
Chenopodium	0	0	80	0
Ipomoea	0	0	60	0
Sida	0	0	40	0

### **Experiment description - post-emergence test:**

The test plants are grown to the 2- to 3-leaf stage in plastics pots under greenhouse conditions. A standard soil is used as cultivation substrate. At the 2- to 3-leaf stage, the herbicide is applied to the test plants on its own and as a mixture. The application is carried out using an aqueous suspension of the test substances in 500 litres of water/ha. The rates of application depend on the optimum doses ascertained under field conditions and greenhouse conditions. The tests are evaluated after 33 days (% action, 100 % = plant has died, 0 % = no phytotoxic action). Examples of the synergistic action of the compositions according to the invention are given in the following Tables B7 to B10:

Mixture A contains as active ingredients 915 g/litre of the compound of formula 2.2a and 45 g/litre of the compound of formula 3.1.

Table B7: Post-emergence test:

Compd. 1.001	Mixture A	Compd. 1.001 [12.5 g/ha]	We accord-
[12.5 g/ha]	[900 g/ha]	+ mixture A [900 g/ha]	ing to Colby
0	0	80	0
. 0	20	· 100	20
80	0	100	80
	[12.5 g/ha] 0 0	[12.5 g/ha] [900 g/ha] 0 0 0 20	[12.5 g/ha] [900 g/ha] + mixture A [900 g/ha]  0 0 80  0 20 100

Table B8: Post-emergence test:

Test plant:	Compd. 1.001 [12.5 g/ha]	Mixture A [300 g/ha]	Compd. 1.001 [12.5 g/ha] + mixture A [300 g/ha]	We accord- ing to Colby
Ipomoea	0	0	80	0 .
Polygonum	0	0	70	0
Xanthium	80	0	98	80

Table B9: Post-emergence test:

Test plant:	Compd. 1.001	Mixture A	Compd. 1.001 [6.25 g/ha]	We accord-
·	[6.25 g/ha]	[900 g/ha]	+ mixture A [900 g/ha]	ing to Colby
Ipomoea	0 ·	0	70	0
Polygonum	0	20	70	20
Xanthium	70	0	80	70

Table B10: Post-emergence test:

Test plant:	Compd. 1.001 [6.25 g/ha]	Mixture A [300 g/ha]	Compd. 1.001 [6.25 g/ha] + mixture A [300 g/ha]	We accord-
Ipomoea	0	0	80	0
Polygonum	0	0	70	0
Xanthium	70	0	70	70

In the following Tables, evaluation is carried out after 14 days:

Table B11: Pre-emergence action:

Polygonum	50	.80	95	90.
	[50 g/ha]	[500 g/ha]	compd. 2.18 [500 g/ha]	ing to Colby
Test plant:	Compd. E8	Compd. 2.18	Compd. E8 [50 g/ha] +	We accord-

Table B12: Pre-emergence action:

Test plant:	Compd. E8	Compd. 2.14	Compd. E8 [100 g/ha] +	We acord-
	[100 g/ha]	[250 g/ha]	compd. 2.14 [250 g/ha]	ing to Colby
Polygonum	50	50	90	75

Table B13: Pre-emergence action:

Polygonum	50	30	90	65
	[100 g/ha]	[125 g/ha]	compd. 2.14 [125 g/ha]	ing to Colby
Test plant:	Compd. E8	Compd. 2.14	Compd. E8 [100 g/ha] +	We accord-

WO 01/54501 PCT/EP01/00720

Table B14: Pre-emergence action: Compound no. 2.13a corresponds to formula 2.13 wherein  $R_{74}$  is -CH<sub>2</sub>CH<sub>2</sub>CF<sub>3</sub>,  $Y_1$ ,  $Y_2$ ,  $Y_3$  and  $Y_4$  are each methine,  $Y_5$  is nitrogen and  $Y_6$  is methyl.

Test plant:	Compd. E8	Compd. 2.13a	Compd. E8 [100 g/ha] +	We accord-
	[100 g/ha]	[60 g/ha]	compd. 2.13a [60 g/ha]	ing to Colby
Polygonum	50 .	80	95	90

# Table B15: Pre-emergence action:

()

()

Test plant:	Compd. E8	Compd. 2.30	Compd. E8 [50 g/ha] +	We accord-
	[50 g/ha]	[60 g/ha]	compd. 2.30 [60 g/ha]	ing to Colby
Polygonum	50	30	90	65

### Table B16: Pre-emergence action:

Test plant:	Compd. E8 [50 g/ha]	Compd. 2.21 [30 g/ha]	Compd. E8 [50 g/ha] + compd. 2.21 [30 g/ha]	We accord- ing to Colby
Polygonum	50	50	100	75

Table B17: Pre-emergence action: Compound no. 2.4.a corresponds to formula 2.4 wherein  $R_{57}$  is chlorine,  $R_{58}$  is ethyl and  $R_{59}$  is tert-butyl.

Test plant:	Compd. E8	Compd. 2.4.a	Compd. E8 [50 g/ha] +	We accord-
	[50 g/ha]	[125 g/ha]	compd. 2.4.a [125 g/ha]	ing to Colby
Polygonum	50	30	85	65

## Table B18: Pre-emergence action:

Test plant:	Compd. 1.001	Compd. 2.2.b	Compd. 1.001 [25 g/ha] +	We accord-
	[25 g/ha]	[300 g/ha]	compd. 2.2.b [300 g/ha]	ing to Colby
Chenopodium	80	0	95	80
Solanum	80	40	98	88
Cyperus	0	0	50	0

Table B19: Pre-emergence action:

Compound no. 2.3.a corresponds to formula 2.3 wherein  $\mbox{R}_{56}$  is  $\mbox{CH(Me)-CH}_2\mbox{OMe}.$ 

Test plant:	Compd. 1.001	Compd. 2.3.a	Compd. 1.001 [12.5 g/ha]	We accord-
	[12.5 g/ha]	[100 g/ha]	+ compd. 2.3.a [100 g/ha]	ing to Colby
Chenopodium	80	20	90	84
Solanum	75	60	90 _	90
Cyperus	0	20	· 60	20

Table B20: Pre-emergence action:

Compound no. 2.2.c corresponds to formula 2.2 wherein  $R_{S3}$  and  $R_{54}$  are ethyl and  $R_{55}$  is  $CH_2OMe$ .

Test plant:	Compd. 1.001	Compd.	Compd. 1.001	We
	[12.5 g/ha]	2.2.c	[12.5 g/ha] + compd.	according
_		[100 g/ha]	2.2.c [100 g/ha]	to Colby
Chenopodium	80	20	90	84
Solanum	75	50	95	88
Cyperus	0	0	30	0

## Table B21: Pre-emergence action:

Compound no. 2.2.d corresponds to formula 2.2 wherein  $R_{53}$  is ethyl,  $R_{54}$  is methyl and  $R_{55}$  is  $CH_2O-CH_2CH_3$ .

Test plant:	Compd. 1.001 [12.5 g/ha]	Compd. 2.2.d [100 g/ha]	Compd. 1.001 [12.5 g/ha] + compd. 2.2.d [100 g/ha]	We according to Colby
Solanum	75	60	95	90

## Table B22: Pre-emergence action:

Test plant:	Compd. 1.001 [25 g/ha]	Compd. 2.30 [100 g/ha]	Compd. 1.001 [25 g/ha] + compd. 2.30 [100 g/ha]	We according to Colby
Cyperus	10	0.	60	10

In the following Tables, evaluation is carried out after 31 days:

Table B23: Pre-emergence action: Compound no. 2.4.a corresponds to the compound of formula 2.4 wherein  $R_{57}$  is chlorine,  $R_{58}$  is ethyl and  $R_{59}$  is isopropyl.

Test plant:	Compd. 1.001	Compd.	Compd. 1.001	We
	[25 g/ha]	2.4.a	[25 g/ha] + compd.	according
		[250 g/ha]	2.4.a [250 g/ha]	to Colby
Polygonum	0	20	80	20

Table B24: Pre-emergence action: Compound no. 2.4.b corresponds to the compound of formula 2.4 wherein  $R_{57}$  is chlorine,  $R_{58}$  is ethyl and  $R_{59}$  is ethyl.

Test plant:	Compd. 1.001	Compd.	Compd. 1.001	We
	[25 g/ha]	2.4.b	[25 g/ha] + compd.	according
		[125 g/ha]	2.4.b [125 g/ha]	to Colby
Polygonum	0	0	40	0

Table B25: Pre-emergence action: Compound no. 2.4.c corresponds to the compound of formula 2.4 wherein  $R_{57}$  is chlorine,  $R_{58}$  is ethyl and  $R_{59}$  is tert-butyl.

Test plant:	Compd. 1.001	Compd.	Compd. 1.001	We
	[25 g/ha]	2.4.c	[25 g/ha] + compd.	according
		[250 g/ha]	2.4.c [250 g/ha]	to Colby
Ipomoea	70	0	90	70
Xanthium	80	0	100	80

Table B26: Pre-emergence action: Compound no. 2.4.d corresponds to the compound of formula 2.4 wherein  $R_{57}$  is methylthio,  $R_{58}$  is ethyl and  $R_{59}$  is tert-butyl.

Test plant:	Compd. 1.001	Compd.	Compd. 1.001	We
•	[25 g/ha]	2.4.d	[25 g/ha] + compd.	according
		[250 g/ha]	2.4.d [250 g/ha]	to Colby
Ipomoea	70	0	80	70
Xanthium	80 ·	10	95	82

Table B27: Pre-emergence action:

Test plant:	Compd. 1.001	Compd.	Compd. 1.001	We
	[25 g/ha]	2.14	[25 g/ha] + compd.	according
		[125 g/ha]	2.14 [125 g/ha]	to Colby
Ipomoea	70	0	85	70
Xanthium	80	20	100	84

Table B28: Pre-emergence action: Compound no. 2.6.a corresponds to the compound of formula 2.6 wherein  $R_{62}$  is hydrogen,  $R_{63}$  is methyl,  $R_{64}$  is fluorine,  $R_{65}$  is hydrogen, Y is nitrogen, Z is methine and  $R_{66}$  is fluorine.

Test plant:	Compd. 1.001 [50 g/ha]	Compd. 2.6.a [30 g/ha]	Compd. 1.001 [50 g/ha] + compd. 2.6.a [30 g/ha]	We according to Colby
Polygonum	0	30	90	30

In the following Tables, evaluation is carried out after 21 days:

Table B29: Post-emergence action: Compound no. 2.7.a corresponds to the compound of formula 2.7 wherein  $R_{67}$  is -C(O)-S-n-octyl.

Test plant:	Compd. 1.001	Compd.	Compd. 1.001	We
	[25 g/ha]	2.7.a	[25 g/ha] + compd.	according
		[250 g/ha]	2.7.a [250 g/ha]	to Colby
Ipomoea	30	10	80	30
Polygonum	75	0	95	75
Xanthium	90	10	100	91

Table B30: Post-emergence action:

Test plant:	Compd. 1.001 [25 g/ha]	Compd. 2.19 [250 g/ha]	Compd. 1.001 [25 g/ha] + compd. 2.19 [250 g/ha]	We according to Colby
Ipomoea	30	60	95	72

-219 -

Table B31: Post-emergence action:

Test plant:	Compd. 1.001	Compd.	Compd. 1.001	We
	[25 g/ha]	2.16	[25 g/ha] + compd.	according
		[360 g/ha]	2.16 [360 g/ha]	to Colby
Ipomoea	30	20	70	46
Polygonum	75	10	90	84

Table B32: Post-emergence action:

()

()

Test plant:	Compd. 1.001	Compd.	Compd. 1.001	We
	[12.5 g/ha]	2.33	[12.5 g/ha] + compd.	according
		[360 g/ha]	2.33 [360 g/ha]	to Colby
Polygonum	30	0	90	30

Table B33: Post-emergence action: Compound no. 2.12.a corresponds to the compound of formula 2.12 wherein  $R_{73}$  is  $NH_2$ .

Test plant:	Compd. 1.001	Compd.	Compd. 1.001	We
	[25 g/ha]	2.12.a	[25 g/ha] + compd.	according
		[400 g/ha]	2.33 [400 g/ha]	to Colby
Ipomoea	30	20	90	44

Table B34: Post-emergence action:

Test plant:	Compd. 1.001	Compd.	Compd. 1.001	We
	[12.5 g/ha]	2.25	[12.5 g/ha] + compd.	according
		[2 g/ha]	2.25 [2 g/ha]	to Colby
lpomoea .	30	0	50	30
Polygonum	30	0	40	30

تُون

Table B35: Post-emergence action: Compound no. 2.1.a corresponds to the compound of formula 2.1 wherein  $R_{\rm S2}$  is hydrogen and  $R_{\rm S1}$  is ethyl.

Polygonum	30	[30 g/ha]	2.1.a [30 g/ha]	to Colby
	[12.5 g/ha]	2.1.a	[12.5 g/ha] + compd.	according
Test plant:	Compd. 1.001	Compd.	Compd. 1.001	We

Table B36: Post-emergence action: Compound no. 2.1.b corresponds to the compound of formula 2.1 wherein  $R_{51}$  is  $CH_2OMe$  and  $R_{52}$  is hydrogen.

Test plant:	Compd. 1.001 [25 g/ha]	Compd. 2.1.b [30 g/ha]	Compd. 1.001 [25 g/ha] + compd. 2.1.b [30 g/ha]	We according to Colby
Polygonum	75	30	90	83

In the following Tables, evaluation is carried out after 23 days:

Table B37: Pre-emergence action: Compound no. 2.13.b corresponds to formula 2.13 wherein  $R_{74}$  is -COOMe,  $Y_1$ ,  $Y_2$ ,  $Y_3$  and  $Y_4$  are each methine,  $Y_5$  is methine and  $Y_6$  and  $Y_7$  are difluoromethoxy.

Chenopodium	50	70	95	85
		[15 g/ha]	[6 g/ha] + compd. 2.13.b [15 g/ha]	according to Colby
Test plant:	Compd. 1.001 [6 g/ha]	Compd. 2.13.b	Compd. 1.001	We

Table B38: Pre-emergence action:

Test plant:	Compd. 1.001 [6 g/ha]	Compd. 2.13.c [60 g/ha]	Compd. 1.001 [6 g/ha] + compd. 2.13.c [60 g/ha]	We according to Colby
Chenopodium	50	10	85	55

Table B39: Pre-emergence action: Compound no. 2.13.d corresponds to the compound of formula 2.13 wherein  $Y_1$ ,  $Y_2$ ,  $Y_3$  and  $Y_4$  are methine,  $R_{74}$  is trifluoromethyl,  $Y_5$  is nitrogen,  $Y_6$  is trifluoromethyl and  $Y_7$  is methoxy.

Test plant:	Compd. 1.001 [6 g/ha]	Compd. 2.13d [7.5 g/ha]	Compd. 1.001 [6 g/ha] + compd. 2.13.d [7.5 g/ha]	We according to Colby
Amaranthus	10 -	80	95	82

It has surprisingly been shown that special safeners are suitable for mixing with the synergistic composition according to the invention. The present invention accordingly relates also to a herbicidally selective composition for controlling grasses and weeds in crops of useful plants, especially in maize crops, that comprises a compound of formula I, one or more compounds selected from the compounds of formulae 2.1 to 2.51, and a safener (counter agent, antidote), and that protects the useful plants, but not the weeds, against the phytotoxic action of the herbicide, as well as to the use of such a composition in the control of weeds in crops of useful plants.

There is also proposed in accordance with the invention a herbicidally selective composition that, in addition to comprising customary inert formulation adjuvants, such as carriers, solvents and wetting agents, comprises as active ingredient a mixture of a) a herbicidally-synergistically effective amount of a compound of formula I and one or more compounds selected from the compounds of formulae 2.1 to 2.51 and b) a herbicidally-antagonistically effective amount of a compound selected from the compound of formula 3.1

and the compound of formula 3.2

()

and the compound of formula 3.3

and the compound of formula 3.4

and the compound of formula 3.5

and the compound of formula 3.6

and the compound of formula 3.8

and of formula 3.9

CI<sub>2</sub>CHCON(CH<sub>2</sub>CH=CH<sub>2</sub>)<sub>2</sub> (3.9),

and of formula 3.10

and of formula 3.11

and of formula 3.12

## and of formula 3.13

## and of formula 3.14

## and of formula 3.15

and of formula 3.16

The invention relates also to a herbicidally selective herbicidal composition that, in addition to comprising customary inert formulation adjuvants, such as carriers, solvents and wetting agents, comprises as active ingredient a mixture of

- a) a herbicidally effective amount of a compound of formula I and
- b) a herbicidally-antagonistically effective amount of a compound selected from the compounds of formulae 3.1, 3.2, 3.3, 3.4, 3.5, 3.6, 3.7, 3.8, 3.9, 3.10, 3.11, 3.12, 3.13, 3.14, 3.15 and 3.16.

Preferred compositions according to the invention comprise as safener a compound selected from the compounds of formulae 3.1, 3.3 and 3.8. Those safeners are especially suitable for compositions according to the invention that comprise the above-mentioned preferred compounds of formula I and optionally of formulae 2.1 to 2.51.

Combinations of compounds of formula I with the compound of formula 3.1 have been shown to be especially effective compositions, with special preference being given to compound no. 1.001 as the compound of formula I. That composition is preferably used together with the compound of formula 2.2a

chloroacetyl-2-ethyl-6-methylaniline).

The invention relates also to a method for the selective control of weeds in crops of useful plants, which comprises treating the useful plants, seeds or cuttings thereof, or the area of cultivation thereof, with a herbicidally effective amount of the herbicide of formula I, as

appropriate one or more herbicides selected from the compounds of formulae 2.1 to 2.51, and a herbicidally-antagonistically effective amount of a safener of formulae 3.1 to 3.16.

The compounds of formulae 3.1 to 3.16 are known and are described, for example, in the Pesticide Manual, eleventh ed., British Crop Protection Council, 1997 under the entry numbers 61 (formula 3.1, benoxacor), 304 (formula 3.2, fenciorim), 154 (formula 3.3, cloquintocet), 462 (formula 3.4, mefenpyr-diethyl), 377 (formula 3.5, furilazol), 363 (formula 3.8, fluxofenim), 213 (formula 3.9, dichlormid) and 350 (formula 3.10, flurazole). The compound of formula 3.11 is known by the name MON 4660 (Monsanto) and is described, for example, in EP-A-0 436 483.

The compound of formula 3.6 (AC 304 415) is described, for example, in EP-A-0 613 618, and the compound of formula 3.7 in DE-A-2 948 535. The compounds of formula 3.12 are described in DE-A-4 331 448, and the compound of formula 3.13 in DE-A-3 525 205. The compound of formula 3.14 is known, for example, from US-A-5 215 570 and the compound of formula 3.15 from EP-A-0 929 543. The compound of formula 3.16 is described in WO 99/00020. In addition to the compound of formula 3.16, the other 3-(5-tetrazolyl-carbonyl)-2-quinolones described in WO 99/00020, especially the compounds specifically disclosed in Tables 1 and 2 on pages 21 to 29, are suitable for protecting the crop plants against the phytotoxic action of the compounds of formula I.

As crop plants that can be protected by the safeners of formulae 3.1 to 3.16 against the damaging effect of the above-mentioned herbicides there come into consideration especially cereals, cotton, soybeans, sugar beet, sugar cane, plantation crops, rape, maize and rice, more especially maize. "Crops" are to be understood to mean also those crops which have been made tolerant to herbicides or classes of herbicides as a result of conventional methods of breeding or genetic engineering.

The weeds to be controlled may be both monocotyledonous and dicotyledonous weeds, e.g. Stellaria, Agrostis, Digitaria, Avena, Apera, Brachiaria, Phalaris, Setaria, Sinapis, Lolium, Solanum, Echinochloa, Scirpus, Monochoria, Sagittaria, Panicum, Bromus, Alopecurus, Sorghum halepense, Sorghum bicolor, Rottboellia, Cyperus, Abutilon, Sida, Xanthium, Amaranthus, Chenopodium, Ipomoea, Chrysanthemum, Galium, Viola and Veronica.

Areas of cultivation include the areas of ground on which the crop plants are already growing or which have already been sown with the seeds of those crop plants, as well as ground intended for cultivation with such crop plants.

Depending on the intended use, a safener of formula 3.1 to 3.16 can be used in the pretreatment of the seed of the crop plant (dressing of the seeds or cuttings) or can be introduced into the soil before or after sowing. It can, however, also be applied, either alone or together with the herbicide, after emergence of the plants. The treatment of the plants or seeds with the safener can therefore in principle be carried out independently of the time at which the herbicide is applied. The plants can, however, also be treated by simultaneous application of herbicide and safener (e.g. in the form of a tank mixture). The ratio of the rate of application of safener to the rate of application of herbicide depends largely on the method of application. In the case of field treatment, which is carried out either using a tank mixture comprising a combination of safener and herbicide or by separate application of safener and herbicide, the ratio of herbicides to safener is generally from 100:1 to 1:10, preferably from 20:1 to 1:1. In the case of field treatment it is usual to apply from 0.001 to 1.0 kg of safener/ha, preferably from 0.001 to 0.25 kg of safener/ha.

The rate of application of herbicides is generally from 0.001 to 2 kg/ha, but preferably from 0.005 to 0.5 kg/ha.

The compositions according to the invention are suitable for all methods of application conventionally used in agriculture, e.g. pre-emergence application, post-emergence application and seed dressing.

In the case of seed dressing, generally from 0.001 to 10 g of safener/kg of seed, preferably from 0.05 to 2 g of safener/kg of seed, are applied. When the safener is applied in liquid form shortly before sowing, with soaking of the seeds, then advantageously the safener solutions used contain the active ingredient in a concentration of from 1 to 10 000 ppm, preferably from 100 to 1000 ppm.

For the purpose of application, the safeners of formulae 3.1 to 3.16 or combinations of those safeners with the herbicide of formula I and, as appropriate, one or more herbicides selected from formulae 2.1 to 2.51 are advantageously formulated together with adjuvants customary

. j

2

in formulation technology, e.g. into emulsifiable concentrates, coatable pastes, directly sprayable or dilutable solutions, dilute emulsions, wettable powders, soluble powders, dusts, granules or microcapsules.

Such formulations are described, for example, in WO 97/34485, pages 9 to 13. The formulations are prepared in known manner, e.g. by intimately mixing and/or grinding the active ingredients with liquid or solid formulation adjuvants, e.g. solvents or solid carriers. In addition, surface-active compounds (surfactants) can also be used in the preparation of the formulations. Solvents and solid carriers suitable for that purpose are mentioned, e.g., in WO 97/34485, page 6.

Depending on the nature of the compounds of formulae I, 2.1 to 2.51 and 3.1 to 3.16 to be formulated, there come into consideration as surface-active compounds non-ionic, cationic and/or anionic surfactants and surfactant mixtures having good emulsifying, dispersing and wetting properties. Examples of suitable anionic, non-ionic and cationic surfactants are listed, for example, on pages 7 and 8 of WO 97/34485. Also suitable for the preparation of the herbicidal compositions according to the invention are the surfactants conventionally employed in formulation technology, which are described, *inter alia*, in "McCutcheon's Detergents and Emulsifiers Annual" MC Publishing Corp., Ridgewood New Jersey, 1981, Stache, H., "Tensid-Taschenbuch", Carl Hanser Verlag, Munich/Vienna, 1981 and M. and J. Ash, "Encyclopedia of Surfactants", Vol. I-III, Chemical Publishing Co., New York, 1980-81.

The herbicidal formulations usually contain from 0.1 to 99 % by weight, especially from 0.1 to 95 % by weight, of active ingredient mixture comprising a compound of formula I, a compound selected from the compounds of formulae 2.1 to 2.51 and the compounds of formulae 3.1 to 3.16, from 1 to 99.9 % by weight of a solid or liquid formulation adjuvant and from 0 to 25 % by weight, especially from 0.1 to 25 % by weight, of a surfactant. Whereas commercial products are usually formulated as concentrates, the end user will normally employ dilute formulations.

The compositions may also comprise further ingredients, such as stabilisers, e.g. vegetable oils or epoxidised vegetable oils (epoxidised coconut oil, rapeseed oil or soybean oil), antifoams, e.g. silicone oil, preservatives, viscosity regulators, binders, tackifiers, and also

fertilisers or other active ingredients. For the use of safeners of formulae 3.1 to 3.16, or of compositions comprising them, in the protection of crop plants against the damaging effects of herbicides of formulae I and 2.1 to 2.51, various methods and techniques come into consideration, such as, for example, the following:

#### i) Seed dressing

- a) Dressing of the seeds with a wettable powder formulation of a compound of formulae 3.1 to 3.16 by shaking in a vessel until uniformly distributed over the seed surface (dry dressing). In that procedure approximately from 1 to 500 g of compound of formulae 3.1 to 3.16 (4 g to 2 kg of wettable powder) are used per 100 kg of seed.
- b) Dressing of the seeds with an emulsifiable concentrate of a compound of formulae 3.1 to 3.16 according to method a) (wet dressing).
- c) Dressing by immersing the seeds for from 1 to 72 hours in a liquor comprising from 100 to 1000 ppm of a compound of formulae 3.1 to 3.16 and optionally subsequently drying the seeds (immersion dressing).

Dressing the seed or treating the germinated seedling are naturally the preferred methods of application, because treatment with the active ingredients is directed entirely at the target crop. Generally from 1 to 1000 g of antidote, preferably from 5 to 250 g of antidote, are used per 100 kg of seed, but depending on the methodology, which also enables the addition of other active ingredients or micronutrients, the concentration limits indicated can be varied up or down (repeat dressing).

#### ii) Application as a tank mixture

A liquid formulation of a mixture of antidote and herbicide is used (ratio by weight of the one to the other from 10:1 to 1:100), the rate of application of herbicide being from 0.005 to 5.0 kg per hectare. Such tank mixtures are applied before or after sowing.

#### iii) Application to the seed furrow

The compounds of formulae 3.1 to 3.16 are introduced into the open, sown seed furrow in the form of an emulsifiable concentrate, wettable powder or granules. Once the seed furrow has been covered over, the herbicide is applied in the usual manner in the pre-emergence process.

### iv) Controlled release of active ingredient

The compounds of formulae 3.1 to 3.16 are applied in solution to mineral granule carriers or polymerised granules (urea/formaldehyde) and dried. If desired, it is also possible to apply a coating that allows the active ingredient to be released in metered amounts over a specific period of time (coated granules).

Preferred formulations have especially the following compositions: (% = percent by weight)

### **Emulsifiable concentrates:**

active ingredient mixture:

1 to 90 %, preferably 5 to 20 %

surfactant:

1 to 30 %, preferably 10 to 20 %

liquid carrier:

5 to 94 %, preferably 70 to 85 %

#### **Dusts:**

active ingredient mixture:

0.1 to 10 %, preferably 0.1 to 5 %

solid carrier:

99.9 to 90 %, preferably 99.9 to 99 %

## Suspension concentrates:

active ingredient mixture:

5 to 75 %, preferably 10 to 50 %

water:

94 to 24 %, preferably 88 to 30 %

surfactant:

1 to 40 %, preferably 2 to 30 %

#### Wettable powders:

active ingredient mixture:

0.5 to 90 %, preferably 1 to 80 %

surfactant:

0.5 to 20 %, preferably 1 to 15 %

solid carrier:

5 to 95 %, preferably 15 to 90 %

#### Granules:

active ingredient mixture:

0.1 to 30 %, preferably 0.1 to 15 %

solid carrier:

99.5 to 70 %, preferably 97 to 85 %

The following Examples illustrate the invention further, but do not limit the invention.

Favorilettes Francisco for subdivino				
Formulation Examples for mixture				
formulae 2.1 to 2.51, and safener	,			
F1. Emulsifiable concentrates	a)	b) 10 %	C)	d)
active ingredient mixture	5 %		25 %	50 %
calcium dodecylbenzenesulfonate		8 %	6 %	8 %
castor oil polyglycol ether	4 %	-	4 %	4 %
(36 mol of ethylene oxide)			<del>:</del>	
octylphenol polyglycol ether	•	4 %	-	2 %
(7-8 mol of ethylene oxide)				
cyclohexanone	-	-	10 %	20 %
aromatic hydrocarbon mixture	85 %	78 %	55 %	16 %
C <sub>9</sub> -C <sub>12</sub>				
Emulsions of any desired concent	tration can be	obtained from s	uch concentrates l	by dilution
with water.				•
F2. Solutions	a)	b)	с)	d)
active ingredient mixture.	5 %	10 %	50 %	90 %
1-methoxy-3-(3-methoxy-			• •	
propoxy)-propane	-	20 %	20 %	•
polyethylene glycol MW 400	20 %	10 %	-	-
N-methyl-2-pyrrolidone	-	<del>.</del>	30 %	10 %
aromatic hydrocarbon mixture	75 %	60 %	-	
C <sub>9</sub> -C <sub>12</sub>				
The solutions are suitable for use	in the form of	microdrops.		
	•			
F3. Wettable powders	a)	b)	c)	d)
active ingredient mixture	5 %	25 %	50 %	. 80 %
sodium lignosulfonate	4 %	-	3 %	-
sodium lauryl sulfate	2 %	3 %	-	4 %
sodium diisobutylnaphthalene-	•	6 %	5 %	6 %
sulfonate				
octylphenol polyglycol ether	•	1 %	2 %	-
(7-8 mol of ethylene oxide)				
highly dispersed silicic acid	1 %	3 %	5 %	10 %

kaolin 88 % 62 % 35 %

The active ingredient is mixed thoroughly with the adjuvants and the mixture is thoroughly ground in a suitable mill, affording wettable powders which can be diluted with water to give suspensions of any desired concentration.

F4. Coated granules	a)	b)	c)
active ingredient mixture	0.1 %	5 %	15 %
highly dispersed silicic acid	0.9 %	2 %	2 %
inorganic carrier	99.0 %	93 %	83 %
(Æ 0.1 - 1 mm)			

e.g. CaCO<sub>3</sub> or SiO<sub>2</sub>

The active ingredient is dissolved in methylene chloride and applied to the carrier by spraying, and the solvent is then evaporated off *in vacuo*.

F5. Coated granules	<b>a</b> )	<b>b)</b> ·	c)
active ingredient mixture	0.1 %	5 %	15 %
polyethylene glycol MW 200	1.0 %	2 %	3 %
highly dispersed silicic acid	0.9 %	1 %	2 %
inorganic carrier	98.0 %	92 %	80 %
(Æ 0.1 - 1 mm)			

e.g. CaCO<sub>3</sub> or SiO<sub>2</sub>

The finely ground active ingredient is uniformly applied, in a mixer, to the carrier moistened with polyethylene glycol. Non-dusty coated granules are obtained in this manner.

F6. Extruder granules	a) .	b)	c)	d)
active ingredient mixture	0.1 %	3 %	5 %	15 %
sodium lignosulfonate	1.5 %	2%	3 %	4 %
carboxymethylcellulose	1.4 %	2 %	2 %	2 %
kaolin	97.0 %	93 %	90 %	79 %

The active ingredient is mixed and ground with the adjuvants, and the mixture is moistened with water. The mixture is extruded and then dried in a stream of air.

F7. Dusts	a)	b)	c)
active ingredient mixture	0.1 %	1 %	5 %
talcum	39.9 %	49 %	35 %
kaolin	60.0 %	50 %	60 %

Ready-to-use dusts are obtained by mixing the active ingredient with the carriers and grinding the mixture in a suitable mill.

F8. Suspension concentrates	a)	b)	c)	d)
active ingredient mixture	3 %	10 %	25 %	50 %
ethylene glycol	5 %	5 %	5 %	. 5 %
nonylphenol polyglycol ether	-	1 %	2 %	•
(15 mol of ethylene oxide)				
sodium lignosulfonate	3 %	3 %	4 %	5 %
carboxymethylcellulose	·1 %	1 %	1 %	1 %
37 % aqueous formaldehyde	0.2 %	0.2 %	0.2 %	0.2 %
solution	•			
silicone oil emulsion	0.8 %	0.8 %	0.8 %	0.8 %
water	87 %	79 %	62 %	38 %

The finely ground active ingredient is intimately mixed with the adjuvants, giving a suspension concentrate from which suspensions of any desired concentration can be obtained by dilution with water.

It is often more practical for the compounds of formulae I, 2.1 to 2.51 and 3.1 to 3.16 to be formulated separately and then to be brought together in the desired mixing ratio in the applicator in the form of a "tank mixture" in water shortly before application.

The ability of the safeners of formulae 3.1 to 3.16 to protect crop plants against the phytotoxic action of herbicides of formula I is illustrated in the following Examples.

#### Biological Example: safening action

()

The test plants are grown in plastics pots under greenhouse conditions to the 4-leaf stage. At that stage, the herbicides alone, and the mixtures of the herbicides with the test compounds that are to be tested as safeners, are applied to the test plants. The application is in the form of an aqueous suspension of the test compounds prepared from a 25 %

wettable powder (Example F3, b)) with 500 litres of water/ha. 4 weeks after application, the phytotoxic action of the herbicides on the crop plants, e.g. maize and cereals, is evaluated using a percentage scale. 100 % denotes that the test plant has died, 0 % denotes no phytotoxic action.

The results obtained in this test demonstrate that damage to the crop plant caused by the herbicide of formula I in combination with one or more herbicides selected from formulae 2.1 to 2.51 can be significantly reduced by the compounds of formulae 3.1 to 3.16. Examples of the safening action are given in the following Table B40:

Tabl∈ B40:

Test plant	Compd 1.001 [50 g/ha]	Compd. 1.001 [50 g/ha] + compd. 3.3 [50 g/ha]	Compd. 1.001 [50 g/ha] +	Compd. 1.001 [50 g/ha] +
	too ayual	compa. 3.3 [50 g/na]	compd. 3.1 [50 g/ha]	compd. 3.8 [50 g/ha]
Maize	50	5	5	0
Abutilon	100	100	100	100
Setaria	100	100	·100	100

The same results are obtained when the mixtures are formulated in accordance with Examples F1, F2 and F4 to F8.

#### What is claimed is:

 A herbicidally selective composition that, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture
 a) a herbicidally effective amount of a compound of formula I

wherein each R is independently hydrogen, C₁-C₅alkyl, C₂-C₅alkenyl, C₂-C₅haloalkenyl, C2-C6alkynyl, C2-C6haloalkynyl, C3-C6cycloalkyl, C1-C6alkoxy, C1-C6haloalkoxy, C1-Cealkylthio, C1-Cealkylsulfinyl, C1-Cealkylsulfonyl, C1-Cehaloalkyl, C1-Cehaloalkylthio, C1-Cehaloalkylsulfinyl, C1-Cehaloalkylsulfonyl, C1-Cealkoxycarbonyl, C1-Cealkylcarbonyl, C1-Cealkylamino, di(C1-Cealkyl)amino, C1-Cealkylaminosulfonyl, di(C1-Cealkyl)aminosulfonyl, -N(R<sub>1</sub>)-S-R<sub>2</sub>, -N(R<sub>3</sub>)-SO-R<sub>4</sub>, -N(R<sub>5</sub>)-SO<sub>2</sub>-R<sub>6</sub>, nitro, cyano, halogen, hydroxy, amino, benzylthio, benzylsulfinyl, benzylsulfonyl, phenyl, phenoxy, phenylthio, phenylsulfinyl or phenylsulfonyl; wherein the phenyl group may itself be mono-, di- or tri-substituted by C1-C6alkyl, C1-C6haloalkyi, C<sub>3</sub>-C<sub>6</sub>alkenyi, C<sub>3</sub>-C<sub>6</sub>haloalkenyi, C<sub>3</sub>-C<sub>6</sub>alkynyi, C<sub>3</sub>-C<sub>8</sub>haloalkynyi, C<sub>1</sub>-C<sub>6</sub>alkoxy, C<sub>1</sub>-C<sub>6</sub>haloalkoxy, C<sub>3</sub>-C<sub>6</sub>alkenyloxy, C<sub>3</sub>-C<sub>6</sub>alkynyloxy, mercapto, C<sub>1</sub>-C<sub>6</sub>alkylthio, C<sub>1</sub>-Cehaloalkylthio, C<sub>3</sub>-Cealkenylthio, C<sub>3</sub>-Cehaloalkenylthio, C<sub>3</sub>-Cealkynylthio, C<sub>2</sub>-C<sub>5</sub>alkoxyalkylthio, C<sub>3</sub>-C<sub>5</sub>acetylalkylthio, C<sub>3</sub>-C<sub>6</sub>alkoxycarbonylalkylthio, C<sub>2</sub>-C<sub>4</sub>cyanoalkylthio,  $C_1$ - $C_6$ alkylsulfinyl,  $C_1$ - $C_6$ haloalkylsulfinyl,  $C_1$ - $C_6$ alkylsulfonyl,  $C_1$ - $C_6$ haloalkylsulfonyl, aminosulfonyl, C<sub>1</sub>-C<sub>2</sub>alkylaminosulfonyl, C<sub>2</sub>-C<sub>4</sub>dialkylaminosulfonyl, C<sub>1</sub>-C<sub>3</sub>alkylene-R<sub>45</sub>, NR<sub>46</sub>R<sub>47</sub>, halogen, cyano, nitro, phenyl or by benzylthio, wherein the latter phenyl and benzylthio groups may themselves be substituted on the phenyl ring by C<sub>1</sub>-C<sub>3</sub>alkyl, C<sub>1</sub>-C<sub>3</sub>haloalkyl, C<sub>1</sub>-C<sub>3</sub>alkoxy, C<sub>1</sub>-C<sub>3</sub>haloalkoxy, halogen, cyano or by nitro; or each R is independently a monocyclic or fused bicyclic ring system having from 5 to 10 members, which may be aromatic or partially saturated and may contain from 1 to 4 hetero atoms selected from nitrogen, oxygen and sulfur; wherein the ring system either is bound directly to the pyridine ring or is bound to the pyridine ring via a C<sub>1</sub>-C<sub>4</sub>alkylene group, and each ring system may not contain more than two oxygen atoms and may not contain more than two sulfur atoms, and the ring system may itself be mono-, di- or tri-substituted by

 $C_1$ - $C_6$ alkyl,  $C_1$ - $C_6$ haloalkyl,  $C_3$ - $C_6$ alkenyl,  $C_3$ - $C_6$ haloalkenyl,  $C_3$ - $C_6$ alkynyl,  $C_3$ - $C_6$ haloalkylyl,  $C_1$ - $C_6$ alkoxy,  $C_1$ - $C_6$ haloalkoxy,  $C_3$ - $C_6$ alkenyloxy,  $C_3$ - $C_6$ alkynyloxy, mercapto,  $C_1$ - $C_6$ alkylthio,  $C_1$ - $C_6$ haloalkylthio,  $C_3$ - $C_6$ alkenylthio,  $C_3$ - $C_6$ alkenylthio,  $C_3$ - $C_6$ alkylylthio,  $C_3$ - $C_6$ alkoxycarbonylalkylthio,  $C_2$ - $C_4$ cyanoalkylthio,  $C_1$ - $C_6$ alkylsulfinyl,  $C_1$ - $C_6$ alkylsulfonyl,  $C_1$ - $C_6$ haloalkylsulfonyl, aminosulfonyl,  $C_1$ - $C_6$ alkylsulfonyl,  $C_1$ - $C_6$ haloalkylsulfonyl, aminosulfonyl,  $C_1$ - $C_2$ alkylaminosulfonyl,  $C_2$ - $C_4$ dialkylaminosulfonyl,  $C_1$ - $C_3$ alkylene- $C_1$ ,  $C_3$ 0 halogen, cyano, nitro, phenyl or by benzylthio, wherein phenyl and benzylthio may themselves be substituted on the phenyl ring by  $C_1$ - $C_3$ alkyl,  $C_1$ - $C_3$ haloalkyl,  $C_1$ - $C_3$ alkoxy,  $C_1$ - $C_3$ haloalkoxy, halogen, cyano or by nitro, and wherein the substituents on the nitrogen in the heterocyclic ring are other than halogen; or

each R is independently  $C_1$ - $C_4$ alkoxy- $C_1$ 

 $R_1$ ,  $R_3$  and  $R_5$  are each independently of the others hydrogen or  $C_1$ - $C_6$ alkyl;  $R_2$  is  $NR_{10}R_{11}$ ,  $C_1$ - $C_6$ alkoxy,  $C_1$ - $C_6$ haloalkoxy,  $C_1$ - $C_6$ alkyl,  $C_1$ - $C_6$ haloalkyl,  $C_3$ - $C_6$ alkenyl,  $C_3$ - $C_6$ alkenyl,  $C_3$ - $C_6$ alkynyl,  $C_3$ - $C_6$ cycloalkyl or phenyl, wherein phenyl may itself be substituted by  $C_1$ - $C_3$ alkyl,  $C_1$ - $C_3$ haloalkyl,  $C_1$ - $C_3$ alkoxy,  $C_1$ - $C_3$ haloalkoxy, halogen, cyano or by nitro;

 $R_4$  is NR<sub>12</sub>R<sub>13</sub>, C<sub>1</sub>-C<sub>6</sub>alkoxy, C<sub>1</sub>-C<sub>6</sub>haloalkoxy, C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>haloalkyl, C<sub>3</sub>-C<sub>6</sub>alkenyl, C<sub>3</sub>-C<sub>6</sub>haloalkoxyl, C<sub>3</sub>-C<sub>6</sub>cycloalkyl or phenyl, wherein phenyl may itself be substituted by C<sub>1</sub>-C<sub>3</sub>alkyl, C<sub>1</sub>-C<sub>3</sub>haloalkyl, C<sub>1</sub>-C<sub>3</sub>alkoxy, C<sub>1</sub>-C<sub>3</sub>haloalkoxy, halogen, cyano or by nitro;

 $R_{\theta}$  is NR<sub>14</sub>R<sub>15</sub>, C<sub>1</sub>-C<sub>6</sub>alkoxy, C<sub>1</sub>-C<sub>6</sub>haloalkoxy, C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>haloalkyl, C<sub>3</sub>-C<sub>6</sub>alkenyl, C<sub>3</sub>-C<sub>6</sub>haloalkynyl, C<sub>3</sub>-C<sub>6</sub>cycloalkyl or phenyl, wherein phenyl may itself be substituted by C<sub>1</sub>-C<sub>3</sub>alkyl, C<sub>1</sub>-C<sub>3</sub>haloalkyl, C<sub>1</sub>-C<sub>3</sub>alkoxy, C<sub>1</sub>-C<sub>3</sub>haloalkoxy, halogen, cyano or by nitro;

 $R_7$  and  $R_{45}$  are each independently of the other  $C_1$ - $C_3$ alkoxy,  $C_2$ - $C_4$ alkoxycarbonyl,  $C_1$ - $C_3$ -alkylthio,  $C_1$ - $C_3$ alkylsulfinyl,  $C_1$ - $C_3$ alkylsulfinyl or phenyl, wherein phenyl may itself be substituted by  $C_1$ - $C_3$ alkyl,  $C_1$ - $C_3$ haloalkyl,  $C_1$ - $C_3$ alkoxy,  $C_1$ - $C_3$ haloalkoxy, halogen, cyano or by nitro;

 $R_8$ ,  $R_{10}$ ,  $R_{12}$ ,  $R_{14}$  and  $R_{48}$  are each independently of the others hydrogen or  $C_1$ - $C_6$ alkyl;  $R_9$ ,  $R_{11}$ ,  $R_{13}$ ,  $R_{15}$  and  $R_{47}$  are each independently of the others  $C_1$ - $C_6$ alkyl or  $C_1$ - $C_6$ alkoxy; Q is the group  $Q_1$ 

wherein R<sub>16</sub>, R<sub>17</sub>, R<sub>18</sub> and R<sub>19</sub> are each independently of the others hydrogen, hydroxy,

C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>2</sub>-C<sub>6</sub>alkenyl, C<sub>2</sub>-C<sub>6</sub>alkynyl, C<sub>1</sub>-C<sub>4</sub>alkoxycarbonyl, C<sub>1</sub>-C<sub>6</sub>alkylthio, C<sub>1</sub>-C<sub>6</sub>alkylsulfinyl, C<sub>1</sub>-C<sub>6</sub>alkylsulfonyl, C<sub>1</sub>-C<sub>4</sub>alkyl-NHS(O)<sub>2</sub>, C<sub>1</sub>-C<sub>4</sub>haloalkyl, -NH-C<sub>1</sub>-C<sub>4</sub>alkyl, -N(C<sub>1</sub>-C<sub>4</sub>alkyl)<sub>2</sub>, C<sub>1</sub>-C<sub>6</sub>alkoxy, cyano, nitro, halogen, or phenyl which may itself be substituted by C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, C<sub>1</sub>-C<sub>4</sub>haloalkoxy, C<sub>1</sub>-C<sub>4</sub>alkylcarbonyl, C<sub>1</sub>-C<sub>4</sub>alkoxycarbonyl, amino, C<sub>1</sub>-C<sub>4</sub>alkylamino, di(C<sub>1</sub>-C<sub>4</sub>alkyl)amino, C<sub>1</sub>-C<sub>6</sub>alkylthio, C<sub>1</sub>-C<sub>6</sub>alkylsulfinyl, C<sub>1</sub>-C<sub>6</sub>alkylsulfonyl, C<sub>1</sub>-C<sub>4</sub>alkyl-S(O)<sub>2</sub>O, C<sub>1</sub>-C<sub>4</sub>haloalkylthio, C<sub>1</sub>-C<sub>4</sub>haloalkylsulfinyl, C<sub>1</sub>-C<sub>4</sub>haloalkylsulfonyl, C<sub>1</sub>-C<sub>4</sub>haloalkyl-S(O)<sub>2</sub>O, C<sub>1</sub>-C<sub>4</sub>alkyl-S(O)<sub>2</sub>NH, C<sub>1</sub>-C4alkyl-S(O)2N(C1-C4alkyl), halogen, nitro, COOH or by cyano; or two adjacent substituents out of R<sub>16</sub>, R<sub>17</sub>, R<sub>18</sub> and R<sub>19</sub> form a C<sub>2</sub>-C<sub>6</sub>alkylene bridge; R<sub>20</sub> is hydroxy, O⁻M⁺, halogen, C<sub>1</sub>-C<sub>12</sub>alkoxy, C<sub>1</sub>-C<sub>12</sub>alkylcarbonyloxy, C<sub>2</sub>-C₄alkenylcarbonyloxy, C<sub>3</sub>-C<sub>6</sub>cycloalkylcarbonyloxy, C<sub>1</sub>-C<sub>1</sub>-alkoxycarbonyloxy, C<sub>1</sub>-C<sub>12</sub>alkylcarbonyloxy, R<sub>21</sub>R<sub>22</sub>N-C(O)O, C<sub>1</sub>-C<sub>12</sub>alkylthio, C<sub>1</sub>-C<sub>12</sub>alkylsulfinyl, C<sub>1</sub>-C<sub>12</sub>alkylsulfonyl, C<sub>1</sub>-C<sub>4</sub>haloalkylthio, C<sub>1</sub>-C<sub>4</sub>haloalkylsulfinyl, C<sub>1</sub>-C<sub>4</sub>haloalkylsulfonyl, C<sub>2</sub>-C<sub>12</sub>alkenylthio, C<sub>2</sub>-C<sub>12</sub>alkenylsulfinyl, C<sub>2</sub>-C<sub>12</sub>alkenylsulfonyl,  $C_2$ - $C_{12}$ haloalkenylthio,  $C_2$ - $C_{12}$ haloalkenylsulfinyl,  $C_2$ - $C_{12}$ haloalkenylsulfonyl, C2-C12alkynylthio, C2-C12alkynylsulfinyl, C2-C12alkynylsulfonyl, C1-C4alkyl-S(O)2O, phenyi-S(O)<sub>2</sub>O,  $(C_1-C_4alkoxy)_2P(O)O$ ,  $C_1-C_4alkyl(C_1-C_4alkoxy)P(O)O$ ,  $H(C_1-C_4alkoxy)P(O)O$ , C<sub>1</sub>-C<sub>12</sub>-alkyl-S(CO)O, benzyloxy, phenoxy, phenylthio, phenylsulfinyl or phenylsulfonyl, wherein the phenyl group may itself be substituted by C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, C<sub>1</sub>-C<sub>4</sub>haloalkoxy, C<sub>1</sub>-C<sub>4</sub>alkylcarbonyl, C<sub>1</sub>-C<sub>4</sub>alkoxycarbonyl, C<sub>1</sub>-C<sub>4</sub>alkylamino, di(C<sub>1</sub>-C<sub>4</sub>alkyl)amino, C<sub>1</sub>-C<sub>4</sub>alkylthio, C<sub>1</sub>-C<sub>4</sub>alkylsulfinyl, C<sub>1</sub>-C<sub>4</sub>alkylsulfonyl, C<sub>1</sub>-C<sub>4</sub>alkyl-S(O)<sub>2</sub>O, C<sub>1</sub>-C4haloalkylthio, C1-C4haloalkylsulfinyl, C1-C4haloalkylsulfonyl, C1-C4haloalkyl-S(O)2O, C1-C<sub>4</sub>alkyl-S(O)<sub>2</sub>NH, C<sub>1</sub>-C<sub>4</sub>alkyl-S(O)<sub>2</sub>N(C<sub>1</sub>-C<sub>4</sub>alkyl), halogen, nitro or by cyano; and R<sub>21</sub> and R<sub>22</sub> are each independently of the other hydrogen or C<sub>1</sub>-C<sub>4</sub>alkyl; or is the group Q2

wherein  $R_{23}$  is hydroxy, O'M', halogen,  $C_1$ - $C_{12}$ alkoxy,  $C_1$ - $C_{12}$ alkylcarbonyloxy,  $C_2$ - $C_4$ -alkenylcarbonyloxy,  $C_3$ - $C_6$ cycloalkylcarbonyloxy,  $C_1$ - $C_{12}$ alkoxycarbonyloxy,  $C_1$ - $C_{12}$ alkylcarbonyloxy,  $C_1$ - $C_{12}$ alkylcarbonyloxy,  $C_1$ - $C_{12}$ alkylcarbonyloxy,  $C_2$ - $C_1$ 2alkylcarbonyloxy,  $C_1$ - $C_1$ 2alkylcarbonyloxy,  $C_2$ - $C_1$ 2alkylcarbonyloxy,  $C_1$ - $C_1$ 2alkylcarbonyloxy,  $C_1$ - $C_1$ 2alkylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxylcarbonyloxyloxylcarbonyloxyloxy

 $R_{24}$  and  $R_{25}$  are each independently of the other hydrogen or  $C_1$ - $C_4$ alkyl; and Y is oxygen, sulfur, a chemical bond or a  $C_1$ - $C_4$ alkylene bridge; or is the group  $Q_3$ 

wherein R<sub>44</sub>, R<sub>37</sub>, R<sub>38</sub> and R<sub>39</sub> are each independently of the others hydrogen, C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>2</sub>-C<sub>6</sub>alkenyl, C<sub>2</sub>-C<sub>6</sub>alkynyl, C<sub>1</sub>-C<sub>6</sub>alkoxycarbonyl, C<sub>1</sub>-C<sub>6</sub>alkylthio, C<sub>1</sub>-C<sub>6</sub>alkyl-sulfinyl, C<sub>1</sub>-C<sub>6</sub>alkylsulfonyl, C<sub>1</sub>-C<sub>6</sub>alkyl-NHS(O)<sub>2</sub>, C<sub>1</sub>-C<sub>6</sub>alkylamino, di(C<sub>1</sub>-C<sub>6</sub>alkyl)amino, hydroxy, C<sub>1</sub>-C<sub>6</sub>alkoxy, C<sub>3</sub>-C<sub>6</sub>alkenyloxy, C<sub>3</sub>-C<sub>6</sub>alkynyloxy, hydroxy-C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>alkyl-sulfonyloxy-C<sub>1</sub>-C<sub>6</sub>alkyl, tosyloxy-C<sub>1</sub>-C<sub>6</sub>alkyl, halogen, cyano, nitro, phenyl, or phenyl substituted by C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, C<sub>1</sub>-C<sub>4</sub>haloalkoxy, C<sub>1</sub>-C<sub>4</sub>alkylcarbonyl, C<sub>1</sub>-C<sub>4</sub>alkoxycarbonyl, amino, C<sub>1</sub>-C<sub>4</sub>alkylamino, di(C<sub>1</sub>-C<sub>4</sub>alkyl)amino, C<sub>1</sub>-C<sub>6</sub>alkylthio, C<sub>1</sub>-C<sub>6</sub>alkylsulfinyl, C<sub>1</sub>-C<sub>6</sub>alkylsulfonyl, C<sub>1</sub>-C<sub>4</sub>alkyl-S(O)<sub>2</sub>O, C<sub>1</sub>-C<sub>6</sub>haloalkylsulfinyl, C<sub>1</sub>-C<sub>6</sub>haloalkylsulfonyl, C<sub>1</sub>-C<sub>4</sub>alkyl-S(O)<sub>2</sub>O, C<sub>1</sub>-C<sub>6</sub>alkylsulfonyl-S(O)<sub>2</sub>NH, C<sub>1</sub>-C<sub>6</sub>alkylthio-N(C<sub>1</sub>-C<sub>4</sub>alkyl), C<sub>1</sub>-C<sub>6</sub>alkylsulfinyl-N(C<sub>1</sub>-C<sub>4</sub>alkyl), C<sub>1</sub>-C<sub>6</sub>alkylsulfonyl-N(C<sub>1</sub>-C<sub>4</sub>alkyl), halogen, nitro, COOH or by cyano; or adjacent R<sub>44</sub> and R<sub>37</sub> or R<sub>38</sub> and R<sub>39</sub> together are C<sub>3</sub>-C<sub>6</sub>alkylene;

( )

W is oxygen, sulfur, sulfinyl, sulfonyl, -CR<sub>41</sub>R<sub>42</sub>-, -C(O)- or -NR<sub>43</sub>-; R<sub>41</sub> is hydrogen, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy-C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>alkylthio-C<sub>1</sub>-C4alkyl, C1-C4alkylcarbonyloxy-C1-C4alkyl, C1-C4alkylsulfonyloxy-C1-C4alkyl, tosyloxy-C1-C<sub>4</sub>alkyl, di(C<sub>1</sub>-C<sub>3</sub>alkoxyalkyl)methyl, di(C<sub>1</sub>-C<sub>3</sub>alkylthioalkyl)methyl, (C<sub>1</sub>-C<sub>3</sub>alkoxyalkyl)-(C<sub>1</sub>- $C_3$ alkylthioalkyl)methyl,  $C_3$ - $C_5$ oxacycloalkyl,  $C_3$ - $C_5$ thiacycloalkyl,  $C_3$ - $C_4$ dioxacycloalkyl,  $C_3$ -C4dithiacycloalkyl, C3-C4oxathiacycloalkyl, formyl, C1-C4alkoxycarbonyl, or phenyl which may itself be substituted by C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, C<sub>1</sub>-C<sub>4</sub>haloalkoxy, C<sub>1</sub>-C4alkylcarbonyl, C1-C4alkoxycarbonyl, amino, C1-C4alkylamino, di(C1-C4alkyl)amino, C1-C4alkylthio, C1-C4alkylsulfinyl, C1-C4alkylsulfonyl, C1-C4alkylsul  $C_4$ haloalkylsulfinyl,  $C_1$ - $C_4$ haloalkylsulfonyl,  $C_1$ - $C_4$ haloalkyl- $S(O)_2O$ ,  $C_1$ - $C_4$ alkyl- $S(O)_2NH$ ,  $C_1$ - $C_6$ alkylthio- $N(C_1-C_4$ alkyl),  $C_1-C_6$ alkylsulfinyl- $N(C_1-C_4$ alkyl),  $C_1-C_6$ alkylsulfonyl- $N(C_1-C_4$ alkyl), halogen, nitro, COOH or by cyano; or R<sub>42</sub> together with R<sub>39</sub> is C<sub>1</sub>-C<sub>6</sub>alkylene; R<sub>42</sub> is hydrogen, C<sub>1</sub>-C<sub>4</sub>alkyl or C<sub>1</sub>-C<sub>4</sub>haloalkyl; R<sub>40</sub> is hydroxy, O<sup>T</sup>M<sup>+</sup>, halogen, C<sub>1</sub>-C<sub>12</sub>alkoxy, C<sub>1</sub>-C<sub>12</sub>alkylcarbonyloxy, C<sub>2</sub>-C<sub>4</sub>alkenylcarbonyloxy, C<sub>3</sub>-C<sub>6</sub>cycloalkylcarbonyloxy, C<sub>1</sub>-C<sub>12</sub>alkoxycarbonyloxy, C<sub>1</sub>-C<sub>12</sub>alkylcarbonyloxy, R<sub>96</sub>R<sub>97</sub>N-C(0)0, C<sub>1</sub>-C<sub>12</sub>alkylthio, C<sub>1</sub>-C<sub>12</sub>alkylsulfinyl, C<sub>1</sub>-C<sub>12</sub>alkylsulfonyl, C<sub>1</sub>-C<sub>4</sub>haloalkylthio, C<sub>1</sub>-C<sub>4</sub>haloalkylsulfinyl, C<sub>1</sub>-C<sub>4</sub>haloalkylsulfonyl, C<sub>2</sub>-C<sub>12</sub>alkenylthio, C<sub>2</sub>-C<sub>12</sub>alkenylsulfinyl, C<sub>2</sub>-C<sub>12</sub>alkenylsulfonyl, C2-C12haloalkenylthio, C2-C12haloalkenylsulfonyl, C2-C12haloalkenylsulfonyl, C<sub>2</sub>-C<sub>12</sub>alkynylthio, C<sub>2</sub>-C<sub>12</sub>alkynylsulfinyl, C<sub>2</sub>-C<sub>12</sub>alkynylsulfonyl, C<sub>1</sub>-C<sub>4</sub>alkyl-S(O)<sub>2</sub>O. phenyl-S(O)<sub>2</sub>O,  $(C_1-C_4alkoxy)_2P(O)O$ ,  $C_1-C_4alkyl(C_1-C_4alkoxy)P(O)O$ ,  $H(C_1-C_4alkoxy)P(O)O$ . C<sub>1</sub>-C<sub>12</sub>-alkyl-S(CO)O, benzyloxy, phenoxy, phenylthio, phenylsulfinyl or phenylsulfonyl, wherein the phenyl group may itself be substituted by C1-C4alkyl, C1-C4haloalkyl, C1-C<sub>4</sub>alkoxy, C<sub>1</sub>-C<sub>4</sub>haloalkoxy, C<sub>1</sub>-C<sub>4</sub>alkylcarbonyl, C<sub>1</sub>-C<sub>4</sub>alkoxycarbonyl, C<sub>1</sub>-C<sub>4</sub>alkylamino, di(C<sub>1</sub>-C₄alkyl)amino, C₁-C₄alkylthio, C₁-C₄alkylsulfinyl, C₁-C₄alkylsulfonyl, C₁-C₄alkyl-S(O)₂O, C₁- $C_4$ haloalkyithio,  $C_1$ - $C_4$ haloalkylsulfinyl,  $C_1$ - $C_4$ haloalkylsulfonyl,  $C_1$ - $C_4$ haloalkyl- $S(O)_2O$ ,  $C_1$ -C4alkyl-S(O)2NH, C1-C4alkyl-S(O)2N(C1-C4alkyl), halogen, nitro or by cyano; R<sub>96</sub> and R<sub>97</sub> are each independently of the other hydrogen or C₁-C₄alkyl: R<sub>43</sub> is hydrogen, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>alkoxycarbonyl, or phenyl which may itself be substituted by C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, C<sub>1</sub>-C<sub>4</sub>haloalkoxy, C<sub>1</sub>-C<sub>4</sub>alkylcarbonyl, C<sub>1</sub>-C<sub>4</sub>alkoxycarbonyl, C<sub>1</sub>-C<sub>4</sub>alkylamino, di(C<sub>1</sub>-C<sub>4</sub>alkyl)amino, C<sub>1</sub>-C<sub>4</sub>alkylthio, C<sub>1</sub>-C<sub>4</sub>alkylsulfinyl, C1-C4alkylsulfonyl, C1-C4alkyl-S(O)2O, C1-C4haloalkylthio, C1-C4haloalkylsulfinyl, C1- $C_4$ haloalkylsulfonyl,  $C_1$ - $C_4$ haloalkyl- $S(O)_2O$ ,  $C_1$ - $C_4$ alkyl- $S(O)_2NH$ ,  $C_1$ - $C_4$ alkyl- $S(O)_2N(C_1$ -C<sub>4</sub>alkyl), halogen, nitro or by cyano; or is the group Q<sub>4</sub>

wherein R<sub>30</sub> hydroxy, O'M<sup>+</sup>, halogen, C<sub>1</sub>-C<sub>12</sub>alkoxy, C<sub>1</sub>-C<sub>12</sub>alkylcarbonyloxy, C<sub>2</sub>-C<sub>4</sub>alkenylcarbonyloxy, C<sub>3</sub>-C<sub>6</sub>cycloalkylcarbonyloxy, C<sub>1</sub>-C<sub>12</sub>alkoxycarbonyloxy, C<sub>1</sub>-C<sub>12</sub>alkylcarbonyloxy,  $R_{31}R_{32}N-C(O)O,\ C_1-C_{12}alkylthio,\ C_1-C_{12}alkylsulfinyl,\ C_1-C_{12}alkylsulfonyl,\ C_1-C_4haloalkylthio,\ C_1-C_{12}alkylsulfonyl,\ C_1-C_4haloalkylthio,\ C_1-C_4haloal$  $C_1$ - $C_4$ haloalkylsulfinyl,  $C_1$ - $C_4$ haloalkylsulfonyl,  $C_2$ - $C_{12}$ alkenylthio,  $C_2$ - $C_{12}$ alkenylsulfinyl,  $C_2$ - $C_{12}$ alkenylsulfonyl, C2-C12haloalkenylthio, C2-C12haloalkenylsulfonyl, C2-C12haloalkenylsulfonyl, C2-C12alkynylthio, C2-C12alkynylsulfinyl, C2-C12alkynylsulfonyl, C1-C4alkyl-S(O)2O, phenyl-S(O)<sub>2</sub>O,  $(C_1-C_4alkoxy)_2P(O)O$ ,  $C_1-C_4alkoxy)P(O)O$ ,  $H(C_1-C_4alkoxy)P(O)O$ , C<sub>1</sub>-C<sub>12</sub>-alkyl-S(CO)O, benzyloxy, phenoxy, phenylthio, phenylsulfinyl or phenylsulfonyl, wherein the phenyl group may itself be substituted by C1-C4alkyl, C1-C4haloalkyl, C1- $C_4$ alkoxy,  $C_1$ - $C_4$ alkoxy,  $C_1$ - $C_4$ alkylcarbonyl,  $C_1$ - $C_4$ alkoxycarbonyl,  $C_1$ - $C_4$ alkylamino, di( $C_1$ - $C_4$ alkyl)amino,  $C_1$ - $C_4$ alkylthio,  $C_1$ - $C_4$ alkylsulfinyl,  $C_1$ - $C_4$ alkylsulfonyl,  $C_1$ - $C_4$ alkyl- $S(O)_2O$ ,  $C_1$ -C4haloalkylthio, C1-C4haloalkylsulfinyl, C1-C4haloalkylsulfonyl, C1-C4haloalkyl-S(O)2O, C1-C<sub>4</sub>alkyl-S(O)<sub>2</sub>NH, C<sub>1</sub>-C<sub>4</sub>alkyl-S(O)<sub>2</sub>N(C<sub>1</sub>-C<sub>4</sub>alkyl), halogen, nitro or by cyano; and R<sub>31</sub> and R<sub>32</sub> are each independently of the other hydrogen or C<sub>1</sub>-C<sub>4</sub>alkyl; R<sub>33</sub> and R<sub>34</sub> are each independently of the other hydrogen, hydroxy, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>2</sub>-C<sub>6</sub>alkenyl, C<sub>2</sub>-C<sub>6</sub>alkynyl, C<sub>1</sub>-C<sub>6</sub>alkylsulfonyl, C<sub>1</sub>-C<sub>6</sub>alkylsulfonyl, C<sub>1</sub>-C<sub>4</sub>aikyl-NHS(O)<sub>2</sub>, C<sub>1</sub>-C<sub>4</sub>haloalkyl, -NH-C<sub>1</sub>-C<sub>4</sub>aikyl, -N(C<sub>1</sub>-C<sub>4</sub>aikyl)<sub>2</sub>, C<sub>1</sub>-C<sub>6</sub>aikoxy, cyano, nitro, halogen, or phenyl which may itself be substituted by C1-C4alkyl, C1-C4haloalkyl, C1-C4alkoxy, C1-C4haloalkoxy, C1-C4alkylcarbonyl, C1-C4alkoxycarbonyl, amino, C1-C4alkylamino,  $\label{eq:continuity} \mbox{di}(C_1-C_4\mbox{alkyl}) a mino, \ C_1-C_6\mbox{alkylthio}, \ C_1-C_6\mbox{alkylsulfinyl}, \ C_1-C_6\mbox{alkylsulfonyl}, \ C_1-C_4\mbox{alkyl-S(O)}_2\mbox{O},$  $C_1$ - $C_4$ haloalkylthio,  $C_1$ - $C_4$ haloalkylsulfinyl,  $C_1$ - $C_4$ haloalkyl- $S(O)_2O$ , C<sub>1</sub>-C<sub>4</sub>alkyl-S(O)₂NH, C<sub>1</sub>-C<sub>4</sub>alkyl-S(O)₂N(C<sub>1</sub>-C<sub>4</sub>alkyl), halogen, nitro, COOH or by cyano; or  $R_{33}$  and  $R_{34}$  together form a  $C_2$ - $C_6$ alkylene bridge; and R<sub>35</sub> is hydrogen, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>alkoxycarbonyl, or phenyl which may itself be substituted by C<sub>1</sub>-C<sub>4</sub>alkyi, C<sub>1</sub>-C<sub>4</sub>haloalkyi, C<sub>1</sub>-C<sub>4</sub>alkoxy, C<sub>1</sub>-C<sub>4</sub>haloalkoxy, C<sub>1</sub>-C<sub>4</sub>alkyicarbonyi, C<sub>1</sub>-C4alkoxycarbonyl, amino, C1-C4alkylamino, di(C1-C4alkyl)amino, C1-C4alkylthio, C1- $C_4$ alkylsulfinyl,  $C_1$ - $C_4$ alkylsulfonyl,  $C_1$ - $C_4$ alkyl- $S(O)_2O$ ,  $C_1$ - $C_4$ haloalkylthio,  $C_1$ - $C_4$ haloalkylsulfinyl,  $C_1$ - $C_4$ haloalkylsulfonyl,  $C_1$ - $C_4$ haloalkyl- $S(O)_2O$ ,  $C_1$ - $C_4$ alkyl- $S(O)_2NH$ ,  $C_1$ -C₄alkyl-S(O)₂N(C₁-C₄alkyl), halogen, nitro, COOH or by cyano;

or is the group Q<sub>5</sub>

wherein Z is sulfur, SO or SO<sub>2</sub>;

· · · · · · · · · · · · ·

 $R_{01}$  is hydrogen,  $C_1$ - $C_8$ alkyl,  $C_1$ - $C_8$ alkyl substituted by halogen,  $C_1$ - $C_4$ alkoxy,  $C_1$ - $C_4$ alkylsulfinyl, hydroxy, cyano, nitro, -CHO, -CO $_2$ R $_{02}$ , -COR $_{03}$ , -COSR $_{04}$ , -NR $_{05}$ R $_{06}$ , CONR $_{036}$ R $_{037}$ , or by phenyl which may itself be substituted by  $C_1$ - $C_4$ alkyl,  $C_1$ - $C_6$ haloalkyl,  $C_1$ - $C_4$ alkoxy,  $C_1$ - $C_4$ haloalkoxy,  $C_2$ - $C_6$ alkenyl,  $C_3$ - $C_6$ alkynyloxy, halogen, nitro, cyano, -COOH, COOC $_1$ - $C_4$ alkyl, COOphenyl,  $C_1$ - $C_4$ alkoxy, phenoxy, ( $C_1$ - $C_4$ alkoxy)- $C_1$ - $C_4$ alkyl, ( $C_1$ - $C_4$ alkylsulfinyl)- $C_1$ - $C_4$ alkyl, ( $C_1$ - $C_4$ alkylsulfinyl)- $C_1$ - $C_4$ alkyl, ( $C_1$ - $C_4$ alkyl, NHSO $_2$ -Phenyl, N( $C_1$ - $C_6$ alkyl)SO $_2$ - $C_1$ - $C_4$ alkyl, N( $C_3$ - $C_6$ alkyl)SO $_2$ -phenyl, N( $C_3$ - $C_6$ alkynyl)SO $_2$ -phenyl, N( $C_3$ - $C_6$ alkynyl)SO $_2$ -phenyl, N( $C_3$ - $C_6$ alkynyl)SO $_2$ -phenyl, N( $C_3$ - $C_6$ alkyl, N( $C_3$ - $C_6$ alkyl, N( $C_3$ - $C_6$ alkyl, N( $C_3$ - $C_6$ alkyl), N( $C_3$ - $C_6$ alkyl, N( $C_3$ - $C_6$ alkyl), N( $C_3$ - $C_6$ alkyl

or  $R_{01}$  is  $C_2$ - $C_8$ alkenyl or  $C_2$ - $C_8$ alkenyl substituted by halogen,  $C_1$ - $C_4$ alkoxy,  $C_1$ - $C_4$ alkylthio,  $C_1$ - $C_4$ alkylsulfinyl,  $-CONR_{032}R_{033}$ , cyano, nitro, -CHO,  $-CO_2R_{038}$ ,  $-COR_{039}$ , -COS- $C_1$ - $C_4$ alkyl,  $-NR_{034}R_{035}$ , or by phenyl which may itself be substituted by  $C_1$ - $C_4$ alkyl,  $C_1$ - $C_6$ haloalkyl,  $C_1$ - $C_4$ alkoxy,  $C_1$ - $C_4$ haloalkoxy,  $C_2$ - $C_6$ alkenyl,  $C_3$ - $C_6$ alkynyl,  $C_3$ - $C_6$ alkenyloxy,  $C_3$ - $C_6$ alkynyloxy, halogen, nitro, cyano, -COOH,  $COOC_1$ - $C_4$ alkyl, COOphenyl,  $C_1$ - $C_4$ alkoxy, phenoxy,  $(C_1$ - $C_4$ alkoxy)- $C_1$ - $C_4$ alkyl,  $(C_1$ - $C_4$ alkylthio)- $C_1$ - $C_4$ alkyl,  $(C_1$ - $C_4$ alkylsulfinyl)- $C_1$ - $C_4$ alkyl,  $(C_1$ - $C_4$ alkylsulfonyl)- $C_1$ - $C_4$ alkyl,  $(C_1$ - $C_4$ alkyl,  $(C_1$ - $C_6$ alkyl))SO $_2$ -phenyl,  $(C_1$ - $C_6$ alkyl)SO $_2$ -phenyl,  $(C_2$ - $C_6$ alkenyl)SO $_2$ -phenyl,  $(C_3$ - $C_6$ alkynyl)SO $_2$ -phenyl,  $(C_3$ - $C_6$ alkynyl)SO $_2$ -phenyl,  $(C_3$ - $C_6$ alkyl),  $(C_3$ - $C_6$ alkyl),  $(C_3$ - $C_6$ alkyl),  $(C_3$ - $C_6$ alkyl),  $(C_3$ - $C_7$ cycloalkyl),  $(C_3$ - $C_6$ alkyl),  $(C_3$ - $C_6$ alkyl),  $(C_3$ - $C_7$ cycloalkyl),  $(C_3$ - $C_6$ alkyl),  $(C_3$ - $C_6$ alkyl),  $(C_3$ - $C_7$ cycloalkyl),  $(C_3$ - $C_7$ cycloalkyl),  $(C_3$ - $C_6$ alkyl),  $(C_3$ - $C_6$ alkyl),  $(C_3$ - $C_7$ cycloalkyl),  $(C_3$ - $(C_4$ -alkyl),  $(C_3$ -(

. •∮

or Ro1 is C3-C6alkynyl or C3-C6alkynyl substituted by halogen, C1-C4haloalkyl, cyano, -CO<sub>2</sub>R<sub>044</sub>, or by phenyl which may itself be substituted by C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, C<sub>1</sub>-C<sub>4</sub>haloalkoxy, C<sub>2</sub>-C<sub>6</sub>alkenyl, C<sub>3</sub>-C<sub>6</sub>alkynyl, C<sub>3</sub>-C<sub>6</sub>alkenyloxy, C<sub>3</sub>-C<sub>6</sub>alkynyloxy, halogen, nitro, cyano, -COOH, COOC1-C4alkyl, COOphenyl, C1-C4alkoxy, phenoxy, (C1-C4-sulfonyl)-C<sub>1</sub>-C<sub>4</sub>alkyl, NHSO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, NHSO<sub>2</sub>-phenyl, N(C<sub>1</sub>-C<sub>6</sub>alkyl)SO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl,  $N(C_1-C_6alkyl)SO_2$ -phenyl,  $N(C_2-C_6alkenyl)SO_2-C_1-C_4alkyl$ ,  $N(C_2-C_6alkenyl)SO_2$ -phenyl,  $N(C_3-C_6$ alkynyl) $SO_2-C_1-C_4$ alkyl,  $N(C_3-C_6$ alkynyl) $SO_2$ -phenyl,  $N(C_3-C_7$ cycloalkyl) $SO_2-C_1-C_4$ alkyl, N(C<sub>3</sub>-C<sub>7</sub>cycloalkyl)SO<sub>2</sub>-phenyl, N(phenyl)SO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, N(phenyl)SO<sub>2</sub>-phenyl, OSO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, CONR<sub>028</sub>R<sub>029</sub>, OSO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>haloalkyl, OSO<sub>2</sub>-phenyl, C<sub>1</sub>-C<sub>4</sub>alkylthio, C<sub>1</sub>-C<sub>4</sub>haloalkylthio, phenylthio,  $C_1$ - $C_4$ alkylsulfonyl,  $C_1$ - $C_4$ haloalkylsulfonyl, phenylsulfonyl,  $C_1$ - $C_4$ alkylsulfinyl, C1-C4haloalkylsulfinyl, phenylsulfinyl, C1-C4alkylenephenyl or by -NR031CO2R030; or  $R_{01}$  is  $C_3$ - $C_7$ cycloalkyl or  $C_3$ - $C_7$ cycloalkyl substituted by  $C_1$ - $C_4$ alkyl,  $C_1$ - $C_4$ alkoxy,  $C_1$ - $C_4 alkylsulfinyl,\ C_1 - C_4 alkylsulfinyl,\ C_1 - C_4 alkylsulfonyl,\ or\ by\ phenyl\ which\ may\ itself\ be\ substituted$ by halogen, nitro, cyano, C1-C4alkoxy, C1-C4haloalkoxy, C1-C4alkylthio, C1-C4haloalkylthio, C<sub>1</sub>-C<sub>4</sub>alkyl or by C<sub>1</sub>-C<sub>4</sub>haloalkyl; or

 $R_{01}$  is  $C_1$ - $C_4$ alkylene- $C_3$ - $C_7$ cycloalkyl, phenyl, or phenyl substituted by  $C_1$ - $C_4$ alkyl,  $C_1$ - $C_6$ haloalkyl, C1-C4alkoxy, C1-C4haloalkoxy, C2-C6alkenyl, C3-C6alkynyl, C3-C6alkenyloxy, C3-C6alkynyloxy, halogen, nitro, cyano, -COOH, COOC1-C4alkyl, COOphenyl, C1-C4alkoxy,  $phenoxy, (C_1-C_4alkoxy)-C_1-C_4alkyl, (C_1-C_4alkylthio)-C_1-C_4alkyl, (C_1-C_4alkylsulfinyl)-C_1-C_4alkyl, (C_1-C_4alkylsulfinyl)-C_1-C_4alkylsulfinyl)-C_1-C_4alkylsulfinyl, (C_1-C_4alkylsulfinyl)-C_1-C_4alkylsulfinyl, (C_1-C_4alkylsulfinyl)-C_1-C_4alkylsulfinyl, (C_1-C_4alkylsulfinyl)-C_1-C_4alkylsulfinyl, (C_1-C_4alkylsulfinyl)-C_1-C_4alkylsulfinyl, (C_1-C_4alkylsulfinyl) (C_1-C_4alkylsulfonyl)-C_1-C_4alkyl, \ NHSO_2-C_1-C_4alkyl, \ NHSO_2-phenyl, \ N(C_1-C_6alkyl)SO_2-C_1-C_4-c_6alkyl) + C_1-C_6alkyl + C_1-C$ alkyl,  $N(C_1-C_6alkyl)SO_2$ -phenyl,  $N(C_2-C_6alkenyl)SO_2-C_1-C_4alkyl$ ,  $N(C_2-C_6alkenyl)SO_2$ -phenyl,  $N(C_3-C_6 alkynyl)\\SO_2-C_1-C_4 alkyl,\ N(C_3-C_6 alkynyl)\\SO_2-phenyl,\ N(C_3-C_7 cycloalkyl)\\SO_2-C_1-C_4-C_4 alkyl)\\SO_2-C_1-C_4-C_4 alkyl)\\SO_2-C_1-C_4-C_4 alkyl)\\SO_2-C_1-C_4 alky$ alkyl, N(C<sub>3</sub>-C<sub>7</sub>cycloalkyl)SO<sub>2</sub>-phenyl, N(phenyl)SO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, N(phenyl)SO<sub>2</sub>-phenyl, haloalkylthio, phenylthio, C1-C4alkylsulfonyl, C1-C4haloalkylsulfonyl, phenylsulfonyl, C1-C4alkylsulfinyl, C<sub>1</sub>-C<sub>4</sub>haloalkylsulfinyl, phenylsulfinyl or by -NR<sub>048</sub>CO<sub>2</sub>R<sub>047</sub>; or R<sub>01</sub> is C<sub>1</sub>-C<sub>4</sub>alkylenephenyl, COR<sub>07</sub> or from 4- to 6-membered heterocyclyl;  $R_{02}$ ,  $R_{038}$ ,  $R_{044}$  and  $R_{088}$  are each independently of the others hydrogen,  $C_1$ - $C_4$ alkyl, phenyl, or phenyl substituted by C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, C<sub>1</sub>-C<sub>4</sub>haloalkoxy, C<sub>2</sub>-C<sub>6</sub>alkenyl, C<sub>3</sub>-C<sub>6</sub>alkynyi, C<sub>3</sub>-C<sub>6</sub>alkenyloxy, C<sub>3</sub>-C<sub>6</sub>alkynyloxy, halogen, nitro, cyano, -COOH, COOC<sub>1</sub>-C<sub>4</sub>alkyl, COOphenyl,  $C_1$ - $C_4$ alkoxy, phenoxy,  $(C_1$ - $C_4$ alkoxy)- $C_1$ - $C_4$ alkyl,  $(C_1$ - $C_4$ alkylthio)- $C_1$ - $C_4$ alkyl, ( $C_1$ - $C_4$ alkyl, ( $C_1$ - $C_4$ alkyl, ( $C_1$ - $C_4$ alkyl, NHSO<sub>2</sub>- $C_1$ - $C_4$ alkyl, NHSO<sub>2</sub>- $C_1$ - $C_4$ alkyl,  $NHSO_{2}\text{-}phenyl, \ N(C_{1}\text{-}C_{6}alkyl)SO_{2}\text{-}C_{1}\text{-}C_{4}alkyl, \ N(C_{1}\text{-}C_{6}alkyl)SO_{2}\text{-}phenyl, \ N(C_{2}\text{-}C_{6}alkenyl)\text{-}$ 

 $SO_2-C_1-C_4$ alkyl,  $N(C_2-C_6$ alkenyl) $SO_2$ -phenyl,  $N(C_3-C_6$ alkynyl) $SO_2-C_1-C_4$ alkyl,  $N(C_3-C_6-C_6)$ alkynyl)SO<sub>2</sub>-phenyl, N(C<sub>3</sub>-C<sub>7</sub>cycloalkyl)SO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, N(C<sub>3</sub>-C<sub>7</sub>cycloalkyl)SO<sub>2</sub>-phenyl, N(phenyl)SO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>aikyl, N(phenyl)SO<sub>2</sub>-phenyl, OSO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>aikyl, CONR<sub>049</sub>R<sub>050</sub>, OSO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>haloalkyl, OSO<sub>2</sub>-phenyl, C<sub>1</sub>-C<sub>4</sub>alkylthio, C<sub>1</sub>-C<sub>4</sub>haloalkylthio, phenylthio, C<sub>1</sub>-C<sub>4</sub>alkylsulfonyl, C<sub>1</sub>-C<sub>4</sub>haloalkylsulfonyl, phenylsulfonyl, C<sub>1</sub>-C<sub>4</sub>alkylsulfinyl, C<sub>1</sub>-C<sub>4</sub>haloalkylsulfinyl, phenylsulfinyl, -C<sub>1</sub>-C<sub>4</sub>-alkylphenyl or by -NR<sub>052</sub>CO<sub>2</sub>R<sub>053</sub>; R<sub>03</sub>, R<sub>039</sub> and R<sub>067</sub> are each independently of the others C<sub>1</sub>-C<sub>4</sub>alkyl, phenyl, or phenyl substituted by C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, C<sub>1</sub>-C<sub>4</sub>haloalkoxy, C<sub>2</sub>-C<sub>6</sub>alkenyl, C<sub>3</sub>-C<sub>6</sub>alkynyl, C<sub>3</sub>-C<sub>6</sub>aikenyloxy, C<sub>3</sub>-C<sub>6</sub>alkynyloxy, halogen, nitro, cyano, -COOH, COOC₁-C₄alkyl, COOphenyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, phenoxy, (C<sub>1</sub>-C<sub>4</sub>alkoxy)-C<sub>1</sub>-C<sub>4</sub>alkyl, (C<sub>1</sub>-C<sub>4</sub>alkylthio)-C<sub>1</sub>-C<sub>4</sub>alkyl, (C<sub>1</sub>-C<sub>4</sub>alkylsulfinyl)-C<sub>1</sub>-C<sub>4</sub>alkyl, (C<sub>1</sub>-C<sub>4</sub>alkylsulfonyl)-C<sub>1</sub>-C<sub>4</sub>alkyl, NHSO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, NHSO<sub>2</sub>-phenyl, N(C<sub>1</sub>-C<sub>6</sub>alkyl)SO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, N(C<sub>1</sub>-C<sub>6</sub>alkyl)SO<sub>2</sub>-phenyl, N(C<sub>2</sub>-C<sub>6</sub>alkenyl)- $SO_2-C_1-C_4$ alkyl,  $N(C_2-C_6$ alkenyl) $SO_2$ -phenyl,  $N(C_3-C_6$ alkynyl) $SO_2-C_1-C_4$ alkyl,  $N(C_3-C_6$ alkynyl)-SO<sub>2</sub>-phenyl, N(C<sub>3</sub>-C<sub>7</sub>cycloalkyl)SO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, N(C<sub>3</sub>-C<sub>7</sub>cycloalkyl)SO<sub>2</sub>-phenyl, N(phenyl)-SO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, N(phenyl)SO<sub>2</sub>-phenyl, OSO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, CONR<sub>068</sub>R<sub>054</sub>, OSO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>haloalkyl, OSO<sub>2</sub>-phenyl, C<sub>1</sub>-C<sub>4</sub>alkylthio, C<sub>1</sub>-C<sub>4</sub>haloalkylthio, phenylthio, C<sub>1</sub>-C<sub>4</sub>alkylsulfonyl, C<sub>1</sub>-C<sub>4</sub>haloalkylsulfonyl, phenylsulfonyl,  $C_1$ - $C_4$ alkylsulfinyl,  $C_1$ - $C_4$ haloalkylsulfinyl, phenylsulfinyl, -(CH<sub>2</sub>)<sub>t</sub>-phenyl or by -NR<sub>056</sub>CO<sub>2</sub>R<sub>055</sub>;

 $R_{04}$  is  $C_1$ - $C_4$ alkyl;

R<sub>05</sub> is hydrogen, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>2</sub>-C<sub>6</sub>alkenyl, C<sub>3</sub>-C<sub>6</sub>alkynyl, C<sub>3</sub>-C<sub>7</sub>cycloalkyl, phenyl, or phenyl substituted by C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>6</sub>haloalkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, C<sub>1</sub>-C<sub>4</sub>haloalkoxy, C<sub>2</sub>-C<sub>6</sub>alkenyl, C<sub>3</sub>-C<sub>6</sub>-alkynyl, C<sub>3</sub>-C<sub>6</sub>alkenyloxy, C<sub>3</sub>-C<sub>6</sub>alkynyloxy, halogen, nitro, cyano, -COOH, COOC<sub>1</sub>-C<sub>4</sub>alkyl, COOphenyl, C<sub>1</sub>-C<sub>4</sub>alkoxy, phenoxy, (C<sub>1</sub>-C<sub>4</sub>alkoxy)-C<sub>1</sub>-C<sub>4</sub>alkyl, (C<sub>1</sub>-C<sub>4</sub>alkylthio)-C<sub>1</sub>-C<sub>4</sub>alkyl, (C<sub>1</sub>-C<sub>4</sub>alkylsulfinyl)-C<sub>1</sub>-C<sub>4</sub>alkyl, (C<sub>1</sub>-C<sub>4</sub>alkylsulfinyl)-C<sub>1</sub>-C<sub>4</sub>alkyl, NHSO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, N(C<sub>1</sub>-C<sub>6</sub>alkyl)SO<sub>2</sub>-phenyl, N(C<sub>1</sub>-C<sub>6</sub>alkyl)SO<sub>2</sub>-phenyl, N(C<sub>2</sub>-C<sub>6</sub>alkenyl)-SO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, N(C<sub>3</sub>-C<sub>6</sub>alkynyl)SO<sub>2</sub>-phenyl, N(C<sub>3</sub>-C<sub>7</sub>cycloalkyl)SO<sub>2</sub>-phenyl, N(C<sub>3</sub>-C<sub>7</sub>cycloalkyl)SO<sub>2</sub>-phenyl, N(C<sub>3</sub>-C<sub>7</sub>cycloalkyl)SO<sub>2</sub>-phenyl, N(C<sub>3</sub>-C<sub>7</sub>cycloalkyl)SO<sub>2</sub>-phenyl, N(C<sub>3</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, N(phenyl)SO<sub>2</sub>-phenyl, N(phenyl)SO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, N(phenyl)SO<sub>2</sub>-phenyl, OSO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, N(phenyl)SO<sub>2</sub>-phenyl, OSO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, N(phenyl)SO<sub>2</sub>-phenyl, OSO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, N(phenyl)SO<sub>2</sub>-phenyl, OSO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, N(phenyl)SO<sub>2</sub>-phenyl, OSO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, N(phenyl)SO<sub>2</sub>-phenyl, OSO<sub>2</sub>-phenyl, C<sub>1</sub>-C<sub>4</sub>alkyl-phenyl, OSO<sub>2</sub>-C<sub>1</sub>-C<sub>4</sub>alkyl, phenylthio, C<sub>1</sub>-C<sub>4</sub>alkylsulfinyl, phenylsulfinyl, C<sub>1</sub>-C<sub>4</sub>alkylenephenyl or by -NR<sub>060</sub>CO<sub>2</sub>R<sub>055</sub>;

 $R_{06}$  is hydrogen,  $C_1$ - $C_4$ alkyl,  $C_2$ - $C_6$ alkenyl,  $C_3$ - $C_6$ alkynyl,  $C_3$ - $C_7$ cycloalkyl, phenyl, or phenyl substituted by  $C_1$ - $C_4$ alkyl,  $C_1$ - $C_6$ haloalkyl,  $C_1$ - $C_4$ alkoxy,  $C_1$ - $C_4$ haloalkoxy,  $C_2$ - $C_6$ alkenyl,

 $C_3\text{-}C_6\text{alkynyl},\ C_3\text{-}C_6\text{alkenyloxy},\ C_3\text{-}C_6\text{alkynyloxy},\ \text{halogen, nitro, cyano, -COOH, COOC}_1\text{-}C_4\text{-}alkyl,\ COOphenyl},\ C_1\text{-}C_4\text{alkoxy},\ \text{phenoxy},\ (C_1\text{-}C_4\text{alkoxy})\text{-}C_1\text{-}C_4\text{alkyl},\ (C_1\text{-}C_4\text{alkylthio})\text{-}C_1\text{-}C_4\text{-}alkyl},\ (C_1\text{-}C_4\text{alkylsulfinyl})\text{-}C_1\text{-}C_4\text{alkyl},\ (C_1\text{-}C_4\text{alkylsulfinyl})\text{-}C_1\text{-}C_4\text{alkyl},\ NHSO_2\text{-}C_1\text{-}C_4\text{alkyl},\ N(C_1\text{-}C_6\text{alkyl})\text{-}SO_2\text{-}C_1\text{-}C_4\text{alkyl},\ N(C_1\text{-}C_6\text{alkyl})\text{-}SO_2\text{-}phenyl},\ N(C_2\text{-}C_6\text{alkenyl})\text{-}SO_2\text{-}phenyl,\ N(C_3\text{-}C_6\text{alkenyl})\text{-}SO_2\text{-}phenyl,\ N(C_3\text{-}C_7\text{cycloalkyl})\text{-}SO_2\text{-}phenyl,\ N(C_3\text{-}C_7\text{cycloalkyl})\text{-}SO_2\text{-}phenyl,\ N(C_3\text{-}C_7\text{cycloalkyl})\text{-}SO_2\text{-}phenyl,\ N(phenyl)\text{-}SO_2\text{-}C_1\text{-}C_4\text{alkyl},\ N(phenyl)\text{-}SO_2\text{-}C_1\text{-}C_4\text{alkyl},\ N(phenyl)\text{-}SO_2\text{-}C_1\text{-}C_4\text{alkyl},\ N(phenyl)\text{-}SO_2\text{-}C_1\text{-}C_4\text{alkyl},\ N(phenyl)\text{-}SO_2\text{-}C_1\text{-}C_4\text{alkyl},\ N(phenyl)\text{-}SO_2\text{-}C_1\text{-}C_4\text{alkyl},\ N(phenyl)\text{-}SO_2\text{-}C_1\text{-}C_4\text{alkyl},\ N(phenyl)\text{-}SO_2\text{-}C_1\text{-}C_4\text{-}phenyl,\ N(phenyl)\text{-}SO_2\text{-}C_1\text{-}C_4\text{-}phenyl$ 

R<sub>07</sub> is phenyl, C<sub>1</sub>-C<sub>4</sub>alkyl, C<sub>1</sub>-C<sub>4</sub>alkoxy or -NR<sub>08</sub>R<sub>09</sub>;

 $R_{09}$  and  $R_{09}$  are each independently of the other  $C_1$ - $C_4$ alkyl, phenyl, or phenyl substituted by halogen, nitro, cyano,  $C_1$ - $C_4$ alkyl,  $C_1$ - $C_4$ alkoxy,  $C_1$ - $C_4$ thioalkyl, - $CO_2R_{066}$ , - $COR_{067}$ ,  $C_1$ - $C_4$ -alkylsulfonyl,  $C_1$ - $C_4$ alkylsulfinyl or by  $C_1$ - $C_4$ haloalkyl; or  $R_{08}$  and  $R_{09}$  together form a 5- or 6-membered ring, which may be interrupted by oxygen,  $NR_{065}$  or by S;

 $R_{015}$ ,  $R_{031}$ ,  $R_{048}$ ,  $R_{052}$ ,  $R_{056}$ ,  $R_{060}$  and  $R_{064}$  are each independently of the others hydrogen,  $C_1$ - $C_4$ alkyl,  $C_2$ - $C_6$ alkenyl,  $C_3$ - $C_6$ alkynyl or  $C_3$ - $C_7$ cycloalkyl;

Rozs, Rozs, Rozs, Rozs, Rozs, Ross, Ross,

or an agronomically acceptable salt of such a compound, and

cyano, nitro or by COOH:

b) a synergistically effective amount of one or more compounds selected from a compound of formula 2.1

wherein  $R_{51}$  is  $CH_2$ -OMe, ethyl or hydrogen;  $R_{52}$  is hydrogen or  $R_{51}$  and  $R_{52}$  together are the group -CH=CH-CH=CH-;

and a compound of formula 2.2

wherein R<sub>53</sub> is ethyl, R<sub>54</sub> is methyl or ethyl and R<sub>55</sub> is -CH(Me)-CH<sub>2</sub>OMe, <S>-CH(Me)-CH<sub>2</sub>OMe, CH<sub>2</sub>OMe or CH<sub>2</sub>O-CH<sub>2</sub>CH<sub>3</sub>; and a compound of formula 2.3

wherein R<sub>58</sub> is CH(Me)-CH<sub>2</sub>OMe or <S>CH(Me)-CH<sub>2</sub>OMe; and a compound of formula 2.4

wherein  $R_{57}$  is chlorine, methoxy or methylthio,  $R_{58}$  is ethyl and  $R_{59}$  is ethyl, isopropyl, -C(CN)(CH<sub>3</sub>)-CH<sub>3</sub> or tert-butyl;

wherein R<sub>60</sub> is ethyl or n-propyl, R<sub>61</sub> is COO<sup>-</sup> 1/2 Ca<sup>++</sup>, -CH<sub>2</sub>-CH(Me)S-CH<sub>2</sub>CH<sub>3</sub> or the group

and X is oxygen, N-O-CH<sub>2</sub>CH<sub>3</sub> or N-O-CH<sub>2</sub>CH=CH-Cl;

and a compound of formula 2.6

wherein  $R_{62}$  is hydrogen, methoxy or ethoxy,  $R_{63}$  is hydrogen, methyl, methoxy or fluorine,  $R_{64}$  is COOMe, fluorine or chlorine,  $R_{65}$  is hydrogen or methyl, Y is methine, C-F or nitrogen, Z is methine or nitrogen and  $R_{66}$  is fluorine or chlorine; and a compound of formula 2.7

wherein R<sub>67</sub> is hydrogen or -C(O)-S-n-octyl; and a compound of formula 2.8

wherein R<sub>68</sub> is either bromine or iodine; and a compound of formula 2.9

wherein  $R_{69}$  is chlorine or nitro; and a compound of formula 2.10

wherein  $R_{70}$  is fluorine or chlorine and  $R_{71}$  is -CH<sub>2</sub>-CH(Cl)-COOCH<sub>2</sub>CH<sub>3</sub> or -NH-SO<sub>2</sub>Me; and a compound of formula 2.11

wherein  $R_{72}$  is trifluoromethyl or chlorine; and a compound of formula 2.12

()

wherein R<sub>73</sub> is NH<sub>2</sub> or <S>NH<sub>2</sub>; and a compound of formula 2.13

wherein  $Y_1$  is nitrogen, methine, NH-CHO or N-Me,  $Y_2$  is nitrogen, methine or C-I,  $Y_3$  is methine,  $Y_4$  is methine or  $Y_3$  and  $Y_4$  together are sulfur or C-CI,  $Y_5$  is nitrogen or methine,  $Y_6$  is methyl, difluoromethoxy, trifluoromethyl or methoxy,  $Y_7$  is methoxy or difluoromethoxy and  $R_{74}$  is CONMe<sub>2</sub>, COOMe, COOC<sub>2</sub>H<sub>5</sub>, trifluoromethyl, CH<sub>2</sub>-CH<sub>2</sub>CF<sub>3</sub> or SO<sub>2</sub>CH<sub>2</sub>CH<sub>3</sub>, or a sodium salt thereof;

and the compound of formula 2.13.c

and the compound of formula 2.14

and the compound of formula 2.15

and the compound of formula 2.17

and the compound of formula 2.18

and the compound of formula 2.19

and the compound of formula 2.20

# and the compound of formula 2.22

# and the compound of formula 2.23

and the compound of formula 2.25

and the compound of formula 2.26

and the compound of formula 2.27

and the compound of formula 2.28

and the compound of formula 2.31

and the compound of formula 2.32

and the compound of formula 2.33

and the compound of formula 2.34  $H_2N - SO_2NHCO_2CH_3$  (2.34),

and the compound of formula 2.36  $CH_3$  N O CI N  $C(CH_3)_3$  (2.36),

and the compound of formula 2.37 
$$N = CO_2CH_3$$
 (2.37),  $CO_2CH_3$  (2.37),

and the compound of formula 2.38 CH<sub>3</sub>SOC COSCH<sub>3</sub> (2.38), CH<sub>2</sub>CH(CH<sub>3</sub>)<sub>2</sub>

and the compound of formula 2.40 CI NHCON(CH<sub>3</sub>)<sub>2</sub> (2.40),

$$(CH_3)_3C \xrightarrow{S} NCONHCH_3$$
 $N-N$ 
(2.43),

and the compound of formula 2.43 and the compound of formula 2.44

and the compound of formula 2.45

and the compound of formula 2.46

and the compound of formula 2.47

and the compound of formula 2.49

and the compound of formula 2.50

$$H_3C$$
 $CH_3$ 
 $CH_3$ 

and the compound of formula 2.51

$$CI \xrightarrow{F} O \xrightarrow{CH_3} F$$

$$O \xrightarrow{N} F$$

$$O \xrightarrow{CH_3} CH_3$$

$$O \xrightarrow{CH_3} CH_3$$

$$O \xrightarrow{CH_3} CH_3$$

# 2. A composition according to claim 1, wherein in formula I

each R is independently hydrogen, C1-C6alkyl, C2-C6alkenyl, C2-C6alkenyl, C2-C6alkynyl,  $C_2-C_6 haloalkynyl,\ C_3-C_6 cycloalkyl\ ,\ C_1-C_6 alkoxy,\ C_1-C_6 haloalkoxy,\ C_1-C_6 alkyl-C_6 haloalkoxy,\ C_1-C_6 haloalkynyl\ ,\ C_1-C_6 ha$ sulfinyl,  $C_1$ - $C_6$ alkylsulfonyl,  $C_1$ - $C_6$ haloalkyl,  $C_1$ - $C_6$ haloalkylthio,  $C_1$ - $C_6$ haloalkylsulfinyl,  $C_1$ - $C_6$ -amino,  $C_1$ - $C_6$ alkylaminosulfonyl, di( $C_1$ - $C_6$ alkyl)aminosulfonyl, -N( $R_1$ )-S- $R_2$ , -N( $R_3$ )-SO- $R_4$ , -N(R<sub>5</sub>)-SO<sub>2</sub>-R<sub>6</sub>, nitro, cyano, halogen, hydroxy, amino, benzylthio, benzylsulfinyl, benzylsulfonyl, phenoxy, phenylthio, phenylsulfinyl or phenylsulfonyl; wherein the phenyl group may itself be mono-, di- or tri-substituted by C1-Cealkyl, C1-Cehaloalkyl, C3-Cealkenyl,  $C_3-C_6 \\ haloalkenyl, \ C_3-C_6 \\ haloalkynyl, \ C_1-C_6 \\ alkoxy, \ C_1-C_6 \\ haloalkoxy, \ C_3-C_6-C_6 \\ haloalkoxy, \ C_3-C_6 \\ halo$ alkenyloxy,  $C_3$ - $C_6$ alkynyloxy, mercapto,  $C_1$ - $C_6$ alkylthio,  $C_1$ - $C_6$ haloalkylthio,  $C_3$ - $C_6$ alkenylthio,  $C_3$ - $C_6$ haloalkenytthio,  $C_3$ - $C_6$ alkynytthio,  $C_2$ - $C_5$ alkoxyalkytthio,  $C_3$ - $C_6$ acetylalkytthio,  $C_3$ - $C_6$ alkoxycarbonylalkylthio, C₂-C₄cyanoalkylthio, C₁-Cealkylsulfinyl, C₁-Cehaloalkylsulfinyl,  $C_1$ - $C_6$ alkylsulfonyl,  $C_1$ - $C_6$ haloalkylsulfonyl, aminosulfonyl,  $C_1$ - $C_2$ alkylaminosulfonyl, C<sub>2</sub>-C<sub>4</sub>dialkylaminosulfonyl, C<sub>1</sub>-C<sub>3</sub>alkylene-R<sub>45</sub>, NR<sub>48</sub>R<sub>47</sub>, halogen, cyano, nitro, phenyl or by benzylthio, wherein the latter phenyl and benzylthio groups may themselves be substituted on the phenyl ring by  $C_1$ - $C_3$ alkyl,  $C_1$ - $C_3$ haloalkyl,  $C_1$ - $C_3$ alkoxy,  $C_1$ - $C_3$ haloalkoxy, halogen, cyano or by nitro:

or each R is independently a monocyclic or fused bicyclic ring system having from 5 to 10 members, which may be aromatic or partially saturated and may contain from 1 to 4 hetero atoms selected from nitrogen, oxygen and sulfur; wherein the ring system either is bound directly to the pyridine ring or is bound to the pyridine ring *via* a C<sub>1</sub>-C<sub>4</sub>alkylene group, and each ring system may not contain more than two oxygen atoms and may not contain more than two sulfur atoms, and the ring system may itself be mono-, di- or tri-substituted by C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>3</sub>-C<sub>6</sub>haloalkyl, C<sub>3</sub>-C<sub>6</sub>haloalkenyl, C<sub>3</sub>-C<sub>6</sub>haloalkenyl, C<sub>3</sub>-C<sub>6</sub>haloalkenyl, C<sub>3</sub>-C<sub>6</sub>haloalkenyl, C<sub>3</sub>-C<sub>6</sub>haloalkoxy, C<sub>1</sub>-C<sub>6</sub>haloalkoxy, C<sub>3</sub>-C<sub>6</sub>alkenyloxy, C<sub>3</sub>-C<sub>6</sub>alkynyloxy, mercapto, C<sub>1</sub>-C<sub>6</sub>alkylthio,

 $C_1$ - $C_6$ haloalkylthio,  $C_3$ - $C_6$ alkenylthio,  $C_3$ - $C_6$ haloalkenylthio,  $C_3$ - $C_6$ alkynylthio,  $C_2$ - $C_5$ alkoxy-alkylthio,  $C_3$ - $C_6$ acetylalkylthio,  $C_3$ - $C_6$ alkoxycarbonylalkylthio,  $C_2$ - $C_4$ cyanoalkylthio,  $C_1$ - $C_6$ alkylsulfinyl,  $C_1$ - $C_6$ haloalkylsulfinyl,  $C_1$ - $C_6$ haloalkylsulfinyl, aminosulfonyl,  $C_1$ - $C_6$ haloalkylsulfonyl, aminosulfonyl,  $C_1$ - $C_2$ alkylaminosulfonyl,  $C_2$ - $C_4$ dialkylaminosulfonyl,  $C_1$ - $C_3$ alkylene- $C_3$ ,  $C_4$ 0 halogen, cyano, nitro, phenyl or by benzylthio, wherein phenyl and benzylthio may themselves be substituted on the phenyl ring by  $C_1$ - $C_3$ alkyl,  $C_1$ - $C_3$ haloalkyl,  $C_1$ - $C_3$ alkoxy,  $C_1$ - $C_3$ haloalkoxy, halogen, cyano or by nitro, and wherein the substituents on the nitrogen in the heterocyclic ring are other than halogen.

3. A composition according to claim 1, that comprises, as compound of formula I, a compound of formula Ia

wherein

R<sub>48</sub> is C<sub>1</sub>-C<sub>6</sub>alkyl, C<sub>2</sub>-C<sub>6</sub>alkenyl, C<sub>2</sub>-C<sub>6</sub>haloalkenyl, C<sub>2</sub>-C<sub>6</sub>haloalkynyl, C<sub>3</sub>-C<sub>6</sub>cycloalkyl, C<sub>1</sub>-C<sub>6</sub>haloalkyl, or a monocyclic or fused bicyclic ring system having from 5 to 10 members, which may be aromatic or partially saturated and may contain from 1 to 4 hetero atoms selected from nitrogen, oxygen and sulfur, wherein the ring system either is bound directly to the pyridine ring or is bound to the pyridine ring via a C1-C4alkylene group, and each ring system may not contain more than two oxygen atoms and may not contain more than two sulfur atoms, and the ring system may itself be mono-, di- or tri-substituted by C1-C6alkyl, C1-C6haloalkyl, C3-C6alkenyl, C3-C6haloalkenyl, C3-C6alkynyl, C3-C6haloalkynyl, C<sub>1</sub>-C<sub>6</sub>alkoxy, C<sub>1</sub>-C<sub>6</sub>haloalkoxy, C<sub>3</sub>-C<sub>6</sub>alkenyloxy, C<sub>3</sub>-C<sub>6</sub>alkynyloxy, mercapto, C<sub>1</sub>-C<sub>6</sub>alkylthio,  $C_1$ - $C_6$ haloalkylthio,  $C_3$ - $C_6$ alkenylthio,  $C_3$ - $C_6$ haloalkenylthio,  $C_3$ - $C_6$ alkynylthio,  $C_2$ - $C_5$ alkoxyalkyithio,  $C_3$ - $C_5$ acetylalkyithio,  $C_3$ - $C_6$ alkoxycarbonylalkyithio,  $C_2$ - $C_4$ cyanoalkyithio,  $C_1$ - $C_6$ alkyisulfinyl, C1-C6haloalkylsulfinyl, C1-C6alkylsulfonyl, C1-C6haloalkylsulfonyl, aminosulfonyl, C<sub>1</sub>-C<sub>2</sub>alkylaminosulfonyl, C<sub>2</sub>-C<sub>4</sub>dialkylaminosulfonyl, C<sub>1</sub>-C<sub>3</sub>alkylene-R<sub>7</sub>, NR<sub>8</sub>R<sub>9</sub>, halogen, cyano, nitro, phenyl or by benzylthio, wherein phenyl and benzylthio may themselves be substituted on the phenyl ring by  $C_1$ - $C_3$ alkyl,  $C_1$ - $C_3$ haloalkyl,  $C_1$ - $C_3$ alkoxy,  $C_1$ - $C_3$ haloalkoxy, halogen, cyano or by nitro, and wherein the substituents on the nitrogen in the heterocyclic ring are other than halogen;

 $R_{49}$  is hydrogen,  $C_1$ - $C_6$ alkyl,  $C_1$ - $C_6$ haloalkyl, halogen, or phenyl which may be substituted by  $C_1$ - $C_3$ alkyl,  $C_1$ - $C_3$ haloalkyl,  $C_1$ - $C_3$ haloalkyl,  $C_1$ - $C_3$ haloalkyl, halogen, cyano or by nitro, and  $R_{50}$  is  $C_1$ - $C_6$ haloalkyl.

- 4. A composition according to claim 3, wherein  $R_{48}$  is  $C_1$ - $C_6$ alkyl,  $C_2$ - $C_6$ alkenyl,  $C_2$ - $C_6$ haloalkynyl,  $C_3$ - $C_6$ cycloalkyl or  $C_1$ - $C_6$ haloalkyl.
- 5. A composition according to claim 1, wherein in formula I Q is the group  $Q_2$  or  $Q_3$ .
- 6. A composition according to claim 5, wherein in the group  $Q_2$   $R_{23}$  is hydroxy.
- 7. A composition according to claim 5, wherein in the group  $Q_3 \ R_{40}$  is hydroxy.
- 8. A method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally effective amount of a composition according to claim 1 to act on the crop plant or the locus thereof.
- 9. A method according to claim 8, wherein the crop plant is maize or sugar cane.
- 10. A method according to claim 8, wherein the crops of useful plants are treated with the mentioned composition at rates of application corresponding to a total amount of active ingredient of from 1 to 5000 g per hectare.
- 11. A herbicidally selective composition that, in addition to comprising customary inert formulation adjuvants, such as carriers, solvents and wetting agents, comprises as active ingredient a mixture of
- a) a herbicidally-synergistically effective amount of a compound of formula I according to claim 1 and one or more compounds selected from the compounds of formulae 2.1 to 2.51 according to claim 1 and
- b) a herbicidally-antagonistically effective amount of a compound selected from the compound of formula 3.1

and the compound of formula 3.3

CI (3.3), 
$$O-CH_2-C(O)-O-CH(CH_3)C_5H_{11}-n$$

and the compound of formula 3.4

and the compound of formula 3.5

and the compound of formula 3.6

# and the compound of formula 3.8

and of formula 3.9

Cl<sub>2</sub>CHCON(CH<sub>2</sub>CH=CH<sub>2</sub>)<sub>2</sub> (3.9),

## and of formula 3.10

## and of formula 3.12

#### and of formula 3.13

## and of formula 3.14

À

- 12. A method for the selective control of weeds and grasses in crops of useful plants, which comprises treating the useful plants, seeds or cuttings thereof, or the area of cultivation thereof, with a herbicidally-synergistically effective amount of a composition according to claim 10.
- 13. A method according to claim 12, wherein the rate of application of herbicides is from 1 to 5000 g/ha and the rate of application of safener is from 0.001 to 0.5 kg/ha.
- 14. A method according to claim 12, wherein the crops of useful plants are maize or sugar cane.
- 15. A herbicidally selective composition that, in addition to comprising customary inert formulation adjuvants, such as carriers, solvents and wetting agents, comprises as active ingredient a mixture of
- a) a herbicidally effective amount of a compound of formula I according to claim 1 and b) a herbicidally-antagonistically effective amount of a compound selected from the compound of formula 3.1

#### and the compound of formula 3.3

## and the compound of formula 3.4

#### and the compound of formula 3.5

#### and the compound of formula 3.6

and the compound of formula 3.8

and of formula 3.9

Cl<sub>2</sub>CHCON(CH<sub>2</sub>CH=CH<sub>2</sub>)<sub>2</sub> (3.9),

and of formula 3.10

# and of formula 3.12

# and of formula 3.13

## and of formula 3.14

and of formula 3.16

16. A method for the selective control of weeds and grasses in crops of useful plants, which comprises treating the useful plants, seeds or cuttings thereof, or the area of cultivation thereof, with a herbicidally-synergistically effective amount of a composition according to claim 14.